


Be Your Window To The World



Picture and logos

SELLING POINTS

- Windows 11 Home: MSI raccomanda Windows 11 Pro per uso aziendale
- Pannello IPS da 27" con angolo di visione ampio di 178°, retroilluminazione a LED (1920 x 1080 FHD)
- Fino al processore Intel® Core™ i7 14700 Raptor Lake con memoria DDR5
- Frequenza di aggiornamento di 100Hz con tecnologie Anti-Flicker e Less Blue Light di MSI per proteggere gli occhi degli utenti
- Lo stand regolabile e il design senza attrezzi offrono un ambiente di lavoro conveniente
- Tre display con porte di uscita HDMI™ e DP
- Webcam FHD integrata con Windows Hello per migliorare la privacy e la produttività degli utenti
- Il software Tobii Aware protegge la privacy e la sicurezza degli utenti
- MSI Cloud Center consente agli utenti di creare un cloud privato e di eseguire il backup dei file da dispositivi Android e iOS
- Il design dTPM protegge i dati riservati con chiavi di crittografia
- Il DTS Audio Enhancer è progettato per offrire un'esperienza audio coinvolgente
- Test di affidabilità qualificato 24/7



1. 1 x DC Jack
2. 1 x HDMI™ out (2.1)
3. 1 x DisplayPort out (1.4)
4. 1 x RJ-45 LAN
5. 1 x USB 3.2 Gen 2 Type C / 1 x USB 3.2 Gen 2 Type A
6. 2 x USB 2.0 Type A
7. 1 x Mic-in
8. 1 x Line-out
9. 1 x Kensington Lock
10. 2 x USB 3.2 Gen 1 Type A

SPECIFICATION

Operating Systems	Operating Systems	Windows 11 Pro
Model	Part No	9S6-AF8321-488
	MKT Name	PRO AP272P 14M
	MKT Spec	PRO AP272P 14M-488IT
	SKU Number	00-AF8321-488
	Entity MKT Name	PRO AP272P 14M-488IT-B51440016GS51X11PANA
	Color	ID1/Black-Black-Black
Display	Screen Size	27" (69 cm)
	Active Display Area (mm)	597.88(H)X336.312(V)
	Curvature	Flat
	Panel Type	IPS
	Resolution	1920x1080 (FHD)
	Pixel pitch	0.2745(H)x0.2745(V)
	Brightness (nits)	250
	Contrast Ratio	1000:1
	Signal Frequency	N/A
	Refresh Rate	N/A
	Response Time (GTG)	14ms
	View Angles	178°(H)/178°(V)
	Surface Treatment	Anti-Glare
	Touch Screen	Non-touch
Display Colors	16.7M	
Input Device	WebCam	internal webcam
I/O Ports	Mic-in	N/A
	Headphone-out	N/A
	Lock type	Kensington
Processor	CPU Number	Intel Core i5 Processor 14400
	CPU Clock	2.5GHz
	CPU Cores	10
	TDP	65W
	Cache	N/A
	Threads	N/A
Chipset	Chipsets	H610
Memory	Memory Size	16GB(8GB*2)
	Memory Type	DDR5 SDRAM
	Memory Speed	2800(5600)MHz
	Module Type	SO-DIMM
	Memory Slot (Total/Free)	2/0
	Max Capacity	Max 64GB
Discrete Graphics	GPU1 VRAM Size	N/A
	GPU1 VRAM Type	N/A
Storage	SSD Size	512GB
	HDD1 Size	N/A
	SSD Config	512GB*1
	SSD Interface	PCIe GEN3x4
	SSD Form Factor	M.2-2280 M-KEY
	M.2 slots (Total/Free)	1/0
	HDD1 RPM	N/A
	HDD1 Form Factor	N/A
	HDD1 Interface	N/A
	3.5" Drive Bays (Total/Free)	N/A/0
	2.5" Drive Bays (Total/Free)	1/1
	ODD(Type)	N/A
	ODD Height	N/A
ODD Type	N/A	
Communications	LAN	Intel I219-V
	WLAN	INTEL/AX211.NG.WG.NV
	WLAN Version	Wi-Fi 6E+BT
	BT Version	5.3



ALL-IN-ONE PCS

PRO AP272P 14M

PRO AP272P 14M-488IT

Audio	Audio Chipset	Realtek ALC897
	Audio Type	2.1 Channel HD Audio
I/O Ports (Front)	USB 2.0 Type A	N/A
	USB 3.2 Gen 1 Type A	2
	USB 3.2 Gen 1 Type C	N/A
	USB 3.2 Gen 2 Type A	N/A
	USB 3.2 Gen 2 Type C	N/A
	USB 3.2 Gen 2x2 Type C	N/A
	USB 3.2 Gen 2x2 Type A	N/A
	Mic-in/Headphone-out combo	N/A
I/O Ports (Rear)	USB 3.2 Gen 2x2 Type C (R)	N/A
	USB 3.2 Gen 2x2 Type A (R)	N/A
	USB 3.2 Gen 2 Type C (R)	1
	USB 3.2 Gen 2 Type A (R)	1
	USB 3.2 Gen 1 Type C (R)	N/A
	USB 3.2 Gen 1 Type A (R)	N/A
	USB 2.0 Type C (R)	N/A
	USB 2.0 Type A (R)	2
	RJ45	1
	Card Reader	N/A
	VGA out	N/A
	HDMI™ out	1x (v2.1)
	DP out	1x (v1.4)
	mini DP out	N/A
	PS/2	N/A
	COM Port	N/A
	DVI-D out	N/A
HDMI™ in	N/A	
Mic-in/Headphone-out combo (R)	N/A	
Printer Port (Parallel)	N/A	
I/O Ports (Side)	Headphone-out (HiFi / SPDIF)	N/A
Power	AC Adapter Output	120W
	Battery	N/A
	Battery Whrs	N/A
In The Box	Keyboard Interface	WIRELESS
	Mouse Interface	WIRELESS
	Power Cord	1
	AC Adaptor	1
	Warranty Card	1
	Quick Guide	1
	User Manual	N/A
	VESA Mount kit	N/A
	Keyboard	RF1430
Mouse	MA04	
Design	Adjustment (Tilt)	-5°~20°(+/-2°)
	Adjustment (Swivel)	N/A
	Adjustment (Height)	N/A
	Adjustment (Pivot)	N/A
Dimension & Weight	Weight (Net kg)	4.63
	Weight (Gross kg)	8
	Product Dimension with Holder (WxDxH) (mm)	N/A
	Product Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Holder (WxDxH) (mm)	N/A
	Inside Carton Dimension with Holder (WxDxH) (inch)	N/A
	Inside Carton Dimension with Stand (WxDxH) (mm)	696 x 218 x 490
	Inside Carton Dimension with Stand (WxDxH) (inch)	27.4 x 8.58 x 19.29
Outer Carton Dimension with Holder (WxDxH) (mm)	N/A	



ALL-IN-ONE PCS

PRO AP272P 14M

PRO AP272P 14M-488IT

Product Dimension with Stand (WxDxH)	Product Dimension with Stand (WxDxH) (mm)	613.49 x 268.00 x 457.66
	Product Dimension with Stand (WxDxH) (inch)	24.15 x 10.55 x 18.02
Warranty	Warranty	N/A
Regulatory Compliance	Operating, Storage Temperature	0° C ~ 35° C ; -20° C ~ 60° C
	Operating, Storage Humidity	0% ~ 85%;0% ~ 90%
	Regulatory Compliance	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)
Barcode Info	EAN	4711377162012