

KYOCERA ECOSYS M8124cidn Laser A3 9600 x 600 DPI 24 ppm

Marchio : KYOCERA

Famiglia del prodotto:
ECOSYS

Codice prodotto: 1102P43NLO


Nome del prodotto :
M8124cidn

KYOCERA ECOSYS M8124cidn. Tecnologia di stampa: Laser, Stampa: Stampa a colori, Risoluzione massima: 9600 x 600 DPI, Velocità di stampa (colore, qualità normale, A4/US Letter): 24 ppm. Copia: Copia a colori, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Funzione duplex: Copia, Stampa, Scansione. Massimo formato carta serie ISO A: A3. Stampa diretta. Colore del prodotto: Nero, Bianco

Printing		Paper handling	
Duplex printing mode	Auto	Multi-purpose tray media types	Legal, Letter
Print resolution colour	1200 x 1200 DPI	ISO A-series sizes (A0...A9) *	A3, A4, A5, A6
Print resolution black	1200 x 1200 DPI	ISO B-series sizes (B0...B9)	B5
Print technology *	Laser	Non-ISO print media sizes	Folio, Ledger (media size), Legal, Letter
Printing *	Colour printing	Custom media width	98 - 297 mm
Duplex printing *	✓	Custom media length	148 - 432 mm
Maximum resolution *	9600 x 600 DPI	Paper tray media weight	60 - 256 g/m ²
Print speed (black, normal quality, A4/US Letter) *	24 ppm	Multi-Purpose Tray media weight	60 - 256 g/m ²
Print speed (colour, normal quality, A4/US Letter)	24 ppm	Duplex media weight	60 - 220 g/m ²
Print speed (black, normal quality, A3)	12 ppm	Media thickness (min)	0.11 mm
Print speed (colour, normal quality, A3)	12 ppm	Ports & interfaces	
Duplex print speed (black, normal quality, A4/US Letter)	22 ppm	Standard interfaces	Ethernet, USB 2.0
Duplex print speed (colour, normal quality, A4/US Letter)	22 ppm	Direct printing *	✓
Warm-up time	30 s	USB port	✓
Time to first page (black, normal)	7.5 s	USB 2.0 ports quantity	3
Time to first page (colour, normal)	10.2 s	Optional connectivity	Ethernet, Wireless LAN
N-in-1 print function	✓	Network	
N-up printing	2, 4	Wi-Fi *	✗
Barcode printing	✓	Ethernet LAN *	✓
Watermark printing	✓	Cabling technology	10/100/1000Base-T(X)
Economical printing	✓	Ethernet LAN data rates	10,100,1000 Mbit/s
Secure printing	✓	Bluetooth	✗
Poster printing function	✓	Near Field Communication (NFC)	✗
Secure PDF printing function	✓	Email protocols	POP3, SMTP
		Email over SSL	✓
		Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Copying		Performance	
Duplex copying *	✓	Maximum internal memory	3000 MB
Duplex copying mode	Auto	Card reader integrated	✓
Copying *	Colour copying	Internal memory *	1500 MB
Maximum copy resolution *	600 x 600 DPI	Compatible memory cards	SD
Copy speed (black, normal quality, A4)	24 cpm	Built-in processor	✓
Copy speed (colour, normal quality, A4)	24 cpm	Processor family	ARM Cortex-A9
Copy speed (black, normal quality, A3)	12 cpm	Processor frequency	1200 MHz
Copy speed (colour, normal quality, A3)	12 cpm	Processor cores	2
Duplex copy speed (black, US Letter)	22 ppm	Sound pressure level (printing)	53 dB
		Sound pressure level (copying)	53 dB
		Sound pressure level (standby)	34 dB

Copying		Design	
Time to first copy (black, normal)	7.6 s	Product colour *	Black, White
Time to first copy (colour, normal)	9.8 s	Market positioning *	Business
Maximum number of copies	999 copies	Built-in display *	✓
Copier resize	25 - 400%	Display	TFT
N-in-1 copy function	✓	Display diagonal	10.9 cm (4.3")
N-in-1 copy function (N=)	2, 4	Touchscreen	✓
Copy programming function	✓	Control type	Touch
ID-card copy function	✓	Colour display	✓
Scanning		Power	
Duplex scanning *	✓	Power consumption (max)	1575 W
Duplex scanning mode	Auto	Power consumption (average operating)	510 W
Scanning *	Colour scanning	Power consumption (PowerSave)	40 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (printing)	510 W
Maximum scan area	297 x 420 mm	Power consumption (copying)	510 W
Scanner type *	Flatbed & ADF scanner	Power consumption (ready)	80 W
Scan technology	CIS/CCD	Power consumption (sleep)	0.5 W
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA	Power consumption (off)	0.1 W
Scan speed (colour)	50 ppm	Energy Star Typical Electricity Consumption (TEC)	1.02 kWh/week
Scan speed (black)	50 ppm	AC input voltage	220 - 240 V
Duplex scan speed (colour)	16 ppm	AC input frequency	50 - 60 Hz
Duplex scan speed (black)	16 ppm	System requirements	
Image formats supported	JPEG, MMR, TIFF	Windows operating systems supported	✓
Document formats supported	PDF, XPS	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Greyscale levels	256	Linux operating systems supported	✓
Scan drivers	TWAIN, WIA	Operational conditions	
Fax		Certificates	
Duplex faxing	✓	Waste Electrical and Electronic Equipment (WEEE) compliance	✓
Faxing *	✗	Certification	TÜV/GS, CE
Fax resolution (black)	400 x 400 DPI	Sustainability	
Fax transmission speed	3 sec/page	Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Modem speed	33.6 Kbit/s	Weight & dimensions	
Fax coding methods	JBIG, MH, MMR, MR	Width	590 mm
Features		Depth	590 mm
Recommended duty cycle	2000 - 5000 pages per month	Height	753 mm
Maximum duty cycle *	100000 pages per month	Weight	76 kg
Duplex functions *	Copy, Print, Scan	Packaging data	
Number of print cartridges *	4	Package width	760 mm
Printing colours *	Black, Cyan, Magenta, Yellow	Package depth	760 mm
Page description languages	Microsoft XPS, OpenXPS, PCL 5e, PCL 6, PCL XL, PostScript 3	Package height	995 mm
Printer fonts	Barcode, Bitmap, PCL, Windows	Package weight	104 kg
Number of printer fonts	101		
Optional functions	Fax		
Replacement cartridges	TK-8115K, TK-8115C, TK-8115M, TK-8115Y		
Input & output capacity			
Total number of input trays *	1		
Total input capacity *	500 sheets		
Total output capacity *	280 sheets		
Paper tray 1 input capacity	500 sheets		
Paper tray 2 input capacity	500 sheets		
Paper tray 3 input capacity	500 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Paper input type	Cassette, Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		

Input & output capacity		Packaging content	
Maximum number of input trays	3	Cartridge(s) included	✓
Maximum input capacity	1600 sheets	Included cartridge capacity (black)	3000 pages
Maximum output capacity	280 sheets	Included cartridge capacity (CMY)	1500 pages
Paper handling		Imaging unit included	✓
Maximum ISO A-series paper size *	A3	Cables included	AC
Maximum print size	297 x 432 mm	Drivers included	✓
Paper tray media types *	Plain paper	Manual	✓
		Power cord included	✓
		Quick installation guide	✓
		Logistics data	
		Harmonized System (HS) code	84433100
		Technical details	
		Compliance certificates	REACH, RoHS
		Other features	
		Finishing option	✗



0632983046623



632983046623

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.