

# KYOCERA ECOSYS M2640idw Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

**Marchio :** KYOCERA

**Famiglia del prodotto:** ECOSYS

**Codice prodotto:** 1102S53NL0

**Nome del prodotto :** M2640idw




KYOCERA ECOSYS M2640idw. Tecnologia di stampa: Laser, Stampa: Mono stampa, Risoluzione massima: 1200 x 1200 DPI. Copia: Mono copia, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 600 x 600 DPI. Fax: Mono fax. Funzione duplex: Copia, Fax, Stampa, Scansione. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Nero, Bianco



| Printing   |                 | Paper handling                          |  |
|--|-----------------|---|--|
| Duplex printing mode                                     | Auto            | Auto Document Feeder (ADF) media weight | 50 - 160 g/m <sup>2</sup>  |
| Print technology *                                       | Laser           | Duplex media weight                     | 60 - 163 g/m <sup>2</sup>  |
| Printing *   | Mono printing   | Scan media weight                       | 50 - 160 g/m <sup>2</sup>  |
| Duplex printing *  | ✓               | Ports & interfaces                      |  |
| Maximum resolution *                                     | 1200 x 1200 DPI | Standard interfaces                     | Ethernet, USB 2.0, Wireless LAN  |
| Print speed (black, normal quality, A4/US Letter) *      | 40 ppm          | Direct printing *                       | ✓  |
| Duplex print speed (black, normal quality, A4/US Letter) | 20 ppm          | USB port                                | ✓  |
| Warm-up time   | 17 s            | USB 2.0 ports quantity                  | 2  |
| Time to first page (black, normal)                       | 6.4 s           | Network                                 |  |
| N-in-1 print function                                    | ✓               | Wi-Fi *                                 | ✓  |
| Tray priority settings function                          | ✓               | Ethernet LAN *                          | ✓  |
| N-up printing  | 2, 4            | Cabling technology                      | 10/100/1000Base-T(X)   |
| Barcode printing   | ✓               | Ethernet LAN data rates                 | 10,100,1000 Mbit/s   |
| Watermark printing                                       | ✓               | Wi-Fi standards                         | 802.11b, 802.11g, Wi-Fi 4 (802.11n)  |
| Secure printing  | ✓               | Bluetooth                               | ✗  |
| Booklet printing function                                | ✓               | Near Field Communication (NFC)          | ✗  |
| Poster printing function                                 | ✓               | Mobile printing technologies            | Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service |
| Borderless printing                                      | ✗               | Performance                             |  |
| Copying  |                 | Maximum internal memory                 | 1536 MB  |
| Duplex copying *   | ✓               |   |  |
| Duplex copying mode                                      | Auto            |   |  |

|   |  |   |  |
|---|--|---|--|
| <b>Copying</b>                            |  | <b>Performance</b>  |  |
| Copying *                                 | Mono copying                               | Card reader integrated                                      | ✓  |
| Maximum copy resolution *                 | 600 x 600 DPI                              | Internal memory *   | 512 MB   |
| Copy speed (black, normal quality, A4)    | 40 cpm                                     | Compatible memory cards                                     | SD, SDHC   |
| Time to first copy (black, normal)        | 6.4 s                                      | Built-in processor  | ✓  |
| Maximum number of copies                  | 999 copies                                 | Processor family  | ARM Cortex-A9  |
| Copier resize                             | 25 - 400%                                  | Processor frequency   | 800 MHz  |
| N-in-1 copy function                      | ✓  | Sound pressure level (printing)                             | 52 dB  |
| N-in-1 copy function (N=)                 | 2, 4                                       | Sound pressure level (copying)                              | 52 dB  |
| Copy programming function                 | ✓  | Sound pressure level (quiet mode)                           | 48 dB  |
| ID-card copy function                     | ✓  | Sound power level (standby)                                 | 29 dB  |
| <b>Scanning</b>                           |  | <b>Design</b>   |  |
| Duplex scanning *                         | ✓  | Product colour *  | Black, White   |
| Duplex scanning mode                      | Auto                                       | Market positioning *  | Business   |
| Scanning *                                | Colour scanning                            | Built-in display *  | ✓  |
| Optical scanning resolution *             | 600 x 600 DPI                              | Display   | TFT  |
| Scan technology                           | CIS  | Display diagonal  | 10.9 cm (4.3")   |
| Scan to                                   | E-mail, FTP, SMB, TWAIN, USB, WIA          | Touchscreen   | ✓  |
| Scan speed (colour)                       | 23 ppm                                     | Control type  | Touch  |
| Scan speed (black)                        | 40 ppm                                     | Colour display  | ✓  |
| Duplex scan speed (colour)                | 16 ppm                                     | <b>Power</b>  |  |
| Duplex scan speed (black)                 | 32 ppm                                     | Power consumption (average operating)                       | 661 W  |
| Image formats supported                   | JPG, TIF                                   | Power consumption (printing)                                | 661 W  |
| Document formats supported                | PDF, XPS                                   | Power consumption (copying)                                 | 661 W  |
| Scan drivers                              | TWAIN, WIA                                 | Power consumption (ready)                                   | 21 W   |
| <b>Fax</b>                                |  | Power consumption (sleep)                                   | 1 W  |
| Duplex faxing                             | ✓  | Energy Star Typical Electricity Consumption (TEC)           | 1.74 kWh/week  |
| Faxing *                                  | Mono faxing                                | AC input voltage  | 220 - 240 V  |
| Fax resolution (black)                    | 400 x 400 DPI                              | AC input frequency  | 50 - 60 Hz   |
| Fax transmission speed                    | 3 sec/page                                 | <b>System requirements</b>                                  |  |
| Modem speed                               | 33.6 Kbit/s                                | Windows operating systems supported                         | ✓  |
| Speed dialling                            | ✓  | Mac operating systems supported                             | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks |
| Fax coding methods                        | JBIG, MH, MMR, MR                          | Linux operating systems supported                           | ✓  |
| <b>Features</b>                           |  | <b>Operational conditions</b>                               |  |
| Recommended duty cycle                    | 1000 - 2500 pages per month                | Operating relative humidity (H-H)                           | 10 - 80%   |
| Maximum duty cycle *                      | 50000 pages per month                      | Storage temperature (T-T)                                   | -20 - 40 °C  |
| Duplex functions *                        | Copy, Fax, Print, Scan                     | Operating temperature (T-T)                                 | 10 - 32.5 °C   |
| Digital sender                            | ✓  | Storage relative humidity (H-H)                             | 10 - 90%   |
| Number of print cartridges *              | 1  | Operating altitude  | 0 - 3500 m   |
| Printing colours *                        | Black                                      | Non-operating altitude                                      | 0.6 - 15000 m  |
| Page description languages                | Microsoft XPS, PCL 5e, PCL 6, PostScript 3 | <b>Certificates</b>   |  |
| Number of printer fonts                   | 93   | Waste Electrical and Electronic Equipment (WEEE) compliance | ✓  |
| Replacement cartridges                    | TK-1170 (7.200 pagina's)                   | Certification   | TUV / GS, CE, ISO 9001, ISO 14001  |
| <b>Input &amp; output capacity</b>        |  | <b>Sustainability</b>                                       |  |
| Total number of input trays *             | 1  | Sustainability certificates                                 | Blue Angel, EPEAT Silver, ENERGY STAR  |
| Total input capacity *                    | 250 sheets                                 | <b>Weight &amp; dimensions</b>                              |  |
| Total output capacity *                   | 150 sheets                                 | Width   | 417 mm   |
| Paper tray 1 input capacity               | 250 sheets                                 |   |  |
| Multi-Purpose tray                        | ✓  |   |  |
| Multi-Purpose tray input capacity         | 100 sheets                                 |   |  |
| Paper input type                          | Cassette, Paper tray                       |   |  |
| Auto document feeder (ADF)                | ✓  |   |  |
| Auto document feeder (ADF) input capacity | 50 sheets                                  |   |  |
| Maximum number of input trays             | 3  |   |  |
| Maximum input capacity                    | 850 sheets                                 |   |  |
| Maximum output capacity                   | 150 sheets                                 |   |  |

| Paper handling                    |                           | Weight & dimensions                 |             |
|-----------------------------------|---------------------------|-------------------------------------|-------------|
| Maximum ISO A-series paper size * | A4                        | Depth                               | 412 mm      |
| Maximum print size                | 216 x 356 mm              | Height                              | 437 mm      |
| Paper tray media types *          | Plain paper               | Weight                              | 19 kg       |
| ISO A-series sizes (A0...A9) *    | A4, A5, A6                | <b>Packaging data</b>               |             |
| ISO B-series sizes (B0...B9)      | B5, B6                    | Package width                       | 541 mm      |
| Non-ISO print media sizes         | Legal, Letter             | Package depth                       | 555 mm      |
| Custom media width                | 70 - 216 mm               | Package height                      | 572 mm      |
| Custom media length               | 148 - 356 mm              | Package weight                      | 25 kg       |
| Paper tray media weight           | 60 - 163 g/m <sup>2</sup> | <b>Packaging content</b>            |             |
| Multi-Purpose Tray media weight   | 60 - 220 g/m <sup>2</sup> | Cartridge(s) included               | ✓           |
|                                   |                           | Included cartridge capacity (black) | 3600 pages  |
|                                   |                           | Imaging unit included               | ✓           |
|                                   |                           | Cables included                     | AC          |
|                                   |                           | <b>Logistics data</b>               |             |
|                                   |                           | Harmonized System (HS) code         | 84433100    |
|                                   |                           | <b>Technical details</b>            |             |
|                                   |                           | Compliance certificates             | REACH, RoHS |
|                                   |                           | <b>Other features</b>               |             |
|                                   |                           | Cartridge type                      | TK-1170     |



0632983040317



632983040317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.