



AOC 24B3CA2 Monitor PC 60,5 cm (23.8") 1920 x 1080 Pixel Full HD LED Nero

Marchio : AOC

Codice prodotto: 24B3CA2

Nome del prodotto : 24B3CA2

Screen size (inch) 23.8, Panel resolution 1920x1080, Max Refresh rate 100 Hz, Response time MPRT 1 ms, Panel type IPS, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 1.4 x 1, D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Adaptive Sync

AOC 24B3CA2 Monitor PC 60,5 cm (23.8") 1920 x 1080 Pixel Full HD LED Nero:

Alte prestazioni grazie al monitor FHD da 23,8" a 100Hz di refresh rate e HDMI

Ecco l'ultimo arrivato della linea B3: un brillante display da 23,8 pollici dotato di pannello IPS per immagini mozzafiato con risoluzione 1920x1080 e frequenza di aggiornamento di 100 Hz. Per chi è alla ricerca di un monitor compatto che offre un'esperienza fluida, il modello 24B3CA2 rappresenta la scelta ideale. Inoltre, un unico cavo USB-C consente di trasferire il segnale video, l'alimentazione e i dati, migliorando la produttività. Sia che stiate lavorando o studiando, potrete godere di un'esperienza visiva più gradevole e rilassante grazie alle dimensioni compatte dello schermo del monitor 24B3CA2.



Display		Design	
Display diagonal *	60.5 cm (23.8")	Market positioning *	Home
Display resolution *	1920 x 1080 pixels	Product colour *	Black
HD type *	Full HD	Ports & interfaces	
Native aspect ratio *	16:9	USB Type-C downstream ports quantity	1
Display technology *	LED	USB Type-C DisplayPort Alternate Mode	✓
Panel type *	IPS	HDMI *	✓
LED backlight	✓	HDMI ports quantity	1
Backlight type	W-LED	HDMI version	1.4
Touchscreen *	✗	Headphone out *	✓
Display brightness (typical)	250 cd/m ²	AC (power) in	✓
Response time *	4 ms	Ergonomics	
Screen shape *	Flat	VESA mounting *	✓
Contrast ratio (typical) *	1300:1	Panel mounting interface	100 x 100 mm
Contrast ratio (dynamic)	20000000:1	Cable lock slot *	✓
Maximum refresh rate *	100 Hz	Cable lock slot type	Kensington
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	30 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Response time (fast)	1 ms	AC input voltage	100 - 240 V
Pixel pitch	0.2745 x 0.2745 mm	AC input frequency	50/60 Hz
Pixel density	82 ppi	Operational conditions	
Horizontal scan range	30 - 115 kHz	Operating temperature (T-T)	0 - 40 °C
Vertical scan range	48 - 100 Hz	Storage temperature (T-T)	-25 - 55 °C
Display diagonal (metric)	60.5 cm	Operating relative humidity (H-H)	10 - 85%
High Dynamic Range (HDR) supported	✓	Storage relative humidity (H-H)	5 - 93%
Multimedia		Operating altitude	0 - 5000 m
Number of speakers	2	Non-operating altitude	0 - 12192 m
RMS rated power	2 W		
Built-in speaker(s) *	✓		

Multimedia

Built-in camera *





4038986141468

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-DEC-2024. Prints or copies of Information are only valid on the printed Publication date