

PHILIPS

## Philips 3000 series 24E1N3300A/00 LED display 60,5 cm (23.8") 1920 x 1080 Pixel Full HD Nero

**Marchio :** Philips

**Famiglia del prodotto:** 3000 series

**Codice prodotto:** 24E1N3300A/00

**Nome del prodotto :**  
24E1N3300A/00



Monitor 24E1N3300A Monitor USB-C

Philips 3000 series 24E1N3300A/00 LED display 60,5 cm (23.8") 1920 x 1080 Pixel Full HD Nero:


Questo monitor multifunzione USB-C Philips offre una configurazione senza ingombro. Tramite un solo cavo potrai visualizzare video fluidi ad alta risoluzione, trasferire dati e caricare il computer portatile. Un vero hub per i professionisti spesso in movimento.

Philips 3000 series 24E1N3300A/00. Dimensioni diagonale schermo: 60,5 cm (23.8"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 4 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA. Colore del prodotto: Nero



| Display                               |                       | Ergonomics  |   |
|---------------------------------------|-----------------------|---|---|
| Display diagonal *                    | 60.5 cm (23.8")       | Cable lock slot type  | Kensington  |
| Display resolution *                  | 1920 x 1080 pixels    | Tilt adjustment   | ✓   |
| HD type *                             | Full HD               | Tilt angle range  | -5 - 20°  |
| Native aspect ratio *                 | 16:9                  | On Screen Display (OSD)                                     | ✓   |
| Display technology *                  | LED                   | On Screen Display (OSD) languages                           | Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian |
| Panel type *                          | IPS                   | Number of OSD languages                                     | 21  |
| Backlight type                        | W-LED                 | Plug and Play   | ✓   |
| Touchscreen *                         | ✗                     | LED indicators  | Operation, Stand-by   |
| Display brightness (typical)          | 300 cd/m <sup>2</sup> | <b>Power</b>  |   |
| Response time *                       | 4 ms                  | Energy efficiency class (SDR) *                             | E   |
| Display surface                       | Matt                  | Power consumption (typical) *                               | 21.6 W  |
| Anti-glare screen                     | ✓                     | Power consumption (standby) *                               | 0.5 W   |
| Screen shape *                        | Flat                  | Power consumption (off)                                     | 0.3 W   |
| Aspect ratio                          | 16:9                  | AC input voltage  | 100 - 240 V   |
| Contrast ratio (typical) *            | 1000:1                | AC input frequency  | 50 - 60 Hz  |
| Dynamic contrast ratio marketing name | Mega Infinity DCR     | Power supply type   | External  |
| Maximum refresh rate *                | 75 Hz                 | European Product Registry for Energy Labelling (EPREL) code | 1082769   |
| Viewing angle, horizontal             | 178°                  | <b>Operational conditions</b>                               |   |
| Viewing angle, vertical               | 178°                  | Operating temperature (T-T)                                 | 0 - 40 °C   |
| Display number of colours *           | 16.7 million colours  | Storage temperature (T-T)                                   | -20 - 60 °C   |
| Response time (fast)                  | 1 ms                  | Operating relative humidity (H-H)                           | 20 - 80%  |
| Pixel pitch                           | 0.2745 x 0.2745 mm    | Operating altitude  | 0 - 3658 m  |
| Pixel density                         | 92.56 ppi             | Non-operating altitude                                      | 0 - 12192 m   |
| Horizontal scan range                 | 30 - 85 kHz           |   |   |
| Vertical scan range                   | 48 - 75 Hz            |   |   |
| Viewable size, horizontal             | 52.7 cm               |   |   |
| Viewable size, vertical               | 29.6 cm               |   |   |
| Display diagonal (metric)             | 60.5 cm               |   |   |

|                                       |                       |                                   |  |
|---------------------------------------|-----------------------|-----------------------------------|--|
| <b>Display</b>                        |                       | <b>Weight &amp; dimensions</b>    |  |
| DDC/CI                                | ✓                     | Width (with stand)                | 540 mm   |
| Haze rate                             | 25%                   | Depth (with stand)                | 183 mm   |
| Surface hardness                      | 3H                    | Height (with stand)               | 417 mm   |
| sRGB coverage (typical)               | 120.9%                | Weight (with stand)               | 4.12 kg  |
| NTSC coverage (typical)               | 104.8%                | Width (without stand)             | 540 mm   |
| Display sRGB                          | ✓                     | Depth (without stand)             | 43 mm  |
| <b>Performance</b>                    |                       | Height (without stand)            | 321 mm   |
| NVIDIA G-SYNC *                       | ✗                     | Weight (without stand)            | 2.7 kg   |
| AMD FreeSync *                        | ✓                     | <b>Packaging data</b>             |  |
| VESA Adaptive Sync support            | ✓                     | Package width                     | 600 mm   |
| Component video sync                  | Separate sync         | Package depth                     | 125 mm   |
| Flicker-free technology               | ✓                     | Package height                    | 526 mm   |
| Low Blue Light technology             | ✓                     | Package weight                    | 7.25 kg  |
| <b>Multimedia</b>                     |                       | Package type                      | Box  |
| Number of speakers                    | 2                     | <b>Packaging content</b>          |  |
| RMS rated power                       | 3 W                   | Stand included                    | ✓  |
| Built-in speaker(s) *                 | ✓                     | Cables included                   | HDMI, USB Type-C to USB Type-C, AC   |
| Built-in camera *                     | ✗                     | Manual                            | ✓  |
| <b>Design</b>                         |                       | <b>Sustainability</b>             |  |
| Market positioning *                  | Home                  | Doesn't contain                   | Mercury, PVC/BFR   |
| Product colour *                      | Black                 | <b>Other features</b>             |  |
| <b>Ports &amp; interfaces</b>         |                       | Compatible operating systems      | Mac OS X, Windows 10 / 8.1 / 8 / 7   |
| Built-in USB hub *                    | ✓                     | USB Power Delivery revision       | 3.0  |
| USB hub version                       | 3.2 Gen 1 (3.1 Gen 1) | Exterior finish type              | Textured   |
| USB Type-C DisplayPort Alternate Mode | ✓                     | Picture enhancement               | SmartImage game  |
| USB Power Delivery (USB PD)           | ✓                     | Recyclable packaging material     | 100%   |
| USB Power Delivery up to              | 65 W                  | Regulatory Approvals              | CB; CE Mark; CU-EAC; EAEU RoHS; FCC Class B; ICES-003; TUV/ISO9241-307; TUV-BAUART |
| HDMI *                                | ✓                     | Heavy metals free                 | Hg (mercury)   |
| HDMI ports quantity                   | 1                     | EasyRead mode                     | ✓  |
| HDMI version                          | 1.4                   | LowBlue mode                      | ✓  |
| Audio output                          | ✓                     | Compliance certificates           | RoHS   |
| <b>Ergonomics</b>                     |                       | Mean time between failures (MTBF) | 50000 h  |
| VESA mounting *                       | ✓                     | Certification                     | CB, CE Mark, CU-EAC, EAEU RoHS, FCC Class B, ICES-003, TUV/ISO9241-307, TUV-BAUART |
| Panel mounting interface              | 100 x 100 mm          | <b>Logistics data</b>             |  |
| Cable lock slot *                     | ✓                     | Harmonized System (HS) code       | 85285210   |



8712581783303

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-NOV-2024. Prints or copies of Information are only valid on the printed Publication date