



## AOC 27G2SAE/BK Monitor PC 68,6 cm (27") 1920 x 1080 Pixel Full HD LED Nero, Rosso

**Marchio :** AOC

**Codice prodotto:** 27G2SAE/BK

**Nome del prodotto :** 27G2SAE/BK

Screen size (inch) 27, Panel resolution 1920x1080, Refresh rate 165 Hz, Response time MPRT 1 ms, Panel type VA, HDMI HDMI 1.4 x 2, Display Port DisplayPort 1.2 x 1, D-SUB (VGA) 1x, Sync technology (VRR) FreeSync Premium

AOC 27G2SAE/BK Monitor PC 68,6 cm (27") 1920 x 1080 Pixel Full HD LED Nero, Rosso:

### Monitor da gaming da 27" con frequenza di aggiornamento di 165 Hz, tempo di risposta MPRT di 1 ms e FreeSync Premium

Il 27G2SAE/BK è il modello giusto per chi cerca prestazioni elevate. Offre 1080p FHD (Full High Definition), input lag ridotto, FreeSync Premium, un'ampia gamma di colori e altoparlanti stereo da 2 W, su un classico supporto con inclinazione regolabile.



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	✗
Panel type *	VA	Tilt adjustment	✓
Backlight type	W-LED	Tilt angle range	-5 - 23°
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	350 cd/m²	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time *	1 ms		
Display surface	Matt		
Anti-glare screen	✓	Number of OSD languages	19
Screen shape *	Flat	Power	
Supported video modes	1080p	Energy efficiency class (SDR) *	F
Aspect ratio	4:3, 16:9	Energy efficiency class (HDR) *	F
Contrast ratio (typical) *	3000:1	Energy consumption (SDR) per 1000 hours *	26 kWh
Maximum refresh rate *	165 Hz	Energy consumption (HDR) per 1000 hours *	26 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	26 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.3 W
Display number of colours *	16.7 million colours	Power consumption (max)	45 W
Pixel pitch	0.3114 x 0.3114 mm	Power consumption (off)	0.3 W
Pixel density	81 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 160 kHz	AC input frequency	50 - 60 Hz
Vertical scan range	48 - 144 Hz	Energy efficiency scale	A to G
Viewable size, horizontal	59.8 cm		
Display diagonal (metric)	68.6 cm		
Surface hardness	3H		
Colour gamut standard	Adobe RGB		
sRGB coverage (typical)	122%		

Display		Power	
NTSC coverage (typical)	102%	European Product Registry for Energy Labelling (EPREL) code	623617
Adobe RGB coverage	98%		
DCI-P3 coverage	93%		
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✓	Storage temperature (T-T)	-25 - 55 °C
AMD FreeSync type	FreeSync Premium	Operating relative humidity (H-H)	10 - 85%
AMD FreeSync refresh rate range	48 - 165 Hz	Storage relative humidity (H-H)	5 - 93%
Flicker-free technology	✓	Operating altitude	0 - 5000 m
Low Blue Light technology	✓	Non-operating altitude	0 - 12192 m
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	612.5 mm
RMS rated power	2 W	Depth (with stand)	227.4 mm
Built-in speaker(s) *	✓	Height (with stand)	464.6 mm
Built-in camera *	✗	Weight (with stand)	4.63 kg
Design		Width (without stand)	612.5 mm
Market positioning *	Gaming	Depth (without stand)	48.8 mm
Product colour *	Black, Red	Height (without stand)	365.8 mm
Frameless design	✓	Packaging data	
Front bezel colour	Black/Red	Package width	730 mm
Detachable stand	✓	Package depth	187 mm
Feet colour	Black, Red	Package height	520 mm
Ports & interfaces		Package weight	6.96 kg
Built-in USB hub *	✗	Package type	Box
VGA (D-Sub) ports quantity	1	Packaging content	
HDMI *	✓	Stand included	✓
HDMI ports quantity	2	Cables included	DisplayPort, HDMI
HDMI version	1.4	Quick start guide	✓
DisplayPorts quantity	1	DisplayPort cable length	1.8 m
DisplayPort version	1.2	HDMI cable length	1.8 m
Headphone out *	✓	Other features	
Headphone outputs	1	Exterior finish type	Matt
Headphone connectivity	3.5 mm	Light effects	✗
Microphone in	✓	Certification	ISO 9241-307
		Logistics data	
		Harmonized System (HS) code	85285210



4038986129893

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-MAR-2025. Prints or copies of Information are only valid on the printed Publication date