




## COUGAR Gaming POLAR X2 alimentatore per computer 1050 W 20+4 pin ATX ATX Argento

**Marchio :** COUGAR Gaming

**Codice prodotto:** 31PX105001P01

**Nome del prodotto :** POLAR X2

COUGAR Gaming POLAR X2. Potenza totale: 1050 W, Tensione di ingresso AC: 100 - 240 V, Frequenza di ingresso AC: 47 - 63 Hz. Connettore scheda madre: 20+4 pin ATX, Lunghezza del cavo di alimentazione della scheda madre: 65 cm, Lunghezza del cavo di alimentazione SATA: 120,500 mm. Utilizzo: PC, Fattore di forma dell'unità di alimentazione (PSU): ATX, Certificazione 80 PLUS: 80 PLUS Platinum. Colore del prodotto: Argento, Tipo di raffreddamento: Attivo, Diametro del ventilatore: 13,5 cm. Certificati di conformità: EAC, TÜV mark, Federal Communications Commission (FCC), RoHS, CCC, CE



Power		Ports & interfaces	
Total power *	1050 W	ATX power connector (20+4 pin)	✓
AC input voltage *	100 - 240 V	PCI Express connector	✓
AC input frequency	47 - 63 Hz	Cabling type	Fully-Modular
Input current	15 - 7 A	Performance	
Combined power (+3.3V)	100 W	80 PLUS certification *	80 PLUS Platinum
Combined power (+12V)	1050 W	Purpose *	PC
Combined power (+5V)	100 W	Power supply unit (PSU) form factor *	ATX
Combined power (-12V)	3.6 W	ATX version	3.1
Combined power (+5Vsb)	15 W	Silent mode	✓
Max output current (+3.3V)	20 A	Noise level	22 dB
Max output current (+12V)	87.5 A	Bearing technology	HDB
Max output current (+5V)	20 A	Mean time between failures (MTBF)	100000 h
Max output current (-12V)	0.3 A	Design	
Max output current (+5Vsb)	3 A	Product colour	Silver
Efficiency	90%	Cooling type	Active
Power protection features	Overheating, Over current, Over power, Under voltage, Over voltage, Short circuit	Fan diameter	13.5 cm
Ports & interfaces		Number of fans	1 fan(s)
Motherboard power connector *	20+4 pin ATX	On/off switch	✓
Motherboard power cable length	65 cm	Operational conditions	
Number of SATA power connectors	12	Operating temperature (T-T)	10 - 50 °C
Number of PATA power connectors	4	Storage temperature (T-T)	-40 - 70 °C
SATA power cable length	120,500 mm	Operating relative humidity (H-H)	20 - 85%
Peripheral (Molex) power connectors (4-pin) *	4	Storage relative humidity (H-H)	5 - 95%
Peripheral (Molex) power cable length	120,500 mm	Certificates	
EPS power connector (8-pin)	✓	Compliance certificates	EAC, TÜV mark, Federal Communications Commission (FCC), RoHS, CCC, CE
PCI Express power connectors (6+2 pin)	6	Weight & dimensions	
PCI Express power connectors (8-pin)	1	Width	150 mm
PCI Express power connectors (12+4 pin)	1	Depth	180 mm
		Height	86 mm

Ports & interfaces		Weight & dimensions	
PCI Express power connectors (12+4 pin) cable length	650 mm	Weight	2.1 kg
CPU power connector (4+4 pin)	✓	Packaging data	
CPU power cable length	65 cm	Package width	230 mm
		Package depth	413 mm
		Package height	110 mm
		Package weight	3.6 kg
		Package type	Box
		Logistics data	
		Country of origin	China



4710483775413

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 09-APR-2025. Prints or copies of Information are only valid on the printed Publication date