



## HP Color LaserJet Pro Stampante multifunzione 3302sdw

**Marchio :** HP

**Famiglia del prodotto:** Color  
LaserJet Pro

**Codice prodotto:**  
499Q6F#B19

**Nome del prodotto :**

Stampante multifunzione HP  
Color LaserJet Pro 3302sdw

- wireless; stampa da smartphone o tablet; alimentatore automatico di documenti; Stampa fronte/retro; Scansione verso e-mail; scansione verso PDF; porta unità flash USB anteriore; touchscreen; Cartuccia TerraJet

- Stampa, copia, scansione

- Velocità di stampa fino a 25 ppm (in bianco e nero) e 25 ppm (a colori)

- Fino a 600 x 600 dpi

Stampante multifunzione HP Color LaserJet Pro 3302sdw

HP Color LaserJet Pro Stampante multifunzione 3302sdw. Tecnologia di stampa: Laser, Stampa: Stampa a colori, Risoluzione massima: 600 x 600 DPI, Velocità di stampa (colore, qualità normale, A4/US Letter): 25 ppm. Copia: Copia a colori, Risoluzione di copia massima: 600 x 600 DPI. Scansione: Scansione a colori, Risoluzione di scansione ottica: 1200 x 1200 DPI. Funzione duplex: Stampa, Copia. Massimo formato carta serie ISO A: A4. Wi-Fi. Stampa diretta. Colore del prodotto: Blu, Grigio



Printing		Network	
Duplex printing mode	Auto	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Print resolution colour	600 x 600 DPI	Performance	
Print resolution black	600 x 600 DPI	Maximum internal memory	512 MB
Print technology *	Laser	Internal memory *	512 MB
Printing *	Colour printing	Built-in processor	✓
Duplex printing *	✓	Processor frequency	1200 MHz
Maximum resolution *	600 x 600 DPI	Sound pressure level (printing)	51 dB
Print speed (black, normal quality, A4/US Letter) *	25 ppm	Sound pressure level (scanning)	41 dB
Print speed (colour, normal quality, A4/US Letter)	25 ppm	Sound power level (printing)	6.3 dB
Warm-up time	55 s	Design	
Time to first page (black, normal)	10.9 s	Product colour *	Blue, Grey
Copying		Market positioning *	Business
Duplex copying *	✓	Built-in display *	✓
Copying *	Colour copying	Display	TFT
Maximum copy resolution *	600 x 600 DPI	Display diagonal	10.9 cm (4.3")
Copy speed (black, normal quality, A4)	25 cpm	Control type	Touch
Copy speed (colour, normal quality, A4)	25 cpm	Colour display	✓
Time to first copy (black, normal)	9.7 s	Power	
Time to first copy (colour, normal)	13.9 s	Power consumption (printing)	416 W
Maximum number of copies	999 copies	Power consumption (ready)	7.6 W
Copier resize	25 - 400%	Power consumption (sleep)	0.95 W
Auto fit function	✓	Power consumption (off)	0.05 W
Scanning		Energy Star Typical Electricity Consumption (TEC)	0.338 kWh/week
		Brand-specific features	
		HP Auto-On/Auto-Off	✓
Duplex scanning *	✗	HP Dynamic security	✓
Scanning *	Colour scanning		
Optical scanning resolution *	1200 x 1200 DPI		

Scanning		Brand-specific features	
Optical scanning resolution (black)	1200 x 1200 ppi	HP GTIN (EAN/UPC) with options	(ABT) 196786388446; (ABY) 196786388477; (B19) 196786388484; (BAZ) 196786388491
Optical scanning resolution (colour)	1200 x 1200 ppi		
Optical scanning resolution (ADF)	300 x 300 DPI		
Maximum scan area	216 x 297 mm	HP GTIN (EAN/UPC)	196786388446, 196786388477, 196786388484, 196786388491
Scanner type *	Flatbed & ADF scanner		
Scan technology	CIS	System requirements	
Scan to	E-mail, Network folder, PC, USB	Windows operating systems supported	Windows 11, Windows 10
Scan speed (colour)	8 ppm	Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 12.0 Monterey
Scan speed (black)	19 ppm	Other operating systems supported	Linux, iOS, Android
Image formats supported	JPG, TIFF	Operational conditions	
Document formats supported	PDF	Operating relative humidity (H-H)	10 - 80%
Input colour depth	24 bit	Recommended humidity operating range	30 - 70%
Greyscale levels	256	Storage temperature (T-T)	-20 - 60 °C
Scan drivers	TWAIN	Operating temperature (T-T)	15 - 30 °C
Features		Certificates	
Recommended duty cycle	150 - 2500 pages per month	Certification	EN IEC 61000-3-2:2019 +A1:2021; EN 61000-3-3:2021; CISPR 32:2019; CISPR 35:2016; EN 55032:2015+A11:2020+A1:2020; EN 55035:2017+A11:2020; EN 61000-4-12:2017; FCC CFR 47 Part 15B; ICES-003, Issue 6:2019; Other EMC approvals as required by individual countries.
Maximum duty cycle *	40000 pages per month		
Duplex functions *	Print, Copy		
Digital sender	✓		
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	JPEG, PCL 5, PCL 6, PCLm, PDF, PWG, PostScript, URF	Sustainability	Blue Angel, Post-Consumer Recycled Plastic
Printer fonts	Scalable, TrueType		
All-In-One-multitasking	✓		
Country of origin	Vietnam		
Replacement cartridges	HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A; HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A; HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A; HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A; HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X; HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X; HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X; HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X		
	HP segment		
Input & output capacity		Carbon footprint	
Total number of input trays *	2	Total carbon footprint (kg of CO2e)	260
Total input capacity *	251 sheets	Carbon emissions, manufacturing (kg of CO2e)	177
Total output capacity *	100 sheets	Carbon emissions, logistics (kg of CO2e)	20
Paper tray 1 input capacity	250 sheets	Carbon emissions, end-of-life (kg of CO2e)	33
Paper tray 2 input capacity	250 sheets	Total carbon emissions, w/o use phase (kg of CO2e)	28
Multi-Purpose tray	✓	Weight & dimensions	
Auto document feeder (ADF)	✓	Width	418 mm
Auto document feeder (ADF) input capacity	50 sheets	Depth	419.1 mm
Maximum number of input trays	2	Height	341.3 mm
Maximum input capacity	251 sheets	Weight	17.1 kg
Maximum output capacity	100 sheets	Packaging data	
Paper handling		Package width	497 mm
Maximum ISO A-series paper size *	A4	Package depth	398 mm
Maximum print size	216 x 355.6 mm	Package height	532 mm
		Package weight	20.6 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	600 pages
		Included cartridge capacity (CMY)	500 pages
		Cables included	AC
		Manual	✓
		Logistics data	
		Harmonized System (HS) code	8443310000
		Pallet gross weight	495.4 q

Paper handling		Logistics data	
Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Plain paper, Recycled paper, Rough paper, Thick paper, Transparencies	Layers per pallet	4 pc(s)
		Products per pallet	24 pc(s)
		Technical details	
		Master (outer) cases per pallet layer 6 pc(s)	
		General Product Safety Regulation : <a href="https://support.hp.com/gb-en/product/details/hp-color-laserjet-pro-mfp-3301-3304-3388-printer-series/model/2101440359?sku=49906F">https://support.hp.com/gb-en/product/details/hp-color-laserjet-pro-mfp-3301-3304-3388-printer-series/model/2101440359?sku=49906F</a> (GPSR) URL : <a href="https://kaas.hpccloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf">https://kaas.hpccloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf</a> ; <a href="https://kaas.hpccloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf">https://kaas.hpccloud.hp.com/pdf-public/pdf_7579882_en-US-1.pdf</a>	
Other features			
ISO A-series sizes (A0...A9) *	A4, A5, A6	Number of users	10 user(s)
ISO B-series sizes (B0...B9)	B5, B6	Pallet dimensions (W x D x H)	1200 x 1000 x 2129 mm
ISO C-series sizes (C0...C9)	C5	Recommended system requirements	Microsoft® Windows® 11, 10: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection
Non-ISO print media sizes	16K, Oficio	Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2129 mm (47.2 x 39.4 x 83.8")
JIS B-series sizes (B0...B9)	B5, B6	Pallet weight (imperial)	495.4 kg (1092.2 lbs)
Envelopes sizes	B5, C5, DL	Acoustic power emissions (ready)	23 dB
		Acoustic pressure emissions bystander (ready)	16 dB
Ports & interfaces		Manufacturer warranty	One-year limited warranty. For more information please visit us at <a href="https://www.support.hp.com">https://www.support.hp.com</a> [14].
Direct printing *	✓		
USB port	✓		
USB 2.0 ports quantity	2		
Network			
Wi-Fi *	✓		
Ethernet LAN *	✓		
Cabling technology	10/100Base-T(X)		
Ethernet LAN data rates	10,100 Mbit/s		
Wi-Fi standards	Wi-Fi 5 (802.11ac)		
Wi-Fi Direct	✓		



0196786388484



196786388484

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-APR-2025. Prints or copies of Information are only valid on the printed Publication date