

**Lenovo**

## Lenovo Broadcom 5719 Interno Ethernet 1000 Mbit/s

**Marchio** : Lenovo**Codice prodotto**: 4XC7A08235**Nome del prodotto** : Broadcom 5719

Lenovo Broadcom 5719. Interno. Tecnologia di connessione: Cablato, Interfaccia host: PCI Express, Interfaccia: Ethernet. Velocità massima di trasferimento dati: 1000 Mbit/s. Colore del prodotto: Verde, Acciaio inossidabile



Connettività		Requisiti di sistema	
Tecnologia di connessione *	Cablato	Microsoft Windows Server version 1709, Microsoft Windows Server version 1803, Red Hat Enterprise Linux 6.10, Red Hat Enterprise Linux 6.9, Red Hat Enterprise Linux 7.3, Red Hat Enterprise Linux 7.4, Red Hat Enterprise Linux 7.5, Red Hat Enterprise Linux 7.6, Red Hat Enterprise Linux 7.7, Red Hat Enterprise Linux 8.0, SUSE Linux Enterprise Server 12 SP2, SUSE Linux Enterprise Server 12 SP2 with Xen, SUSE Linux Enterprise Server 12 SP3, SUSE Linux Enterprise Server 12 SP3 with Xen, SUSE Linux Enterprise Server 12 SP4, SUSE Linux Enterprise Server 12 SP4 with Xen, SUSE Linux Enterprise Server 15, SUSE Linux Enterprise Server 15 SP1, SUSE Linux Enterprise Server 15 SP1 with Xen, SUSE Linux Enterprise Server 15 with Xen, VMware vSphere Hypervisor (ESXi) 6.0 U3, VMware vSphere Hypervisor (ESXi) 6.5, VMware vSphere Hypervisor (ESXi) 6.5 U1, VMware vSphere Hypervisor (ESXi) 6.5 U2, VMware vSphere Hypervisor (ESXi) 6.5 U3, VMware vSphere Hypervisor (ESXi) 6.7, VMware vSphere Hypervisor (ESXi) 6.7 U1, VMware vSphere Hypervisor (ESXi) 6.7 U2, VMware vSphere Hypervisor (ESXi) 6.7 U3 SUSE Linux Enterprise Server 12, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019	
Interfaccia host *	PCI Express		
Interfaccia *	Ethernet		
Quantità porte Ethernet LAN (RJ-45)	4		
versione PCI	2.0		
Collegamento in rete		Sistema operativo compatibile	
Velocità massima di trasferimento dati *	1000 Mbit/s	Sistema operativo compatibile	
Standard di rete *	IEEE 1588, IEEE 802.1Q, IEEE 802.1as, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z		
Collegamento ethernet LAN	✓		
Tipo di interfaccia Ethernet	Gigabit Ethernet		
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s		
Wake-on-LAN ready	✓		
Controller LAN	Broadcom BCM5719		
Design		Sistemi operativi server supportati	
Componente per *	Server	SUSE Linux Enterprise Server 12, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019	
Colore del prodotto	Verde, Acciaio inossidabile		
Interno *	✓		
Certificazione	EN55022, EN55024, EN60950 / CE, EN 61000-3-2, EN 61000-3-3, ICES-003, Issue-004, IEC 950 CB Scheme, FCC 47 CFR Part 15 Class A, UL 1950, CSA C22.2 950-95, VCCI, AS/NZSCISPR 22 / C-tick, RRL for KC, BSMI, UL 94-/V		
Prodotti compatibili	R635 (7Y98 / 7Y99), R655 (7Y00 / 7Z01)		
Condizioni ambientali			
Intervallo temperatura di funzionamento		10 - 35 °C	
Range di umidità di funzionamento		20 - 80%	
Sostenibilità			
Certificati di sostenibilità		RoHS	
Dimensioni e peso			
Larghezza		69 mm	
Profondità		132 mm	
Altezza		19 mm	

**Dati logistici**

Codice del Sistema Armonizzato (SA)	85176990
-------------------------------------	----------

**Altre caratteristiche**

Minima temperatura di funzionamento	10 °C
Massima temperatura di funzionamento	35 °C
Supporto controllo flusso	✓



0889488497287



889488497287

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.