

Verbatim Disco rigido portatile Store 'n' Go USB 3.0 da 2 TB Argento

Marchio : Verbatim

Codice prodotto: 53189

Nome del prodotto : Disco rigido portatile Store 'n' Go USB 3.0 da 2 TB Argento

Store 'n' Go, 2TB, 5400 RPM, USB 3.0, Argento

Verbatim Disco rigido portatile Store 'n' Go USB 3.0 da 2 TB Argento. Capacità hard disk: 2,05 TB.

Versione USB: 3.2 Gen 1 (3.1 Gen 1). Velocità di rotazione hard disk: 5400 Giri/min. Colore del prodotto: Argento



Unità rigida		Caratteristiche		
Capacità hard disk *	2,05 TB	Compatibilità sistema operativo Mac	Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks	
Velocità di rotazione hard disk *	5400 Giri/min		CentOS 5.1, CentOS 5.2, Fedora 11, Fedora 12, Fedora 13, Fedora 14, Fedora 15, Fedora 18, Fedora 6, Fedora 7, Fedora 8, Fedora 9, FreeBSD 6.3, FreeBSD 7.0, RedHat EL Linux 3 U9, RedHat EL Linux 4.0 U5, RedHat EL Linux 4.0 U6, RedHat EL Linux 4.0 U7, RedHat EL Linux 5.0, RedHat EL Linux 5.1, RedHat EL Linux 5.2, RedHat EL Linux 5.3, RedHat EL Linux 6.0, Solaris 10 U4, Solaris 10 U5, SuSE Linux 10, SuSE Linux 10.2, SuSE Linux 10.3, SuSE Linux 11, SuSE Linux 9.3, Ubuntu 10.04, Ubuntu 10.10, Ubuntu 11.04, Ubuntu 11.10, Ubuntu 12.04, Ubuntu 12.10, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Ubuntu 8.04, Ubuntu 8.10, Ubuntu 9.04, Ubuntu 9.10	
Tipo	HDD		Sistema operativo Linux supportato	
Dimensione del buffer HDD	8 MB			
Connettività				
Velocità massima di trasferimento dati *	4800 Mbit/s			
Connettore USB *	Micro-USB B			
Versione USB *	3.2 Gen 1 (3.1 Gen 1)			
Tecnologia Thunderbolt *	✗			
Wi-Fi *	✗			
Collegamento ethernet LAN *	✗			
Caratteristiche				
Colore del prodotto *	Argento			
Letto di impronte digitali	✗			
Plug & Play	✓			
Sistema operativo Windows supportato	Windows 2000, Windows 7 Home Basic, Windows 8, Windows Vista Home Basic, Windows XP Home			
Gestione energetica				
Alimentato tramite bus *	USB			
Dimensioni e peso				
Larghezza	80 mm			
Profondità	13 mm			
Altezza	116 mm			
Peso *	150 g			
Dati su imballaggio				
Cavi inclusi	USB			
Guida utente	✓			

Dati logistici

Codice del Sistema Armonizzato (SA)	84717050
-------------------------------------	----------

Altre caratteristiche

Paese di origine	Cina
Tecnologia di connessione	Cablato



0023942531890



023942531890

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.