
TCL C61 Serie C6 Smart TV QLED 4K 55" 55C61B, audio Onkyo, Dolby Vision - Atmos, Google TV

Marchio: TCL Famiglia del prodotto: C61 Codice prodotto: 55C61B

Nome del prodotto : TCL Serie C6 Smart TV QLED 4K 55" 55C61B, audio Onkyo, Dolby Vision - Atmos, Google TV











Display		Performance	
Display diagonal *	139.7 cm (55")	USB cloning	✓
HD type *	4K Ultra HD	DVD player	×
Display technology *	QLED Pro	Ports & interfaces	
LED backlight	✓		2.1
LED backlighting type	Direct-LED	HDMI version	2.1
Screen shape *	Flat	HDMI Quick Switch	✓
Native aspect ratio *	16:9	Audio Return Channel (ARC)	1
Display brightness *	450 cd/m ²	HDCP	✓
Response time	15 ms	HDCP version	2.2
Motion interpolation technology *	PPI (Picture Performance Index) 3200	Ethernet LAN (RJ-45) ports	1
Native refresh rate	60 Hz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1
Display refresh rates supported	50 Hz, 60 Hz, 120 Hz, 144 Hz	ports quantity * Digital audio optical out	1
Dynamic contrast ratio marketing	, , ,	RF ports quantity	2
name	Mega Contrast	RF connector type	F, IEC
Display resolution *	3840 x 2160 pixels	Common interface (CI) *	√
Display diagonal (metric)	139.7 cm	Common interface Plus (CI+) *	·
Colour gamut standard	DCI-P3	, ,	•
Peak luminance ratio	70%	Common interface Plus (CI+) version	1.4
Viewable size diagonal	139 cm	HDMI ports quantity *	3
TV tuner		Consumer Electronics Control (CEC)	T-link
Tuner type *	Analog & digital	Management features	
Analog signal format system *	NTSC, PAL BG, PAL DK, PAL I, PAL L, SECAM B/G, SECAM D/K, SECAM L	Voice control	✓
Digital signal format system *	DVB-C, DVB-S2, DVB-T2	Electronic Programme Guide (EPG)	✓
Auto channel search	✓	Programming period	8 day(s)
Smart TV		On Screen Display (OSD)	✓
		Number of OSD languages	59
Smart TV *	•		ALB, Bulgarian, Croatian, Czech,
Internet TV *	1		Danish, German, Dutch, English, Spanish, Estonian, Finnish, French,
Operating system installed *	Google TV	On Screen Display (OSD) languages	Greek, Hungarian, Italian, LAT,
Operating system version	12	On Screen Display (OSD) languages	Lithuanian, MAC, Norwegian, Polish
Apple AirPlay 2 support	1		Portuguese, Romanian, Russian, SER, Slovak, Slovenian, Swedish,
Hybrid Broadcast Broadband TV (HbbTV)	✓		Turkish, Ukrainian
Hybrid Broadcast Broadband TV	2.0.2	Auto power off	✓
(HbbTV) version		Sleep timer	1
Smart modes	Game, Sports	Firmware upgradeable	✓
Built-in Chromecast	1	Firmware upgradeable via	Network, USB
App distribution platform	Google Play	Works with Amazon Alexa	✓

Shaher IV Management Rufes Management Rufes Management Rufes Wides apps Amazon Frime Video, Apple IV, Morth Mosico Power Towns 100 N Audio Towns Power consumption (typical) 100 W Number of speakers* 2 Power consumption (typical) 100 W RIST State power* 20 W Energy efficiency, class (SDR) 6 Buildin submoder 1 SW Energy efficiency, class (SDR) 6 Sulkion file MS power 1 SW Energy efficiency, class (SDR) 6 Equalitier A SW A English (MTM) 150 W Equalitier A Fronce Audio (Account of Management MS power) 4 To General Control Auto volume leveller 4 Camput Management MS power 50 HG Evaluation 4 To General Control 4 To General Control Wi-FI standards 802-11s, Wi-FI 4 [802.11n], Wi-FI 4	Smart TV		Management features	
Music apps	Smart TV	Assessed Dalay (1771)	Management features	
Musica apps	Video apps		Works with the Google Assistant	✓
Nation Audio Power consumption (standby)* 0.5 W RMS roted power* 20 W Energy efficiency class (RDR)* F RMS roted power* 20 W Energy efficiency class (RDR)* G Bull-in subwoofer 2 L channels Energy consumption (RDR) per 1000 7 kWh Subwoofer RMS power 15 W Energy consumption (RDR) per 1000 7 kWh Audio decoders Almos, Dobby Audio Act (input requency 50 ktz Equation Audio Return Channel Processor 4k HDR Pro. Apple AirPlay, Bluetooth Lookly Amosé, Dobby Amosé, Dob	Music apps	Spotify, YouTube Music	Power	
Number of speakers 20 W	Audio			
RWS rated power 1 20 W Energy senimency (ass, IMOR) 2 G CA CA <td< td=""><td>Number of speakers *</td><td>2</td><td>• • • • • • • • • • • • • • • • • • • •</td><td></td></td<>	Number of speakers *	2	• • • • • • • • • • • • • • • • • • • •	
Audio output channels 2.1 channels Energy consumption (SDR) per 1000 77 kWh Subwooler RMS power 15 W Energy consumption (HDR) per 1000 hours* 15 kWh Audio decoders DTS Virtual X, DTS-HD, Dolby Audio AC input requency 50 Hz Februarized < CA Cinque frequency	RMS rated power *	20 W	• • • •	
Bullet in subworder V hours* V Revision (Amonitary Consumption (HDR) per 1000 hours* V Revision (HDR) per 1000 hours*	Audio output channels	2.1 channels		
Audio decoders	Built-in subwoofer	✓	3, 1 , , , 1	77 kWh
Audio decoders AG input frequency 220 - 240 V Equalizer Yenoto, Dollay Audio AC input frequency 50 Ft Enhanced Audio Return Channel Ferrary efficiency scale A to G Enhanced Audio Return Channel Ferrary Efficiency scale AC HDR Pro, Apple Air Play, Bhartonk, Dollay Atmos 8, D	Subwoofer RMS power		37 1 1 71	150 kWh
Equalizer Y Action Value leveller Y Energy efficiency scale 50 Hz Enhanced Aulo Return Channel (cARC) Y Brand-specific features X HDR Prox. Apple AIPPlay. NetWork Y TCL technologies (AWTV) Alcadies, Google TV, HDMI eARC, Tocast, Game Master 3.0 Wi-F1 standards 802.11g, Wi-F1 4 (802.11n), Wi-F1 5 (802.11n),	Audio decoders			220 - 240 V
Pand-specific features Pand-specific featu	Equalizer		· -	50 Hz
CARCO	Auto volume leveller	/	Energy efficiency scale	A to G
Makuork	Enhanced Audio Return Channel		Brand-specific features	
Wi-Fi Sandards	(eARC)	•		
WiF1 V Cast, Game Master 3.0 WiF1 standards 802.11g, WiF1 4 (802.11n), WiF15 (802.11n), WiF15 (802.11nc) Sustainability compliance V Bluetooth version 5.0 Sustainability compliance V Ethernet LAN* V Technical details TUV mark Bluetooth profiles AZDP, HID Technical details Tut282xx / 2x CA75 1.3GHz + 2x Miracast V Welght & dimensions CA55 1.3GHz Web browser V Welght & dimensions V Design Titanium Depth (with stand) 1224 mm VESA mounting* Y Weight (with stand) 170 mm VESA mounting* Y Weight (with stand) 11.3 kg Panel mounting interface 300 x 300 mm Weight (with stand) 11.3 kg LED indicators Y Depth (without stand) 11.3 kg Frameless design Y Height (without stand) 11.8 kg Introduction wenth March Stand with 92.2 cm Stand type Legs stand 92.2 cm	Network		TCL technologies (AV/TV)	
Substitubitity compliance	Wi-Fi *	✓		
Bluetooth *** *** Sustainability certificates *** Bluetooth version 5.0 Sustainability certificates TÜV mark Ethernet LAN ** * Technical details Bluetooth profiles A2DP, HID ****CAS5 1.3GHz + 2x Miracast * Weight & dimensions Web browser * Weight & dimensions Product colour ** Titanium 1224 mm Posign Titanium Height (with stand) 292 mm YESA mounting ** * Weight (with stand) 770 mm YESA mounting interface 300 x 300 mm Weight (with stand) 11.3 kg Panel mounting interface * Permounting interface Popth (without stand) 1224 mm ED indicators * Permounting interface * Popth (without stand) 11 kg Introduction month March Stand width 92.5 cm 92.5 cm Bezel type 3 Bezel-less Stand depth 92.5 cm 92.5 cm Bezel type 1 (HDR10), High Dynamic Range (HDR) Package depth	Wi-Fi standards	5.	Sustainability	
Billectooth version 5.0 Sustainability certificates TÜV mark Ethernet LAN	Bluetooth *		Sustainability compliance	✓
Ethernet LAN* Y Technical details Bluetooth profiles A2DP, HID Processor rid28sx / 2x CA75 1.3GHz + 2x CA55 13GHz Web browser Y Weight & dimensions Product colour* Titanium Depth (with stand) 1224 mm VESA mounting* Titanium Depth (with stand) 770 mm VESA mounting interface 300 x 300 mm Weight (with stand) 113 kg Panel mounting interface 300 x 300 mm Width (without stand) 113 kg LED indicators / Depth (with stand) 170 mm Frameless design / Depth (without stand) 80 mm Introduction were 2024 Weight (without stand) 708 mm Introduction month March Stand width 92.5 cm Stand type Legs stand Packaging data Performance Legs stand Packaging data High Dynamic Range (HDR) 10 (HDR1), High Dynamic Range (HDR) (H) (HDR) Plus), High Dynamic Range (HDR) 1360 mm Eletext function / Packaging data 125 mm Yideo f			Sustainability certificates	TÜV mark
Miracast V Processor CA55 1 3 GHz Web browser V Welght & dimensions Design Viden (with stand) 292 mm Product color* Titanium Depth (with stand) 292 mm VESA mounting* V Welght (with stand) 11.3 kg Panel mounting interface 300 x 300 mm Welght (without stand) 11.3 kg LED indicators V Depth (without stand) 80 mm Frameless design V Ley (without stand) 80 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type 3 Bezel-less Stand width 92.5 cm Stand type Legs stand Packaging data V Performance Packaging data Package width 1360 mm High Dynamic Range (HDR) Dig Vision, High Dynamic Range (HDR), High Dynamic Range (HDR), High Dynamic Range (HDR), High Dynamic Range (HDR), High Dynamic Range (HDR) Package weight 125 mm Subtitles function V Packaging co			Technical details	
Miracast Processor CA55 13GHz Web browser V Weight & dimensions Design Titanium Depth (with stand) 292 mm Product colou* Titanium Depth (with stand) 770 mm VESA mounting* V Weight (with stand) 11.3 kg Panel mounting interface 300 x 300 mm Weight (without stand) 11.3 kg LED indicators V Depth (without stand) 2224 mm LED indicators V Weight (without stand) 80 mm Frameless design V Weight (without stand) 11 kg Introduction year 3 Bezel-less Stand width 92.5 cm Bezel type 3 Bezel-less Stand depth 92.5 cm Bezel type 3 Bezel-less Stand depth 150 mm Stand type Dobly Vision, High Dynamic Range (HDR) Packaging data 125 mm Performance Package width 1360 mm 125 mm High Dynamic Range (HDR) VIII (HDR10) High Dynamic Range (HDR10) High Dynamic Range (HDR10) High Dynamic Range (HDR10) High Dynamic Range (HDR10) High Dynamic R	Bluetooth profiles	A2DP, HID	•	rtd28xx / 2x CA75 1.3GHz + 2x
Design Titanium Midth (with stand) 1224 mm Product colour* Titanium Depth (with stand) 292 mm VESA mounting* ✓ Height (with stand) 770 mm VESA mounting amounting interface 300 x 300 mm Width (without stand) 11.3 kg Panel mounting interface 300 x 300 mm Width (without stand) 1224 mm LED indicators ✓ Depth (without stand) 80 mm Frameless design ✓ Height (without stand) 708 mm Introduction year 2024 Height (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging data Performance Performance Dolby Vision, High Dynamic Range (HDR) (HDR10), High Dynamic Range (HDR100),	Miracast	✓	Processor	*
Product color* Titanium Depth (with stand) 292 mm VESA mounting* / Weight (with stand) 770 mm VESA mounting interface 300 x 300 mm Weight (with stand) 11.3 kg LED indicators / Depth (without stand) 1224 mm Frameless design / Height (without stand) 80 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type Stand depth 29.2 cm Stand type Legs stand Packaging dat Performance Delby Vision, High Dynamic Range (HDR) Packaging dat 125 mm High Dynamic Range (HDR) 10 (HDR10), High Dynamic Range (HDR10),	Web browser	✓	Weight & dimensions	
Product colour Intanum Height (with stand) 770 mm VESA mounting ** * Weight (with stand) 11.3 kg Panel mounting interface 300 x 300 mm Width (without stand) 1224 mm LED indicators * Depth (without stand) 80 mm Frameless design * Height (without stand) 708 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand widh 92.5 cm Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging data Performance Packaging data 1360 mm Performance Package width 1360 mm High Dynamic Range (HDR) 10 (HDR10 Plus), High Dynamic Range (HDR) 125 mm 10 (HDR10 Plus), High Dynamic Range (HDR) 282 mm 15.2 kg Teletext function Y Package weight 15.2 kg Teletext function Y Packaging content 288 mm Video formats supported MP3, WMA Remote contr	Design		Width (with stand)	1224 mm
VESA mounting *	Product colour *	Titanium		
Panel mounting interface 300 x 300 mm Width (without stand) 1224 mm LED indicators Y Depth (without stand) 80 mm Frameless design Y Height (without stand) 708 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging dta Performance Packaging dta 1360 mm Performance Package width 1360 mm Package depth 125 mm Package height Package depth 125 mm Package height Package height 828 mm Package height Package height 828 mm Package height Package weight 15.2 kg Subtitles function Y Desktop stand Y Video formats supported MP3, WMA Remote control included AC Audio formats supported MP3, WMA Remote control type RC833 Video compression formats AV1, H.264, H.265, MPEG2, VP9 Soundbar included X Video compression formats AV1, H.264, H.265, MPEG2, VP9 Pollet gross width 140 cm <td>VESA mounting *</td> <td>✓</td> <td>=</td> <td></td>	VESA mounting *	✓	=	
LED indicators V Depth (without stand) 80 mm Frameless design V Height (without stand) 708 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging data Performance Packaging data 1360 mm High Dynamic Range (HDR) and (HDR10), High Dynamic Range technology Package width 125 mm 10 (HDR10), High Dynamic Range 10 (HDR100), High Dynamic Range	Panel mounting interface	300 x 300 mm	• .	•
Frameless design ✓ Height (without stand) 708 mm Introduction year 2024 Weight (without stand) 11 kg Introduction month March Stand width 92.5 cm Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging data V Performance Dolby Vision, High Dynamic Range (HDR) Package width 1360 mm High Dynamic Range (HDR) 10 (HDR10), High Dynamic Range (HDR10) High Professor cores 4 Pallet gross length Hig	LED indicators	✓		
Introduction month Introduction month Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Performance High Dynamic Range (HDR) High Dynamic Range (HDR) High Dynamic Range (HDR) Feletext function Teletext function V Packaging data Package width Package width Package height Package height Package weight Package height Package weight Package weight Package height Package weight Package weight Package height Package height Package weight Package weight Package weight Package height Package he	Frameless design	✓	•	
Bezel type 3 Bezel-less Stand depth 29.2 cm Stand type Legs stand Packaging data Performance Dolby Vision, High Dynamic Range technology 104 (HDR10 Plus), Hybrid Log Gamma (HLG) Package weight 15.2 kg Teletext function Package weight 26.2 kg Teletext function Package weight 27.2 kg Teletext function Package weight 27.	Introduction year	2024	Weight (without stand)	11 kg
Stand type Legs stand Performance Packaging data Package depth Package depth Package height Package height Package weight Package height Package weight Package height Package weight Package veight			Stand width	92.5 cm
Performance Performance Performance Performance Poloby Vision, High Dynamic Range (HDR) in (HDR10), High Dynamic Range (HDR10), High Dynamic R			Stand depth	29.2 cm
Dolby Vision, High Dynamic Range (HDR) in (HDR10), High Dynamic Range (HDR) in (HDR10), High Dynamic Range (HDR) in (HDR10), High Dynamic Range (HDR) in (HDR10) Plus), Hybrid Log-Gamma (HLG) Teletext function *** Subtitles function ** Video formats supported AVI, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported MP4, HLEG, PNG Video compression formats AV1, H.264, H.265, MPEG2, VP9 AND FreeSync AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) ** Package weight Package depth P	,,	Legs statiu	Packaging data	
High Dynamic Range (HDR) 10 (HDR10), High Dynamic Range technology 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG) Package weight 15.2 kg Teletext function	Pertormance	Bally Malay Wals Barrella Barrella	3	
technology 10+ (HDR10 Plus), Hybrid Log- Gamma (HLG) Package weight Package weight 15.2 kg Teletext function V Packaging content Desktop stand V Cables included AC Audio formats supported MP3, WMA Audio formats supported MP3, WMA Image formats supported MP3, WMA MP4, HEJF, JPG, PNG Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AI Upscale Picture processing technology Noise reduction* V High Dynamic Range (HDR) Supported* V AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Package weight Package weight 15.2 kg 16.2 kg 16.2 kg 16.2 kg 17.4 kg 18.2 kg	High Dynamic Range (HDR)			
Teletext function V Subtitles function V Olesktop stand AVI, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported MP4, MP5, PNG Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AI Upscale Picture processing technology Noise reduction* High Dynamic Range (HDR) supported AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Possible Cables included AC	5			
Subtitles function Video formats supported AVI, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG, PNG Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AI Upscale Picture processing technology TCL AiPQ Engine Noise reduction* High Dynamic Range (HDR) supported Processor cores AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Desktop stand V Cables included AC AC AC AC AC AC AC AC AC A	Teletext function			13.2 kg
Video formats supported AVI, MKV, MP4, MPG, TS, VP9, WEBM, WMV Audio formats supported MP3, WMA Image formats supported BMP, HEIF, JPG, PNG Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AI Upscale Picture processing technology TCL AiPQ Engine Noise reduction* High Dynamic Range (HDR) supported* Processor cores 4 Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) AVI, MRV, MP4, MPG, TS, VP9, Cables included AC AC AC AC AC AC AC AC AC A				
Audio formats supported MP3, WMA Image formats supported MP3, WMA Image formats supported MP3, WMA Image formats supported MP3, WMA Remote control included Remote control type RC833 Soundbar included X Av1, H.264, H.265, MPEG2, VP9 Ambient mode Al Upscale Picture processing technology TCL AiPQ Engine Pallet gross width Pallet gross length 179.6 cm Noise reduction * High Dynamic Range (HDR) supported * Processor cores Auto Low Latency Mode (ALLM), Game features WEBM, WMV Remote control included * Remote control included X Remote control included X Auto Low Latency MPEG2, VP9 Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length Included * Channel list copy function Cord length Included * Channel list copy function Cord length Included * Channel list copy function Cord length Included X Auto Low Latency Mode (ALLM), Cord length			·	
Audio formats supported Image formats supported Image formats supported WP3, WMA Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AV2 AV3, H.264, H.265, MPEG2, VP9 Ambient mode AI Upscale Pallet gross width Pallet gross length Voise reduction * High Dynamic Range (HDR) Supported * Processor cores AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Remote control type RC833 Remote control type RC833 X V AV1, H.264, H.265, MPEG2, VP9 Available rincluded X Available gross width Pallet gross length Pallet gross height Products per pallet Products per pallet Quantity per truck Products per pallet Produc	video formats supported			
Video compression formats AV1, H.264, H.265, MPEG2, VP9 Ambient mode AV2 Al Upscale Pallet gross width Picture processing technology Noise reduction * High Dynamic Range (HDR) supported * Processor cores AU4 Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Soundbar included X Pallet gross width Pallet gross length Pallet gross height Products per pallet Products per pallet Quantity per truck Products per truck Products per pallet Quantity per truck Products per pallet Products	• •			
Ambient mode Yes Logistics data Al Upscale Pallet gross width 140 cm Picture processing technology Noise reduction * High Dynamic Range (HDR) supported * Processor cores Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length Logistics data Logistics data Logistics data Pallet gross width 140 cm Pallet gross length 179.6 cm Products per pallet 16 pc(s) 288 pc(s) Number of pallets per truck 18 pc(s) Channel list copy function Cord length Logistics data Logistics data Auto cm Auto cm Auto cm Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length Logistics data Logistics data Logistics data Auto cm Auto cm Auto cm Products per pallet 16 pc(s) 288 pc(s) Number of pallets per truck 18 pc(s) Channel list copy function Cord length Logistics data	•			
Al Upscale Picture processing technology TCL AiPQ Engine Pallet gross width 140 cm Picture processing technology TCL AiPQ Engine Pallet gross length 179.6 cm Pallet gross height 111 cm Products per pallet 16 pc(s) Supported * Processor cores 4 Number of pallets per truck AMD FreeSync Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length 140 cm 140 cm 179.6 cm 179.6	•			
Picture processing technology TCL AiPQ Engine Pallet gross length Pallet gross length Pallet gross height Products per pallet Products per pallet Quantity per truck Processor cores Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Products per pallet Quantity per truck Products per pallet 16 pc(s) 288 pc(s) Number of pallets per truck 18 pc(s) Channel list copy function Cord length 1.5 m			-	140 cm
Noise reduction * High Dynamic Range (HDR) supported * Products per pallet 16 pc(s) Quantity per truck 288 pc(s) Processor cores 4 Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Other features Cord length 111 cm 16 pc(s) 288 pc(s) 18 pc(s) Other features Channel list copy function Cord length 1.5 m	·		· ·	
High Dynamic Range (HDR) supported * Products per pallet Quantity per truck 288 pc(s) Processor cores 4 Number of pallets per truck 18 pc(s) AMD FreeSync Other features Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length 1.5 m				
Supported * Processor cores 4 Number of pallets per truck Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Quantity per truck Number of pallets per truck 18 pc(s) Other features Channel list copy function ✓ Cord length 1.5 m		1		
AMD FreeSync Auto Low Latency Mode (ALLM), Game features Channel list copy function Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR) Cord length 1.5 m	• •		Quantity per truck	288 pc(s)
Auto Low Latency Mode (ALLM), Game features Channel list copy function Rate (VRR) Cord length 1.5 m		4	Number of pallets per truck	18 pc(s)
Game features Game Bar 3.0, Variable Refresh Rate (VRR) Cord length 1.5 m	AMD FreeSync	Auto Low Latency Mode (ALLM)	Other features	
AKURA IIDa aasilaa	Game features	Game Bar 3.0, Variable Refresh	Channel list copy function	✓
4K Ultra HD upscaling Power plug type Type C	4441111 1115 "		Cord length	1.5 m
	4K Ultra HD upscaling	✓	Power plug type	Type C

Performance		Other features	
Adaptive picture	✓	Doesn't contain	Cadmium
Smartphone/tablet remote support	✓	Digital Living Network Alliance (DLNA) certified	1
		Warranty period	2 year(s)



5901292524050

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.