

StarTech.com Hub USB-C con Ethernet a 3 porte - 3x porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, alimentazione tramite bus, cavo lungo 30 cm - Adattatore hub USB Type-C portatile con GbE

Marchio : StarTech.com

Codice prodotto: 5G3AGBB-USB-C-HUB

Nome del prodotto : Hub USB-C con Ethernet a 3 porte - 3x porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, alimentazione tramite bus, cavo lungo 30 cm - Adattatore hub USB Type-C portatile con GbE



StarTech.com Hub USB C con Ethernet a 3 porte USB-A, Gigabit Ethernet RJ45, USB 3.0 5Gbps, Alimentazione da bus fino a 15W, Cavo lungo 30cm - Adattatore hub USB Type-C portatile (5G3AGBB-USB-C-HUB)

Connettività		Software	
Tecnologia di connessione *	Cablato	Compatibilità sistema operativo Mac	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
Interfaccia host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Sistema operativo Linux supportato	✓
Quantità porte Micro-USB 2.0	1	Altri sistemi operativi supportati	Android
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	3	Condizioni ambientali	
Microfono, spinotto d'ingresso *	✗	Intervallo temperatura di funzionamento	0 - 70 °C
Collegamento in rete		Intervallo di temperatura	-40 - 80 °C
Collegamento ethernet LAN *	✓	Range di umidità di funzionamento	0 - 95%
Quantità porte Ethernet LAN (RJ-45)	1	Sostenibilità	
Velocità trasferimento Ethernet LAN	10,100,1000 Mbit/s	Conformità alla sostenibilità	✓
Wake-on-LAN ready	✓	Dimensioni e peso	
Standard di rete	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Larghezza	54 mm
Supporto Jumbo Frames	✓	Profondità	420 mm
Frame Jumbo	9000	Altezza	16 mm
Supporto controllo flusso	✓	Peso	82 g
Auto MDI/MDI-X	✓	Dati su imballaggio	
Full duplex	✓	Larghezza imballo	142 mm
VLAN tagging	✓	Profondità imballo	170 mm
Prestazione		Altezza imballo	30 mm
Letto di schede integrato *	✗	Peso dell'imballo	138 g
Colore del prodotto *	Grigio	Dettagli tecnici	
Interfacce hub	Micro-USB, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Certificati di conformità	CE, RoHS
Indicatori LED	Attività, Collegamento	Dati logistici	
Supporto UASP	✓	Quantità per cartone principale	70 pz
Materiale della scocca	Plastica	Larghezza scatola principale	473 mm
Gestione energetica		Lunghezza del cartone principale	340 mm
Tipologia alimentazione	USB		
Lunghezza cavo USB	0,3 m		

Software	Dati logistici
Sistema operativo Windows supportato	Altezza scatola principale 440 mm
Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	Altre caratteristiche Chipset VIA/VLI - VL817, ASIX - AX88179A



0065030893268



065030893268

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.