

NEC MultiSync EA271F LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD Bianco

Marchio : NEC
 Famiglia del prodotto: MultiSync
 Codice prodotto: 60004634

Nome del prodotto : EA271F

27" AH-IPS LCD, 1920 x 1080, 16:9, 250 cd/m², 1000:1, 6 ms, DisplayPort, DVI-D, HDMI, USB x 4, VGA NEC MultiSync EA271F. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Tempo di risposta: 6 ms, Rapporto d'aspetto nativo: 16:9. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Bianco



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Cable lock slot type	Kensington
Display resolution *	1920 x 1080 pixels	Height adjustment *	✓
HD type *	Full HD	Adjustable height (max)	15 cm
Native aspect ratio *	16:9	Pivot	✓
Display technology *	LED	Swivelling	✓
Panel type *	AH-IPS	Tilt adjustment	✓
Backlight type	LED	Tilt angle range	-5 - 35°
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	250 cd/m²	Plug and Play	✓
Response time *	6 ms	LED indicators	✓
Screen shape *	Flat		
Supported graphics resolutions	1920 x 1080 (HD 1080)	Power	
Contrast ratio (typical) *	1000:1	Energy efficiency class (SDR) *	C
Contrast ratio (dynamic)	5000:1	Energy consumption (SDR) per 1000 hours *	11 kWh
Maximum refresh rate *	60 Hz	Power consumption (typical) *	20 W
Display number of colours *	16.78 million colours	Power consumption (max)	45 W
Pixel pitch	0.311 x 0.311 mm	Power consumption (PowerSave)	0.5 W
Digital horizontal frequency	31.5 - 83 kHz	Energy efficiency scale	A to G
Digital vertical frequency	56 - 75 Hz	European Product Registry for Energy Labelling (EPREL) code	403998
Colour gamut	72%		
Multimedia		Operational conditions	
Number of speakers	2	Operating temperature (T-T)	5 - 35 °C
RMS rated power	2 W	Storage temperature (T-T)	-10 - 60 °C
Built-in speaker(s) *	✓	Operating relative humidity (H-H)	20 - 80%
Design		Storage relative humidity (H-H)	10 - 85%
Product colour *	White	Weight & dimensions	
Ports & interfaces		Width (with stand)	610.2 mm
Built-in USB hub *	✓	Depth (with stand)	250 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (with stand)	527.3 mm
Number of upstream ports	1	Weight (with stand)	7.6 kg
USB Type-A downstream ports quantity	3	Width (without stand)	359.8 mm
		Weight (without stand)	5 kg

Ports & interfaces		Sustainability	
VGA (D-Sub) ports quantity	1	Sustainability certificates	ENERGY STAR
DVI port	✓	Other features	
DVI-D ports quantity	1	On/off switch	✓
HDMI ports quantity	1	Rotating	✓
DisplayPorts quantity	1	Miracast	✗
Headphone out *	✓	Certification	CE; EAC; EnergyStar 0.0; ErP; FCC Class B; ISO 9241-307 (pixel failure class I); PSB; RoHS; TCO 7.0; TÜV Ergonomics; TÜV GS; UL/C-UL or CSA
Network			
Wi-Fi	✗		
Bluetooth	✗	Logistics data	
Ethernet LAN	✗	Harmonized System (HS) code	85285210
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		



5028695115989

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAR-2025. Prints or copies of Information are only valid on the printed Publication date