NEC NP-P605UL Proiettore a raggio standard 6000 ANSI lumen 3LCD WUXGA (1920x1200) Bianco

Marchio: NEC Codice prodotto: 60004811

Nome del prodotto: NP-P605UL

3LCD, 16:10, 1920x1200, VGA, RS-232, IR, RJ-45, HDMI, HDCP
NEC NP-P605UL. Luminosità proiettore: 6000 ANSI lumen, Tecnologia di proiezione: 3LCD, Risoluzione
nativa del proiettore: WUXGA (1920x1200). Tipo di sorgente luminosa: Laser, Durata della sorgente
luminosa: 20000 h. Messa a fuoco: Manuale, Lunghezza focale: 17.2 - 27.6 mm, Range di apertura (F-F):
1,5 - 2,1. Formato video analogico: NTSC 3.58, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Risoluzioni
grafiche supportate: 320 x 288 (QVGA), 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x
1024 (SXGA), 1280 x..., Modalità video supportate: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo
interfaccia seriale: RS-232, Tipo di connettore HDMI: Taglia piena

Projector		Network	
Screen size compatibility * Projection distance Projector brightness * Projection technology * Projector native resolution *	on distance on distance on brightness * 6000 ANSI lumens on technology * 3LCD WUXGA (1920x1200) thratio (typical) * 600000:1 taspect ratio * 16:10 tal scan range scan range scan range e correction, horizontal e correction, vertical 0.8 - 13.5 m 6000 ANSI lumens WUXGA (1920x1200) thration tall scan range scan range 15:100 kHz -30 - 120 Hz -30 - 30° -30 - 30°	Wi-Fi *	x
		Storage	
		Card reader integrated *	×
		Features	
Contrast ratio (typical) * Native aspect ratio * Horizontal scan range Vertical scan range Keystone correction, horizontal Keystone correction, vertical Matrix size		Noise level (economic mode) HDCP Noise level * Certification	19 dB ✓ 28 dB UL60950-1:2nd 2014, UL62368-1:2nd, FDA, FCC 15 B(ANSI C63.4:2014), 65, TPCH, CAN/CSA C22.2 No.60950-1-07,2nd 2014, ICES-003 6(ANSI C63.4:2014)
Light source		Multimedia	
Light source type * Service life of light source *	Laser 20000 h	Built-in speaker(s) * RMS rated power	✓ 20 W
Lens system		Design	
Focus * Focal length range Aperture range (F-F) Zoom capability	Manual 17.2 - 27.6 mm 1.5 - 2.1 ✓	Market positioning * Product type * Product colour * Placement	Presentation Standard throw projector White Desktop
Zoom ratio Throw ratio	1.6:1 1.23 - 2.0:1	Display	·
Video	1.25 - 2.0.1	Built-in display *	×
	NTSC 3.58, NTSC 4.43, PAL, PAL 60,	Power	
Analog signal format system * Full HD * 3D * Supported graphics resolutions	PAL M, PAL N, SECAM	Power source * Power consumption (typical) * Power consumption (standby) * Power consumption (max) AC input voltage AC input frequency Auto power off	AC 261 W 1.4 W 367 W 100 - 240 V 50 - 60 Hz
	1920 x 1200 (WUXGA)	Operational conditions	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Operating temperature (T-T) Storage temperature (T-T)	5 - 40 °C -10 - 50 °C
Ports & interfaces		Operating relative humidity (H-H)	20 - 80%
HDMI connector type HDMI version	Full-size 1.4	Storage relative humidity (H-H) Operating altitude	20 - 80% 0 - 2600 m
HDBaseT port	1	Weight & dimensions	
USB 2.0 ports quantity	1	Width	480 mm

Ports & interfaces		Weight & dimensions	
Serial interface type *	RS-232	Depth	142.5 mm
PC Audio out	✓	Height	407 mm
VGA (D-Sub) ports quantity *	1	Weight *	9.7 kg
HDMI ports quantity *	2	Package width	591 mm
DVI port *	×	Package depth	259 mm
Mobile High-Definition Link (MHL)	×	Package height Package weight	491 mm 12.8 kg
Network		5 5	
Smart TV *	×	Logistics data	
Ethernet LAN *	✓	Harmonized System (HS) code 85286200	85286200
Ethernet LAN (RJ-45) ports	1		
Ethernet LAN data rates	10,100 Mbit/s		



5028695613751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.