

NEC MultiSync EA272F LED display 68,6 cm (27") 1920 x 1080 Pixel Full HD Nero

Marchio : NEC

Famiglia del prodotto:
MultiSync

Codice prodotto: 60005033

Nome del prodotto : EA272F

NEC MultiSync EA272F. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Tempo di risposta: 6 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Height adjustment *	✓
Display resolution *	1920 x 1080 pixels	Adjustable height (max)	15 cm
HD type *	Full HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-170 - 170°
Display technology *	LED	Tilt adjustment	✓
Panel type *	AH-IPS	Tilt angle range	-5 - 35°
Backlight type	LED	On Screen Display (OSD)	✓
Touchscreen *	✗	Plug and Play	✓
Display brightness (typical)	250 cd/m²		
Response time *	6 ms		
Screen shape *	Flat		
Contrast ratio (typical) *	1000:1		
Contrast ratio (dynamic)	5000:1		
Maximum refresh rate *	60 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Pixel pitch	0.311 x 0.311 mm		
Digital horizontal frequency	31.5 - 83 kHz		
Digital vertical frequency	55 - 75 Hz		
Display diagonal (metric)	69 cm		
DDC/CI	✓		
Performance		Power	
Flicker-free technology	✓	Energy efficiency class (SDR) *	D
		Energy consumption (SDR) per 1000 hours *	15 kWh
		Power consumption (typical) *	21 W
		Power consumption (PowerSave)	3 W
		AC input voltage	100 - 240 V
		Energy efficiency scale	A to G
		European Product Registry for Energy Labelling (EPREL) code	404004
Multimedia		Operational conditions	
Number of speakers	2	Operating temperature (T-T)	5 - 35 °C
RMS rated power	2 W	Storage temperature (T-T)	-10 - 60 °C
Built-in speaker(s) *	✓	Operating relative humidity (H-H)	20 - 80%
		Storage relative humidity (H-H)	10 - 85%
Design		Weight & dimensions	
Product colour *	Black	Width (with stand)	651.6 mm
		Depth (with stand)	250 mm
		Height (with stand)	359.8 mm
		Weight (with stand)	9.2 kg
		Bezel width (side)	0.8 mm
		Bezel width (top)	0.8 mm
		Bezel width (bottom)	1.58 cm

Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Cables included	AC, DisplayPort, USB
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
Number of upstream ports	1	Sustainability certificates	ENERGY STAR, ErP, TCO
VGA (D-Sub) ports quantity	1	Other features	
DVI port	✗	Energy efficiency class (old)	A+
HDMI *	✓	Compliance certificates	CE, RoHS
HDMI ports quantity	1	Logistics data	
DisplayPorts quantity	2	Harmonized System (HS) code	85285210
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Cable lock slot type	Kensington		



5028695120440

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAR-2025. Prints or copies of Information are only valid on the printed Publication date