

NEC MultiSync E498 124,5 cm (49") IPS 350 cd/m² 4K Ultra HD Nero 16/7

Marchio : NEC

Famiglia del prodotto: MultiSync

Nome del prodotto : E498

Codice prodotto: 60005052



NEC MultiSync E498. Dimensioni diagonale schermo: 124,5 cm (49"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 350 cd/m², Tipologia HD: 4K Ultra HD. Ore di servizio (ore/giorni): 16/7. Colore del prodotto: Nero

Display		Design	
LED backlighting type	Direct-LED	Bezel width (bottom)	1.39 cm
Display diagonal *	124.5 cm (49")	Bezel width (side)	1.25 cm
Display technology *	IPS	Bezel width (top)	1.25 cm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	350 cd/m²	Hybrid Log-Gamma (HLG)	✓
HD type *	4K Ultra HD	Ambient light sensor	✓
Native aspect ratio	16:9	Operating hours (hours/days)	16/7
Response time	8 ms	Power	
Contrast ratio (typical)	1200:1	Power consumption (typical) *	109 W
Viewing angle, horizontal	178°	Power consumption (standby) *	2 W
Viewing angle, vertical	178°	Energy efficiency class (SDR)	G
Pixel pitch	0.28 x 0.28 mm	Energy efficiency class (HDR)	G
Active display area (W x H)	1073.8 x 604 mm	Energy consumption (SDR) per 1000 hours	77 kWh
Display diagonal (metric)	123.2 cm	Energy consumption (HDR) per 1000 hours	100 kWh
Horizontal scan range	15 - 136 kHz	AC input voltage	100-240 V
Vertical scan range	24 - 75 Hz	AC input frequency	50 - 60 Hz
High Dynamic Range (HDR) supported	✓	Computer system	
High Dynamic Range (HDR) technology	Hybrid Log-Gamma (HLG)	Video formats supported	H.263, H.264, HEVC/H.265, MP4, MPEG1, MPEG2, MPEG4, MPG, TS
Native refresh rate	60 Hz	Audio formats supported	AAC, LPCM, MP3, WMV
Haze rate	1%	Image formats supported	JPG
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	3	Width	1102.8 mm
VGA (D-Sub) input ports	1	Depth	71.6 mm
USB port *	✓	Height	608 mm
USB ports quantity	2	Weight	12.4 kg
USB version	2.0	Packaging content	
Ethernet LAN *	✓	Remote control included	✓
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
Ethernet LAN data rates	100 Mbit/s	Cables included	AC, HDMI
Composite video in	1		
Component video (YPbPr/YCbCr) in	1		
RS-232 interface	✓		
RS-232C	✓		

Ports & interfaces		Operational conditions	
Remote (IR) input	1	Operating temperature (T-T)	0 - 40 °C
Audio		Operating relative humidity (H-H)	10 - 80%
Built-in speaker(s) *	✓	Storage temperature (T-T)	-10 - 60 °C
Number of built-in speakers	2	Storage relative humidity (H-H)	5 - 85%
RMS rated power	20 W	Certificates	
Design		Certification	EMC Class B; Energy Star 8; FCC; PSB; RCM; TÜV S; UL/C-UL; VCCI
Placement supported *	Indoor	Logistics data	
Orientation	Horizontal	Harmonized System (HS) code	85285210
Product colour *	Black	Technical details	
VESA mounting *	✓	Sustainability certificates	ENERGY STAR
Panel mounting interface	400 x 200 mm		



5028695120471



0805736073539



805736073539

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date