

NEC MultiSync ME551 Pannello piatto per segnaletica digitale 139,7 cm (55") IPS 400 cd/m² 4K Ultra HD Nero 18/7

Marchio : NEC

Famiglia del prodotto:
MultiSync

Codice prodotto: 60005057

Nome del prodotto : ME551



NEC MultiSync ME551. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 139,7 cm (55"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 400 cd/m², Tipologia HD: 4K Ultra HD. Ore di servizio (ore/giorni): 18/7. Colore del prodotto: Nero

Display		Performance	
LED backlighting type	Direct-LED	International Protection (IP) code	IP5X, IP2X
Display diagonal *	139.7 cm (55")	Power	
Display technology *	IPS	Energy efficiency class (SDR)	G
Display resolution *	3840 x 2160 pixels	Energy efficiency class (HDR)	G
Display brightness *	400 cd/m²	Energy consumption (SDR) per 1000 hours	118 kWh
HD type *	4K Ultra HD	Energy consumption (HDR) per 1000 hours	91 kWh
Touchscreen *	✗	AC input voltage	100 - 240 V
Native aspect ratio	16:9	AC input frequency	50 - 60 Hz
Response time	8 ms	Energy efficiency scale	A to G
Contrast ratio (typical)	8000:1	Computer system	
Viewing angle, horizontal	178°	Computer system *	✗
Viewing angle, vertical	178°	Built-in processor *	✗
Display diagonal (metric)	138.8 cm	Weight & dimensions	
Horizontal scan range	26 - 135 kHz	Width	1241.8 mm
Native refresh rate	60 Hz	Depth	62.6 mm
Ports & interfaces		Height	712.6 mm
HDMI ports quantity *	2	Weight	19.8 kg
DVI port *	✗	Packaging data	
DisplayPorts quantity *	1	Package width	1430 mm
DisplayPorts in	1	Package depth	250 mm
Ethernet LAN *	✓	Package height	920 mm
Ethernet LAN (RJ-45) ports	1	Package weight	29.4 kg
Ethernet LAN data rates	100 Mbit/s	Packaging content	
Wi-Fi *	✗	Remote control included	✓
Audio (L/R) out	1	Cables included	AC, HDMI
RS-232 interface	✓	Operational conditions	
Audio		Operating temperature (T-T)	0 - 40 °C
Built-in speaker(s) *	✓	Operating relative humidity (H-H)	20 - 80%
Number of built-in speakers	2	Storage temperature (T-T)	-20 - 60 °C
RMS rated power	20 W		
Design			
Product design *	Digital signage flat panel		

Design		Operational conditions	
Orientation	Horizontal/Vertical	Storage relative humidity (H-H)	10 - 90%
Product colour *	Black	Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	400 x 400 mm	Features	
Performance		Wall mountable	✓
		Technical details	
Purpose *	Universal	Sustainability certificates	ENERGY STAR
Operating hours (hours/days)	18/7		
HDCP	✓		



5028695119413



0805736072877



805736072877

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date