NEC MultiSync P555 139,7 cm (55") IPS 700 cd/m 2 4K Ultra HD Nero 24/7

Marchio: NEC Famiglia del prodotto: Codice prodotto: 60005058

MultiSync

Nome del prodotto: P555

Bezel width (bottom)

Bezel width (side)

1.56 cm

1.25 cm

NEC MultiSync P555. Dimensioni diagonale schermo: 139,7 cm (55"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 700 cd/m², Tipologia HD: 4K Ultra HD. Ore di servizio (ore/giorni): 24/7. Colore del prodotto: Nero



Display		Performance	
LED backlighting type Edge-LED Display diagonal * 139.7 cm (55") Display technology * IPS	Edge-LED	International Protection (IP) code	IPX5
	139.7 cm (55") IPS	Power	
Display resolution * Display resolution * Display brightness * HD type * Native aspect ratio Response time Contrast ratio (typical) Viewing angle, horizontal Viewing angle, vertical Display diagonal (metric) Horizontal scan range Vertical scan range Native refresh rate Haze rate	3840 x 2160 pixels 700 cd/m² 4K Ultra HD 16:9 8 ms 8000:1 178° 178° 138.8 cm 15 - 135 kHz 23 - 76 Hz 60 Hz 28%	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR) Energy efficiency class (HDR) Energy consumption (SDR) per 1000 hours Energy consumption (HDR) per 1000 hours AC input voltage AC input frequency Weight & dimensions Width Depth	110 W 2 W G G G 109 kWh 103 kWh 100-240 V 50 - 60 Hz 1239.6 mm 61.1 mm
Ports & interfaces		Height Weight	713 mm 27.6 kg
HDMI ports quantity * DisplayPorts quantity * USB port * USB ports quantity USB version Ethernet LAN * Ethernet LAN (RJ-45) ports Ethernet LAN data rates	3 3 3 2.0 2 100 Mbit/s	Packaging data Package width Package depth Package height Package weight Packaging content Remote control included	1430 mm 250 mm 920 mm 37.7 kg
RS-232 interface	✓	Batteries included	✓ AC HDMI
DesignPlacement supported *IndoorOrientationHorizontal/VerticalProduct colour *BlackVESA mounting *✓Panel mounting interface300 x 300 mm	Cables included Operational conditions Operating temperature (T-T) Operating relative humidity (H-H)	AC, HDMI 0 - 40 °C 20 - 80%	
	Storage temperature (T-T) Storage relative humidity (H-H)	-20 - 60 °C 10 - 90%	

Logistics data


Harmonized System (HS) code

85285210

Design	
Bezel width (top)	1.2 cm
Performance	
Ambient light sensor	1
Operating hours (hours/days)	24/7









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.