


NEC MultiSync M651 Pannello piatto per segnaletica digitale 165,1 cm (65") IPS 500 cd/m² 4K Ultra HD Nero 24/7

Marchio : NEC
 Famiglia del prodotto: MultiSync
 Codice prodotto: 60005061

Nome del prodotto : M651



NEC MultiSync M651. Design del prodotto: Pannello piatto per segnaletica digitale. Dimensioni diagonale schermo: 165,1 cm (65"), Tecnologia display: IPS, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 500 cd/m², Tipologia HD: 4K Ultra HD. Ore di servizio (ore/giorni): 24/7. Colore del prodotto: Nero

Display		Performance	
LED backlighting type	Direct-LED	HDCP	✓
Display diagonal *	165.1 cm (65")	International Protection (IP) code	IP5X, IP2X
Display technology *	IPS	Power	
Display resolution *	3840 x 2160 pixels	Energy efficiency class (SDR)	G
Display brightness *	500 cd/m²	Energy efficiency class (HDR)	G
HD type *	4K Ultra HD	Energy consumption (SDR) per 1000 hours	116 kWh
Touchscreen *	✗	Energy consumption (HDR) per 1000 hours	105 kWh
Native aspect ratio	16:9	AC input voltage	100 - 240 V
Response time	8 ms	AC input frequency	50 - 60 Hz
Contrast ratio (typical)	8000:1	Energy efficiency scale	A to G
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical	178°	Computer system *	✗
Display diagonal (metric)	163.9 cm	Built-in processor *	✗
Horizontal scan range	26 - 91.1 kHz	Weight & dimensions	
Vertical scan range	23 - 86 Hz	Width	1458.4 mm
Native refresh rate	60 Hz	Depth	62.6 mm
Ports & interfaces		Height	836.2 mm
HDMI ports quantity *	2	Weight	37.1 kg
DVI port *	✗	Packaging data	
DisplayPorts quantity *	1	Package width	1736 mm
DisplayPorts in	1	Package depth	280 mm
Ethernet LAN *	✓	Package height	1033 mm
Ethernet LAN (RJ-45) ports	1	Package weight	49.3 kg
Ethernet LAN data rates	100 Mbit/s	Packaging content	
Wi-Fi *	✗	Remote control included	✓
Audio (L/R) out	1	Cables included	AC, HDMI
RS-232 interface	✓	Operational conditions	
Audio		Operating temperature (T-T)	0 - 40 °C
Built-in speaker(s) *	✓	Operating relative humidity (H-H)	20 - 80%
Number of built-in speakers	2		
RMS rated power	20 W		

Design		Operational conditions	
Product design *	Digital signage flat panel	Storage temperature (T-T)	-20 - 60 °C
Orientation	Horizontal/Vertical	Storage relative humidity (H-H)	10 - 90%
Product colour *	Black	Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210
Panel mounting interface	400 x 400 mm	Features	
Bezel width (bottom)	1.56 cm	Wall mountable	✓
Bezel width (side)	1.25 cm	Technical details	
Bezel width (top)	1.2 cm	Sustainability certificates	ENERGY STAR
Performance			
Purpose *	Universal		
Ambient light sensor	✓		
Operating hours (hours/days)	24/7		



5028695119468



0805736072921



805736072921

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date