


## NEC MultiSync M551 Pannello piatto interattivo 139,7 cm (55") LCD 500 cd/m² 4K Ultra HD Nero Touch screen 24/7

Marchio : NEC

Famiglia del prodotto:  
MultiSync

Codice prodotto: 60005425

Nome del prodotto : M551



NEC MultiSync M551. Design del prodotto: Pannello piatto interattivo. Dimensioni diagonale schermo: 139,7 cm (55"), Tecnologia display: LCD, Risoluzione del display: 3840 x 2160 Pixel, Luminosità schermo: 500 cd/m², Tipologia HD: 4K Ultra HD, Touch screen. Ore di servizio (ore/giorni): 24/7. Colore del prodotto: Nero

Display		Design	
Panel type	IPS	Bezel width (top)	1.84 cm
LED backlighting type	Edge-LED	Anti-glare screen	✓
Display diagonal *	139.7 cm (55")	Positioning accuracy	1 mm
Display technology *	LCD	Performance	
Display resolution *	3840 x 2160 pixels	Purpose *	Universal
Display brightness *	500 cd/m²	Operating hours (hours/days)	24/7
HD type *	4K Ultra HD	HDCP	✓
Touchscreen *	✓	Power	
Number of simultaneous touchpoints	20	Power consumption (typical) *	110 W
Multi-touch	✓	Power consumption (standby) *	2 W
Native aspect ratio	16:9	Energy efficiency class (SDR)	G
Response time	8 ms	Energy efficiency class (HDR)	G
Contrast ratio (typical)	8000:1	Energy consumption (SDR) per 1000 hours	100 kWh
Viewing angle, horizontal	178°	Energy consumption (HDR) per 1000 hours	90 kWh
Viewing angle, vertical	178°	AC input voltage	100-240 V
Display number of colours	1.076 billion colours	AC input frequency	50 - 60 Hz
Display diagonal (metric)	138.8 cm	Energy efficiency scale	A to G
Maximum frame rate	60 fps	Computer system	
Horizontal scan range	26 - 91.1 kHz	Video formats supported	MP4, MPG, TS
Vertical scan range	23 - 86 Hz	Audio formats supported	AAC, LPCM, MP3, WMV
Haze rate	5%	Image formats supported	JPG
Surface hardness	7H	Weight & dimensions	
Touch response time	15 ms	Display width	1284.5 mm
Ports & interfaces		Display depth	70.9 mm
HDMI ports quantity *	2	Display height	757.3 mm
DVI port *	✗	Display weight	38.5 kg
DisplayPorts quantity *	1	Packaging data	
USB port *	✓	Package width	1430 mm
USB ports quantity	1	Package depth	250 mm
USB version	2.0	Package height	920 mm
Ethernet LAN *	✓		
Ethernet LAN data rates	100 Mbit/s		

Ports & interfaces		Packaging data	
RS-232 interface	✓	Package weight	47 kg
Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Batteries included	✓
RMS rated power	10 W	Stylus pen	✓
Design		Number of stylus pens	2
Product design *	Interactive flat panel	Cables included	HDMI, Power
Orientation	Horizontal/Vertical	Operational conditions	
Product colour *	Black	Operating temperature (T-T)	0 - 35 °C
Screen shape	Flat	Operating relative humidity (H-H)	20 - 80%
VESA mounting *	✓	Storage temperature (T-T)	-20 - 60 °C
Panel mounting interface	300 x 300 mm	Storage relative humidity (H-H)	10 - 90%
Bezel width (bottom)	1.84 cm		
Bezel width (side)	1.84 cm		



5028695123199

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date