

NEC PE506UL Proiettore per grandi ambienti 5200 ANSI lumen LCD WUXGA (1920x1200) Bianco

Marchio : NEC

Codice prodotto: 60005463

Nome del prodotto : PE506UL



NEC PE506UL. Luminosità proiettore: 5200 ANSI lumen, Tecnologia di proiezione: LCD, Risoluzione nativa del proiettore: WUXGA (1920x1200). Tipo di sorgente luminosa: Laser, Durata della sorgente luminosa: 20000 h. Messa a fuoco: Manuale, Range di spostamento dell'obiettivo orizzontale: -29 - 29%, Intervallo di spostamento dell'obiettivo verticale: 0 - 60%. Emissione acustica: 37 dB, Emissione acustica (modalità economica): 27 dB. Potenza in uscita (RMS): 16 W



Projector		Features	
Projection distance	0.75 - 13 m	Noise level *	37 dB
Projector brightness *	5200 ANSI lumens	Multimedia	
Projection technology *	LCD	Built-in speaker(s) *	✓
Projector native resolution *	WUXGA (1920x1200)	RMS rated power	16 W
Contrast ratio (typical) *	3000000:1	Number of built-in speakers	1
Native aspect ratio *	16:10	Design	
Keystone correction, horizontal	-30 - 30°	Market positioning *	Presentation
Keystone correction, vertical	-30 - 30°	Product type *	Large venue projector
Light source		Product colour *	White
Light source type *	Laser	Display	
Service life of light source *	20000 h	Built-in display *	✗
Lens system		Power	
Focus *	Manual	Power source *	AC
Zoom capability	✓	Power consumption (typical) *	335 W
Horizontal lens shift range	-29 - 29%	Power consumption (standby) *	0.5 W
Vertical lens shift range	0 - 60%	Power consumption (economy mode)	177 W
Ports & interfaces		AC input voltage	120 - 240 V
USB 2.0 ports quantity	2	AC input frequency	50 - 60 Hz
USB 2.0 Type-B ports quantity	1	Operational conditions	
Headphone outputs	1	Operating temperature (T-T)	0 - 40 °C
Microphone in	✓	Storage temperature (T-T)	-10 - 50 °C
VGA (D-Sub) ports quantity *	1	Operating relative humidity (H-H)	20 - 88%
HDMI ports quantity *	2	Weight & dimensions	
Component video (YPbPr/YCbCr) in * 1		Width	405 mm
Network		Depth	358 mm
Ethernet LAN *	✓	Height	137 mm
Ethernet LAN (RJ-45) ports	1	Weight *	7.95 kg
Features		Packaging content	
Noise level (economic mode)	27 dB	Remote control included *	✓

Packaging content	
Batteries included	✓
Cables included	VGA
Manual	✓



5028695614628

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date