NEC

NEC MultiSync E274FL Monitor PC 68,6 cm (27") 1920 x 1080 Pixel Full HD LCD Nero

Marchio : NEC

Famiglia del prodotto: MultiSync

Codice prodotto: 60005868

Nome del prodotto : E274FL

NEC MultiSync E274FL. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Tempo di risposta: 6 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
Backlight type	W-LED
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	6 ms
Screen shape *	Flat
Contrast ratio (typical) *	4000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Digital horizontal frequency	31.5 - 81 kHz
Digital vertical frequency	50 - 75 Hz
Display diagonal (metric)	69 cm

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Office

Ergonomics

Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	12 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-170 - 170°
Tilt adjustment	✔
Tilt angle range	-5 - 25°
On Screen Display (OSD)	✔
Plug and Play	✔

Power

Energy efficiency class (SDR) *	D
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	15 kWh
Power consumption (typical) *	20 W
Power consumption (standby) *	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1420568

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 85%

Weight & dimensions

Width (with stand)	610.4 mm

Design

Product colour *	Black
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of upstream ports	1
USB Type-A downstream ports quantity	3
USB Power Delivery (USB PD)	✔
USB Power Delivery up to	60 W
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out *	✔
AC (power) in	✔

Network

Ethernet LAN	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm

Weight & dimensions

Depth (with stand)	282.6 mm
Height (with stand)	376.9 mm
Weight (with stand)	6.6 kg
Width (without stand)	610.4 mm
Depth (without stand)	46.6 mm
Height (without stand)	359.9 mm
Weight (without stand)	4.5 kg
Bezel width (side)	1 mm
Bezel width (top)	1 mm
Bezel width (bottom)	1.6 cm

Packaging content

Cables included	AC, DisplayPort, USB Type-C
Quick start guide	✔

Sustainability

Sustainability certificates	ENERGY STAR, TCO

Other features

Compliance certificates	RoHS, cTUVus, WEEE

5028695125698