NEC PN-LC652 165,1 cm (65") LCD 3840 x 2160 Pixel 4K Ultra HD

Marchio : NEC

Codice prodotto: 60005890

Nome del prodotto : PN-LC652

NEC PN-LC652. Dimensioni diagonale schermo: 165,1 cm (65"), Tecnologia display: LCD, Risoluzione del display: 3840 x 2160 Pixel. Potenza in uscita (RMS): 30 W. Colore del prodotto: Nero, Orientamento: Orizzontale, Forma dello schermo: Piatto. Versione USB: 3.2 Gen 1 (3.1 Gen 1), Connettore USB: USB tipo A, USB di tipo B, USB tipo-C. Produttore processore: ARM, Famiglia processore: ARM Cortex, Architettura processore: ARM Cortex-A55





Display		Ports & interfaces	
Display diagonal * Display technology * Panel type LED backlight	splay technology * LCD nel type IPS	USB 2.0 Type-B ports quantity Audio (L/R) in RS-232 interface USB port *	2 1 •
LED backlighting type	Direct-LED	Computer system	
Display resolution * Display brightness HD type * Touchscreen * Touchscreen technology Number of simultaneous touchpoints Multi-touch Native aspect ratio * Response time Contrast ratio (typical) Viewing angle, horizontal Viewing angle, vertical	eous 20 * 16:9 8 ms ral) 1200:1 contal 178°	Computer system Computer system Built-in processor Processor manufacturer Processor family Processor architecture Processor cores Internal memory Internal storage capacity Operating system installed Performance Operating hours (hours/days) Pen type	ARM ARM Cortex ARM Cortex-A55 4 8 GB 16 GB Android 11 16/7 Passive pen
Display number of colours Pixel pitch	1.07 billion colours 0.372 x 0.372 mm	HDCP	1
Active display area (W x H)	1428.5 x 803.5 mm	Power	
Display diagonal (metric) Surface hardness	163.9 cm 8	Power consumption (typical) Power consumption (standby)	390 W 2 W 100 - 240 V
Audio		AC input voltage AC input frequency	100 - 240 V 50/60 Hz
Built-in speaker(s) Number of built-in speakers	✓ 2	Weight & dimensions	
RMS rated power	30 W	Display width	1511.6 mm
Design Product colour * Orientation	Black Horizontal	Display depth Display height Display weight	85.9 mm 917.9 mm 38.5 kg
Screen shape	Flat	Packaging data	
VESA mounting * Panel mounting interface	✔ 600 x 400 mm	Package width Package depth	1660 mm 225 mm

Design		Packaging data	
Bezel width (bottom) Bezel width (side) Bezel width (top) Mounting type	width (side) 2.19 cm width (top) 2.19 cm Wall & interfaces width (top) 4 width (top) 2.19 cm Wall & interfaces ports quantity * 4 input ports quantity 3 poutput ports quantity 1 output ports quantity 5 Substance of the second	Package height Package weight	1010 mm 49 kg
		Packaging content	
Ports & interfaces		Remote control included Batteries included	
HDMI ports quantity * HDMI input ports quantity HDMI output ports quantity DVI port *		Stylus pen Number of stylus pens Power adapter included Cables included	✓ 2 ✓ AC, USB
DisplayPorts quantity		Certificates	
USB ports quantity USB version		Certification	CE; FCC; RCM; REACH; RoHS; UL/C- UL
USB connector type		Network	
		Ethernet LAN * Ethernet LAN (RJ-45) ports Ethernet LAN data rates	✓ 1 10,100,1000 Mbit/s

✓

Wi-Fi *

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.