Lenovo ThinkVision P32pz-30 LED display 80 cm (31.5") 3840 x 2160 Pixel 4K Ultra HD LCD Nero

Marchio : Lenovo

Famiglia del prodotto: ThinkVision

Codice prodotto: 63E5GAT2EU

Nome del prodotto : P32pz-30

31.5" 16:9 In-Plane Switching 3840 x 2160, Modular Camera Support, 0.182x0.182 mm, 140 dpi, 1000:1, 650 cd/m² (Typical) / 1200 cd/m² (Peak)

Lenovo ThinkVision P32pz-30. Dimensioni diagonale schermo: 80 cm (31.5"), Risoluzione del display: 3840 x 2160 Pixel, Tipologia HD: 4K Ultra HD, Tecnologia display: LCD, Tempo di risposta: 6 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato. Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero





Display

Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Headphone out *	×
Display resolution *	3840 x 2160 pixels	Built-in KVM switch	J
HD type *	4K Ultra HD	Network	
Native aspect ratio *	16:9		1
Display technology *	LCD	Ethernet LAN	v
Panel type *	IPS Mini LED	Ergonomics	
Backlight type	Mini LED	VESA mounting *	1
Touchscreen *	×	Panel mounting interface	100 x 100 mm
Display brightness (peak)	1200 cd/m ²	Cable management	1
Display brightness (typical)	650 cd/m ²	Cable lock slot *	1
Response time *	6 ms	Cable lock slot type	Kensington
Anti-glare screen		Height adjustment *	✓
Screen shape *	Flat	Height adjustment	15.5 cm
Contrast ratio (typical) *	1000:1	Pivot	✓
Contrast ratio (dynamic) Maximum refresh rate *	3000000:1 60 Hz	Pivot angle	- -90 - 90°
Viewing angle, horizontal	178°	Swivelling	v
Viewing angle, vertical	178°	Swivel angle range	- -45 - 45°
Display number of colours *	1.07 billion colours	Tilt angle range	
Pixel pitch	0.182 x 0.182 mm	Picture-in-Picture	- J = 23.3 V
Pixel density	140 ppi		•
Viewable size, horizontal	69.7 cm	Power	
Viewable size, vertical	39.2 cm	Power consumption (typical) *	32 W
High Dynamic Range (HDR) technology	DisplayHDR 1000, High Dynamic Range 10 (HDR10), Hybrid Log-	Power consumption (standby) st	0.5 W
		Power consumption (max)	305 W
Colour donth	Gamma (HLG)	Power consumption (off)	0.3 W
Colour depth	10 bit 100%	AC input voltage	100 - 240 V
sRGB coverage (typical) Adobe RGB coverage	99%	AC input frequency	50/60 Hz
BT.2020 coverage	81%	Weight & dimensions	
Response time (extreme)	4 ms	Width (with stand)	714.2 mm
DCI-P3 coverage	98%	Depth (with stand)	234.9 mm
Factory-calibrated	✓ 	Height (with stand)	456.6 mm
	-	Weight (with stand)	10.5 kg
Performance		Width (without stand)	714.2 mm
NVIDIA G-SYNC *	×	Depth (without stand)	78.9 mm
AMD FreeSync *	×	Height (without stand)	430.9 mm
		Weight (without stand)	7.6 kg

Performance		Weight & dimensions	
Windows operating systems supported	Windows 10, Windows 11	Bezel width (side) Bezel width (top)	2 mm 2 mm
Multimedia		Bezel width (bottom)	2.9 cm
Built-in speaker(s) *	×	Packaging data	
Built-in camera *	×	Package width	908 mm
Design		Package depth	163 mm
Product colour *	Black	Package height	518 mm
Colour name	Baven Black	Package weight	14.6 kg
Front bezel colour	Black	Packaging content	
Feet colour	Black	Stand included	1
Ports & interfaces		Cables included	AC, DisplayPort, HDMI, USB Type-C to USB Type-A
Built-in USB hub *	1	Quick start guide	✓
USB upstream port type	USB Type-C	DisplayPort cable length	1.8 m
Number of upstream ports	2	HDMI cable length	1.8 m
USB Type-A downstream ports quantity	4	Power cable length	1.8 m
USB Type-C downstream ports	1	Sustainability	
quantity	-	Sustainability certificates	ENERGY STAR, EPEAT Gold
USB Type-C DisplayPort Alternate Mode	1	Other features	
HDMI *	 Image: A set of the set of the	Local dimming zones	1152
HDMI ports quantity	2	Picture-by-Picture (PbP)	1
HDMI version	2.1	Compliance certificates	RoHS
DisplayPorts quantity	2	Ethernet LAN data rates	10,100,1000 Mbit/s
DisplayPort version	1.4	Ethernet LAN (RJ-45) ports	1
Audio output		Certification	EU Energy Label (G-class) Volatile Organic Compound Certification TÜV Rheinland® Eye Comfort

TÜV Rheinland® Eye Comfort Certification TÜV Rheinland Flicker Free TÜV Rheinland Low Blue Light





196804351018

0196804351018

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.