



## HP V22v G5 FHD Monitor

Marchio : HP

Codice prodotto: 65P56AA

Nome del prodotto : V22v G5 FHD Monitor

V22v G5 FHD Monitor

[HP V22v G5 FHD Monitor:](#)

Produttività quotidiana


Espandi la tua visione e migliora la produttività, con questo monitor FHD da 21,45" (54,5 cm) di diagonale, perfetto per sia per il lavoro che per lo studio. Ampio ed elegante, questo monitor semplifica e completa l'ambiente di lavoro con uno schermo che offre immagini nitide e uniformi in un design essenziale, per fare di più giorno dopo giorno.

HP V22v G5 FHD Monitor. Dimensioni diagonale schermo: 54,5 cm (21.4"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Superficie display: Opaco, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA. Colore del prodotto: Nero



Display		Power	
Display diagonal *	54.5 cm (21.4")	Power consumption (max)	21 W
Display resolution *	1920 x 1080 pixels	Power consumption (average)	11 W
HD type *	Full HD	Power consumption (off)	0.3 W
Native aspect ratio *	16:9	AC input voltage	100 - 240 V
Display technology *	LCD	AC input frequency	50/60 Hz
Panel type *	VA	Power supply type	Internal
Touchscreen *	✗	Energy efficiency scale	A to G
Display brightness (typical)	200 cd/m <sup>2</sup>	European Product Registry for Energy Labelling (EPREL) code	1185182
Response time *	5 ms	<b>Operational conditions</b>	
Response time measurement type	GTG (Gray to Gray)	Operating temperature (T-T)	5 - 35 °C
Display surface	Matt	Operating relative humidity (H-H)	5 - 95%
Anti-glare screen	✓	Storage relative humidity (H-H)	20 - 80%
Screen shape *	Flat	<b>Weight &amp; dimensions</b>	
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Width (with stand)	504.2 mm
		Depth (with stand)	180.5 mm
Aspect ratio	16:9	Height (with stand)	386.9 mm
Contrast ratio (typical) *	3000:1	Weight (with stand)	2.8 kg
Contrast ratio (dynamic)	10000000:1	Width (without stand)	504.2 mm
Maximum refresh rate *	75 Hz	Depth (without stand)	50.8 mm
Viewing angle, horizontal	178°	Height (without stand)	303 mm
Viewing angle, vertical	178°	<b>Packaging data</b>	
Display number of colours *	16.7 million colours	Package width	567 mm
Pixel pitch	0.25 x 0.24 mm	Package depth	121 mm
Pixel density	103 ppi	Package height	387 mm
Horizontal scan range	54 - 84.3 kHz	Package weight	4.3 kg
Vertical scan range	48 - 75 Hz	Package type	Box
Viewable size, horizontal	47.9 cm	<b>Packaging content</b>	
Viewable size, vertical	26 cm	Stand included	✓
Display diagonal (metric)	54.5 cm	Cables included	AC, HDMI


<b>Display</b>		<b>Packaging content</b>	
Surface hardness	3H	Quick start guide	✓
Colour depth	8 bit	Bundled software	HP Display Center
Colour gamut standard	NTSC	<b>Sustainability</b>	
Colour gamut	72%	Sustainability certificates	ENERGY STAR
NTSC coverage (typical)	72%	Sustainable technologies and materials	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% ITE-derived closed loop plastic; Low Halogen
Display bezel technology	Narrow Border	<b>Carbon footprint</b>	
<b>Performance</b>		Total carbon footprint (kg of CO2e)	140
NVIDIA G-SYNC *	✗	Carbon emissions, manufacturing (kg of CO2e)	73
AMD FreeSync *	✓	Carbon emissions, logistics (kg of CO2e)	1
AMD FreeSync type	FreeSync	Carbon emissions, end-of-life (kg of CO2e)	2
Flicker-free technology	✓	Total carbon emissions, w/o use phase (kg of CO2e)	62
Low Blue Light technology	✓	<b>Other features</b>	
HP segment	Home	Country of origin	China
<b>Multimedia</b>		UNSPSC-code	43211902
Built-in camera *	✗	Weight	2.8 kg
<b>Design</b>		Height	303 mm
Market positioning *	Home	Width	504.2 mm
Product colour *	Black	Depth	50.8 mm
Detachable stand	✓	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), RoHS, VCCI, WEEE	
Feet colour	Black	Compliance certificates	1 year limited warranty
<b>Ports &amp; interfaces</b>		Manufacturer warranty	1 year limited warranty
Built-in USB hub *	✗	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; CSA; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; RoHS; SEPA; TCO Certified; TCO Certified Edge; TÜV Bauart; TÜV LBL; VCCI; Vietnam MEPS; WEEE; ISC; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); WW application; ICE; UAE; Ukraine certificates; TÜV Flicker free certified	
VGA (D-Sub) ports quantity	1	<b>Brand-specific features</b>	
HDMI *	✓	(A2N) 196548193264; (ABA) 196548193295; (ABB) 196548193332; (ABT) 196548193400; (ABU) 196548193431; (ABV) 196548193509; (ABY) 196548193530; (AC8) 196548414109; (ACQ) 196548193561; (AKH) 196548414116; (UUG) 196548193585; (UUZ) 196548193615	
HDMI ports quantity	1	HP GTIN (EAN/UPC) with options	
HDMI version	1.4	196548193264, 196548193295, 196548193332, 196548193400, 196548193431, 196548193509, 196548193530, 196548414109, 196548193561, 196548414116, 196548193585, 196548193615	
HDCP	✓	HP GTIN (EAN/UPC)	
<b>Ergonomics</b>		196548193264, 196548193295, 196548193332, 196548193400, 196548193431, 196548193509, 196548193530, 196548414109, 196548193561, 196548414116, 196548193585, 196548193615	
VESA mounting *	✓	<b>Technical details</b>	
Panel mounting interface	100 x 100 mm	General Product Safety Regulation (GPSR) URL	
Cable lock slot *	✓	<a href="https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true">https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true</a>	
Tilt adjustment	✓		
Tilt angle range	-5 - 23°		
On Screen Display (OSD)	✓		
<b>Power</b>			
Energy efficiency class (SDR) *	E		
Energy efficiency class (HDR) *	E		
Energy consumption (SDR) per 1000 hours *	15.4 kWh		
Power consumption (standby) *	0.5 W		



0196548193615




196548193615




0196548414116




196548414116



0196548193561




196548193561



0196548414109




196548414109



0196548193530




196548193530



0196548193509



196548193509



0196548193431




196548193431



0196548193400




196548193400



0196548193295



196548193295



0196548193264



196548193264

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.