



## Unold 68456 macchina per il pane 550 W Acciaio inox

**Marchio :** Unold

**Codice prodotto:** 68456

**Nome del prodotto :** 68456

Unold 68456. Materiale della scocca: Acciaio inox, Colore del prodotto: Acciaio inox, Massimo peso del pane: 1 kg. Potenza: 550 W, Tensione di ingresso AC: 220 - 240 V, Frequenza di ingresso AC: 50 Hz. Larghezza: 369 mm, Profondità: 267 mm, Altezza: 306 mm. Larghezza imballo: 399 mm, Peso di altre confezioni: 0,5 g, Profondità imballo: 305 mm. Lingue del manuale: Tedesca, DUT, Inglese, ESP, Francese, ITA, Polacco



| Features                          |                                       | Packaging data                               |  |
|-----------------------------------|---------------------------------------|--|--|
| Viewing window *                  | ✓                                     | Package width                                | 399 mm   |
| Housing material *                | Stainless steel                       | Other packaging weight                       | 0.5 g  |
| Product colour *                  | Stainless steel                       | Package depth                                | 305 mm   |
| Jam making function *             | ✓                                     | Package height                               | 364 mm   |
| Maximum bread weight *            | 1 kg                                  | Package weight                               | 6.75 kg  |
| Built-in display *                | ✓                                     | Packaging content                            |  |
| Display type                      | LCD                                   | Manual                                       | ✓  |
| Delayed start timer *             | ✓                                     | Kneading paddle removing tool                | ✓  |
| Loaf size selection               | 750g, 1000g                           | Recipe book *                                | ✓  |
| Delay start (max)                 | 15 h                                  | Measuring cup                                | ✓  |
| Cable colour                      | Black                                 | Measuring scoop included                     | ✓  |
| Removable pan                     | ✓                                     | Manual languages                             | German, Dutch, English, Spanish, French, Italian, Polish |
| Removable kneading paddle         | ✓                                     | Logistics data                               |  |
| Number of auto cooking programs * | 16                                    | Products per shipping (inner) case           | 2 pc(s)  |
| Easy to clean                     | ✓                                     | Pallet gross length                          | 80 cm  |
| Cord storage                      | ✗                                     | Pallet gross width                           | 120 cm   |
| Certification                     | CE;ROHS;LFBG                          | Pallet gross height                          | 2.01 m   |
| Bread & dough making programs *   | Dough, Gluten free bread, Wheat bread | Quantity per pack                            | 1 pc(s)  |
| Keep warm function *              | ✓                                     | Customs product code (TARIC)                 | 85166090   |
| Alert tone for extra ingredients  | ✓                                     | Products per intermodal container (20ft)     | 580 pc(s)  |
| Number of kneading paddles        | 1                                     | Products per intermodal container (40ft)     | 1200 pc(s)   |
| Number of programs                | 14                                    | Products per intermodal container (40ft, HC) | 1340 pc(s)   |
| Kneading paddle(s) included       | ✓                                     | Products per pallet layer                    | 12 pc(s)   |
| Bread capacity                    | 750-1000                              | Layers per pallet                            | 3 pc(s)  |
| Number of browning levels         | 3                                     | Products per pallet                          | 36 pc(s)   |
| Rapid program                     | ✓                                     | Master (outer) case width                    | 625 mm   |
| Cord length                       | 1.2 m                                 | Master (outer) case length                   | 405 mm   |
| Power                             |                                       |  |  |
| Power *                           | 550 W                                 |  |  |

| Power   |             | Logistics data                     |                |
|---|-------------|------------------------------------|----------------|
| AC input voltage  | 220 - 240 V | Master (outer) case height         | 385 mm         |
| AC input frequency  | 50 Hz       | Master (outer) case gross weight   | 14 kg          |
| Weight & dimensions   |             | Products per master (outer) case   | 2 pc(s)        |
| Width   | 369 mm      | Master (outer) case GTIN (EAN/UPC) | 4011689 624568 |
| Depth   | 267 mm      | Sustainability                     |                |
| Height  | 306 mm      | Compliance certificates            | CE             |
| Weight  | 5.5 kg      |                                    |                |
| Certificates  |             |                                    |                |
| Waste Electrical and Electronic Equipment (WEEE) compliance | ✓           |                                    |                |



4011689684562

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-FEB-2025. Prints or copies of Information are only valid on the printed Publication date