

Hisense C2 Pro 2600 ANSI lumen UHD 4K (3840x2160) Grigio

Marchio : Hisense

Codice prodotto: 20015299

Nome del prodotto : C2 Pro

Hisense C2 Pro. Luminosità proiettore: 2600 ANSI lumen, Risoluzione nativa del proiettore: UHD 4K (3840x2160), Rapporto di contrasto: 2000:1. Messa a fuoco: Auto. Tipo interfaccia seriale: RJ-45. Standard Wi-Fi: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Filtro di pettine: 3D, Tecnologia High Dynamic Range (HDR): Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG), Applicazioni Video: Disney+, Netflix, YouTube



Projector		Features	
Supported aspect ratios	16:9	High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Smart projector *	✓	Video apps	Disney+, Netflix, YouTube
Screen size compatibility *	1651 - 7620 mm (65 - 300")	Noise reduction	✓
Projector brightness *	2600 ANSI lumens	Operating system installed	VIDAA U
Projector native resolution *	UHD 4K (3840x2160)	Operating system version	7
Contrast ratio (typical) *	2000:1	Multimedia	
Native aspect ratio *	16:9	Built-in speaker(s) *	✓
Lens system		RMS rated power	20 W
Focus *	Auto	Number of built-in speakers	2
Ports & interfaces		Audio decoders	DTS Virtual:X, DTS-HD
HDMI version	2.1	Design	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Product colour *	Grey
Headphone outputs	1	Housing material	Plastic
Serial interface type *	RJ-45	Placement	Desktop, Floor, Tripod
S/PDIF out port	✓	Display	
HDMI ports quantity *	2	Built-in display *	✗
Common interface Plus (CI+)	✓	Power	
Enhanced Audio Return Channel (eARC)	✓	Power source *	AC
Network		Power consumption (standby) *	0.5 W
Smart TV *	✓	Power consumption (max)	180 W
Ethernet LAN *	✓	AC input voltage	120 - 240 V
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
Wi-Fi *	✓	Width	247 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Depth	254 mm
Bluetooth	✓	Height	247 mm
Bluetooth version	5.3	Weight *	5.7 kg
		Package width	402 mm

Features		Weight & dimensions	
Comb filter	3D	Package depth	346 mm
4K Ultra HD upscaling	✓	Package height	373 mm
High Dynamic Range (HDR) supported	✓	Package weight	8.4 kg
Packaging content			
		Remote control included *	✓
Logistics data			
		Quantity per pack	1 pc(s)



6942351409481

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-MAR-2025. Prints or copies of Information are only valid on the printed Publication date