

DELL XPS 13 9340 Intel Core Ultra 7 155H Computer portatile 34 cm (13.4") Full HD+ 32 GB LPDDR5x-SDRAM 1 TB SSD Wi-Fi 7 (802.11be) Windows 11 Pro Italiano Platino

Marchio: DELL Famiglia del prodotto: XPS Codice prodotto: 6N1K2

Nome del prodotto: 9340

- Windows 11 Pro 64-bit
- Intel Core Ultra 7 155H (24MB Cache)
- 34.0 cm (13.4") Full HD+ 1920 x 1200 WVA
- 32GB LPDDR5x-SDRAM & 1000GB SSD

Intel Core Ultra 7 155H (24MB Cache), 32GB LPDDR5x-SDRAM, 1000GB SSD, 34.0 cm (13.4") Full HD+ 1920 \times 1200 WVA, Intel Arc Graphics, WLAN, Webcam, Windows 11 Pro 64-bit

DELL XPS 13 9340 Intel Core Ultra 7 155H Computer portatile 34 cm (13.4") Full HD+ 32 GB LPDDR5x-SDRAM 1 TB SSD Wi-Fi 7 (802.11be) Windows 11 Pro Italiano Platino:

Alimenta le tue passioni con notebook premium realizzati con precisione artigianale e dotati di funzionalità innovative.

DELL XPS 13 9340. Tipo di prodotto: Computer portatile, Fattore di forma: Clamshell. Famiglia processore: Intel Core Ultra 7, Modello del processore: 155H. Dimensioni diagonale schermo: 34 cm (13.4"), Tipologia HD: Full HD+, Risoluzione del display: 1920 x 1200 Pixel. RAM installata: 32 GB, Tipo di RAM: LPDDR5x-SDRAM. Capacità totale di archiviazione: 1 TB, Supporto di memoria: SSD. Modello scheda grafica integrata: Intel Arc Graphics. Sistema operativo incluso: Windows 11 Pro. Colore del prodotto: Platino. Peso: 1,22 kg





Design		Camera	
Product type * Product colour * Form factor * Housing material Market positioning	Laptop Platinum Clamshell Aluminium Business	Front camera resolution (numeric) Front camera resolution Front camera HD type Video capturing speed Infrared (IR) camera	0.92 MP 1280 x 1024 pixels Full HD 30 fps
Display		Network	
Display diagonal * Display resolution * Touchscreen *	34 cm (13.4") 1920 x 1200 pixels X	Top Wi-Fi standard * Wi-Fi standards	Wi-Fi 7 (802.11be) 802.11a, Wi-Fi 5 (802.11ac), Wi-Fi 7 (802.11be), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)
HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness Pixel density RGB colour space Colour gamut Maximum refresh rate Contrast ratio (typical)	Full HD+ WVA 16:10 500 cd/m² 169.3 ppi sRGB 100% 120 Hz 2000:1	Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Bluetooth Ports & interfaces Thunderbolt 4 ports quantity Intel® Thunderbolt 4 USB Type-C DisplayPort Alternate	x 2x2 Intel Wi-Fi 7 BE200 Intel x ✓
Processor		Mode	✓
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22 4.8 GHz	Keyboard Pointing device Numeric keypad * Keyboard backlit Keyboard language	Touchpad × ✓ Italian

Processor		Software	
Performance cores	6	Operating system architecture	64-bit
Efficient cores	8	Operating system language	German, Dutch, English, French,
Low Power Efficient-cores	2		Italian McAfee Business Protection 1-
Performance-core Max Turbo Frequency	4.8 GHz	Trial software	year,No Microsoft Office License Included - 30 day Trial Offer Only
Efficient-core Max Turbo Frequency	3.8 GHz	Operating system installed *	Windows 11 Pro
Low Power Efficient-core Max Turbo Frequency	2.5 GHz	Battery	
Performance-core base frequency	1.4 GHz	Battery technology	Lithium-Ion (Li-Ion)
Efficient-core base frequency	0.9 GHz	Number of battery cells	3
Low Power Efficient-core Base Frequency	700 MHz	Battery capacity *	55 Wh
Processor cache	24 MB	Battery voltage	11.55 V
Processor cache type	Smart Cache	Battery recharge time	3 h
Number of processors supported	1	Battery weight	219 g
Processor base power	28 W	Power	
Maximum turbo power	115 W	AC adapter power	60 W
Neural processor unit (NPU)		AC adapter frequency	50/60 Hz
Neural processor unit (NPU)	Intel Al Boost	AC adapter input voltage	100 - 240 V
Sparsity support	/	USB Type-C charging port *	✓
Windows Studio effects support	/	USB Power Delivery (USB PD)	✓
Al software frameworks supported	DirectML, ONNX RT, OpenVINO,	USB charging voltage	20,5,9,15 V
by NPU	Windows ML	USB charging current	3 A
Memory		Security	
Internal memory *	32 GB	Fingerprint reader	1
Internal memory type	LPDDR5x-SDRAM	Windows Hello	✓
Memory form factor	On-board	Trusted Platform Module (TPM)	✓
Memory layout (slots x size)	Not available	Trusted Platform Module (TPM)	2.0
Memory slots	Not available	version	2.0
•			
Maximum internal memory *	32 GB	Operational conditions	
Memory channels	Dual-channel	Operational conditions Operating temperature (T-T)	0 - 35 °C
·		•	0 - 35 °C -40 - 65 °C
Memory channels	Dual-channel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	
Memory channels Memory data transfer rate Storage Total storage capacity *	Dual-channel 7467 MT/s	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 - 65 °C 10 - 90% 0 - 95%
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media *	Dual-channel 7467 MT/s 1 TB SSD	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity	Dual-channel 7467 MT/s 1 TB SSD 1 TB	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type *	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model *	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board graphics card *	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer Discrete graphics card *	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel X	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight *	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer Discrete graphics card family	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel Intel Intel Intel Intel Arc Graphics Intel Arc Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer Discrete graphics card family On-board graphics card model *	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel Intel X Intel Arc Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board graphics card * On-board graphics card family On-board graphics card model * Maximum on-board graphics card	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel Intel Intel Intel Intel Arc Graphics Intel Arc Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board GPU manufacturer Discrete graphics card family On-board graphics card model * Maximum on-board graphics card resolution	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel Intel Intel Intel Intel Arc Graphics Intel Arc Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, manufacturing (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg 263 50 219.83
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card family On-board graphics card model * Maximum on-board graphics card resolution Audio	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel Intel Arc Graphics Intel Arc Graphics Intel Arc Graphics Intel Arc Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, logistics (kg of CO2e)	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg 263 50 219.83 11.764
Memory channels Memory data transfer rate Storage Total storage capacity * Storage media * Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe SSD form factor Optical drive type * Card reader integrated Compatible memory cards Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card family On-board graphics card model * Maximum on-board graphics card resolution Audio Number of built-in speakers	Dual-channel 7467 MT/s 1 TB SSD 1 TB 1 1 TB PCI Express 4.0 M.2 X Not supported Not available Intel X Intel Arc Graphics Intel Arc Graphics 7680 x 4320 pixels	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating shock Non-operating shock Certificates Wi-Fi certified Sustainability Sustainability compliance Sustainability certificates Weight & dimensions Width Depth Height Weight * Carbon footprint Total carbon footprint (kg of CO2e) Total carbon emissions, standard deviation (kg of CO2e) Carbon emissions, logistics (kg of	-40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 110 G 160 G * ENERGY STAR, EPEAT Gold 295.3 mm 199.1 mm 15.3 mm 1.22 kg 263 50 219.83 11.764

Camera		Carbon footprint
Front camera	✓	Carbon emissions, end-of-life (kg of CO2e)
		Total carbon emissions, w/o use phase (kg of CO2e) 232.632
		PAIA version 1.4.0, 2024
		Packaging content
		Mouse included on selected markets \mathbf{x}
		Stylus pen X
		Cables included AC
		Other features
		RAID support X



5397184901779

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.