



HP Monitor E24q G5 QHD

Marchio : HP

Codice prodotto: 6N4F1AA

Nome del prodotto : Monitor HP E24q G5 QHD

Monitor HP E24q G5 QHD

[HP Monitor E24q G5 QHD:](#)

Ridefinire l'obiettivo

Realizzato appositamente per offrire immagini nitide, opzioni personalizzate per la massima comodità e autentica flessibilità, il monitor HP E24q G5 FHD ridefinisce il concetto di comfort, in modo che possiate lavorare al meglio senza ostacoli. Un display dallo stile elegante, progettato pensando all'ambiente, perfetto sia in ufficio che in casa.

HP Monitor E24q G5 QHD. Dimensioni diagonale schermo: 60,5 cm (23.8"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Superficie display: Opaco, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt angle range	-5 - 23°
Display resolution *	2560 x 1440 pixels	On Screen Display (OSD)	✓
HD type *	Quad HD	Power	
Native aspect ratio *	16:9	Energy efficiency class (HDR) *	E
Display technology *	LCD	Energy consumption (SDR) per 1000 hours *	18 kWh
Panel type *	IPS	Power consumption (typical) *	39 W
Backlight type	Edge LED	Power consumption (standby) *	0.5 W
Touchscreen *	✗	Power consumption (max)	56 W
Display brightness (typical)	300 cd/m ²	AC input voltage	100 - 240 V
Response time *	5 ms	AC input frequency	50/60 Hz
Display surface	Matt	Power supply type	Internal
Anti-glare screen	✓	Operational conditions	
Screen shape *	Flat	Operating temperature (T-T)	5 - 35 °C
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Operating relative humidity (H-H)	5 - 95%
		Storage relative humidity (H-H)	20 - 80%
Aspect ratio	16:9	Weight & dimensions	
Contrast ratio (typical) *	1000:1	Width (with stand)	539.4 mm
Contrast ratio (dynamic)	8000000:1	Depth (with stand)	211 mm
Maximum refresh rate *	75 Hz	Height (with stand)	507 mm
Viewing angle, horizontal	178°	Weight (with stand)	5.82 kg
Viewing angle, vertical	178°	Width (without stand)	539.4 mm
Display number of colours *	16.7 million colours	Depth (without stand)	47 mm
Pixel pitch	0.21 x 0.21 mm	Height (without stand)	322.6 mm
Pixel density	123 ppi	Packaging data	
Horizontal scan range	30 - 115 kHz	Package width	621 mm
Vertical scan range	50 - 75 Hz	Package depth	140 mm
Viewable size, horizontal	52.7 cm	Package height	400 mm
Viewable size, vertical	29.6 cm	Package weight	8.42 kg
		Package type	Box

Display		Packaging content	
Display diagonal (metric)	60.5 cm	Stand included	✓
Surface hardness	3H	Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
Colour depth	8 bit	Quick start guide	✓
Colour gamut standard	sRGB	Bundled software	HP Display Center; HP Display Manager
Colour gamut	99%		
sRGB coverage (typical)	99%		
Performance		Sustainability	
Flicker-free technology	✓	Sustainability certificates	ENERGY STAR
Low Blue Light technology	✓		Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 85% ITE-derived closed loop plastic; At least 25% recycled metal
HP segment	Business		
Multimedia		Sustainable technologies and materials	
Built-in camera *	✗		
Design		Carbon footprint	
Market positioning *	Business	Total carbon footprint (kg of CO2e)	220
Product colour *	Black	Carbon emissions, manufacturing (kg of CO2e)	124
Detachable stand	✓	Carbon emissions, logistics (kg of CO2e)	2
Feet colour	Silver, Black	Carbon emissions, end-of-life (kg of CO2e)	3
Ports & interfaces		Total carbon emissions, w/o use phase (kg of CO2e)	95
Built-in USB hub *	✓	Other features	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Country of origin	China
Number of USB Type-B upstream ports quantity	1	UNSPSC-code	43211902
USB Type-A downstream ports quantity	4	Weight	5.82 kg
HDMI *	✓	Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), PSE, VCCI, WEEE, cTUVus
HDMI ports quantity	1		BIS; BSMI; CB; CCC; CE; CE Marking; CECP; CEL; cTUVus; EAC; FCC; ISO 9241-307; KC/KCC; NOM; PSB; SEPA; TUV-S; VCCI; WEEE; ISC; eStandby; WW application; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; Hardware low blue light; GS; CEL Grade 2
HDMI version	1.4		
DisplayPorts quantity	1		
DisplayPort version	1.2		
HDCP	✓		
Ergonomics			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		
		Brand-specific features	
		HP GTIN (EAN/UPC) with options	(ABB) 196786298776; (ABU) 196786298806
		HP GTIN (EAN/UPC)	196786298776, 196786298806
		Technical details	
		General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true



0196786298837




196786298837



0196786298820




196786298820




0196786298851



196786298851



0196786298868



196786298868



0196786298875




196786298875



0196786298882



196786298882



0196786298899




196786298899




0196786298905



196786298905




0196786298912



196786298912



0196786298707



196786298707



0196786298714



196786298714



0196786298721



196786298721



0196786298738




196786298738



0196786298745




196786298745



0196786298752



196786298752



0196786298769



196786298769



0196786298806




196786298806



0196786298790




196786298790



0196786298783




196786298783



0196786298844



196786298844



0196786298813



196786298813



4573595800653



5715063341841

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.