ASUS

ASUS RT-AX82U router wireless Gigabit Ethernet Dual-band (2.4 GHz/5 GHz) Nero

Marchio : ASUS

Codice prodotto: 90IG07W0-MO3B10

Nome del prodotto : RT-AX82U

ASUS RT-AX82U. Tipo di connessione WAN: RJ-45. Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), Intervallo di trasferimento dei dati WLAN (max): 5400 Mbit/s. Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s, Standard di rete: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Algoritmi di sicurezza supportati: WPA-Enterprise, WPA2-PSK, WPA3-PSK, WPS, Sicurezza firewall: SPI, DoS. Tipo di prodotto: Router da tavolo, Colore del prodotto: Nero, Indicatori LED: Potenza, WAN, WLAN

WAN connection

Ethernet WAN *	✔
DSL WAN *	✘
SIM card slot *	✘
3G/4G USB modem compatibility *	✔
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max) *	5400 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
Modulation	1024-QAM

Network

Ethernet LAN *	✔
Ethernet LAN interface type *	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port forwarding	✔
Port triggering	✔
Dynamic DNS (DDNS)	✔
VPN server	PPTP Server, OpenVPN Server, IPSec server
VPN Passthrough	✔

Security

Security algorithms	WPA-Enterprise, WPA2-PSK, WPA3-PSK, WPS
Firewall	✔
Firewall security	SPI, DoS
Guest access	✔
Parental control	✔
Filtering	✔
URL filtering	✔
DMZ support	✔

Protocols

Universal Plug and Play (UPnP)	✔

Design

Product colour	Black
Indication light	✔
LED indicators	Power, WAN, WLAN
Product type *	Tabletop router

Packaging content

Cables included	LAN (RJ-45)
AC adapter included	✔
Warranty card	✔
Quick start guide	✔

Antenna

Antenna design *	External
Antennas quantity	4

Network

VPN support	IPSec Pass-Through PPTP Pass-Through L2TP Pass-Through IPSec server PPTP server OpenVPN server PPTP client L2TP client OpenVPN client

Ports & interfaces

Ethernet LAN (RJ-45) ports *	4
USB port *	✔
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
DC-in jack	✔

Management features

Web-based management	✔
Quality of Service (QoS) support	✔
Reset button	✔
WPS push button	✔
MU-MIMO technology	✔

Features

Built-in processor	✔
Processor frequency	1500 MHz
Processor cores	3
Internal memory	512 MB
Flash memory	256 MB
Firmware upgradeable	✔

Power

Power source type *	AC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Output voltage	19 V
Output current	1.75 A

Weight & dimensions

Weight	740 g

4711081918097