

ASUS ProArt PA248QV Monitor PC 61,2 cm (24.1") 1920 x 1200 Pixel WUXGA LED Nero

Marchio : ASUS

Famiglia del prodotto: ProArt **Codice prodotto:** 90LM05K1-B01370

Nome del prodotto : PA248QV

ASUS ProArt PA248QV. Dimensioni diagonale schermo: 61,2 cm (24.1"), Risoluzione del display: 1920 x 1200 Pixel, Tipologia HD: WUXGA, Tecnologia display: LED, Superficie display: Opaco, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:10, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero



Display		Ports & interfaces	
Display diagonal *	61.2 cm (24.1")	Headphone outputs	1
Display resolution *	1920 x 1200 pixels	Headphone connectivity	3.5 mm
HD type *	WUXGA	HDCP	✓
Native aspect ratio *	16:10	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	300 cd/m ²	Cable lock slot type	Kensington
Response time *	5 ms	Height adjustment *	✓
Display surface	Matt	Adjustable height (max)	13 cm
Screen shape *	Flat	Pivot	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 720 x 480, 720 x 576, 800 x 600 (SVGA), 832 x 624, 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Pivot angle	-90 - 90°
		Swivelling	✓
		Swivel angle range	-90 - 90°
		Tilt adjustment	✓
Supported video modes	480p, 576p, 720p, 1080p	Tilt angle range	-5 - 35°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Contrast ratio (dynamic)	100000000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, French, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Thai, Turkish
Dynamic contrast ratio marketing name	SmartContrast	Number of OSD languages	21
Maximum refresh rate *	75 Hz	LED indicators	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	G
Display number of colours *	16.78 million colours		
Pixel pitch	0.27 x 0.27 mm		
Viewable size, horizontal	51.8 cm		

Display		Power	
Viewable size, vertical	32.4 cm	Energy consumption (SDR) per 1000 hours *	28 kWh
Viewable size diagonal	61.1 cm	Power consumption (typical) *	28.2 W
Digital horizontal frequency	30 - 105 kHz	Power consumption (standby) *	0.5 W
Digital vertical frequency	49 - 75 Hz	Power consumption (off)	0.3 W
Colour gamut standard	sRGB	AC input voltage	100 - 240 V
sRGB coverage (typical)	100%	AC input frequency	50 - 60 Hz
Performance		Energy efficiency scale	A to G
NVIDIA G-SYNC *	✗	European Product Registry for Energy Labelling (EPREL) code	387772
AMD FreeSync *	✗	Operational conditions	
VESA Adaptive Sync support	✓	Operating temperature (T-T)	0 - 40 °C
Flicker-free technology	✓	Storage temperature (T-T)	-20 - 60 °C
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	533 mm
Number of speakers	2	Depth (with stand)	211 mm
RMS rated power	4 W	Height (with stand)	505 mm
Built-in speaker(s) *	✓	Weight (with stand)	6.1 kg
Built-in camera *	✗	Width (without stand)	533 mm
Design		Depth (without stand)	47 mm
Market positioning *	Graphics design	Height (without stand)	360 mm
Product colour *	Black	Weight (without stand)	3.9 kg
Frameless design	✓	Packaging data	
Feet colour	Black	Package width	649 mm
Ports & interfaces		Package depth	192 mm
Built-in USB hub *	✓	Package height	474 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	8.3 kg
Number of upstream ports	1	Packaging content	
USB Type-A downstream ports quantity	4	Stand included	✓
VGA (D-Sub) ports quantity	1	Cables included	AC
DVI port	✗	Other features	
HDMI *	✓	UL/cUL, FCC, ICES-3, CB, ErP, WEEE, TUV-GS, TUV-Ergo, ISO 9241-307, UkrSEPRO, CU, CCC, CEL, BSMI, RCM, MEPS, VCCI, PSE, PC Recycle, J-MOSS, KC, KCC, e-Standby, Energy Star 8.0, TCO	
HDMI ports quantity	1	Certification	
HDMI version	1.4	Logistics data	
DisplayPorts quantity	1	Harmonized System (HS) code	85285210
DisplayPort version	1.2		
Audio input	✓		
Headphone out *	✓		



4718017603393




0192876602430



192876602430



4718017602433



4718017603379

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.