ASUS Pro WS X570-ACE AMD X570 Socket AM4 ATX

Marchio : ASUS

Nome del prodotto : Pro WS X570-ACE

Codice prodotto: 90MB11M0-M0EAY0

ASUS Pro WS X570-ACE. Produttore processore: AMD, Presa per processore: Socket AM4, Processori compatibili: AMD Ryzen 2000 Series, AMD Ryzen 3000 Series. Tipi di memoria supportati: DDR4-SDRAM, RAM massima supportata: 128 GB, tipo di slot di memoria: DIMM. Interfacce dell'unità di archiviazione supportate: M.2, PCI Express 3.0, SATA III, Tipi di unità di archiviazione supportate: HDD & SSD, Livelli RAID: 0, 1, 10. Tecnologia di processo parallela: 2-Way SLI, 3-Way CrossFireX. Versione HDMI: 1.4b

Processor

Processor manufacturer *	AMD
Processor socket *	Socket AM4
Compatible processor series *	AMD Ryzen 2000 Series, AMD Ryzen 3000 Series

Memory

Supported memory types *	DDR4-SDRAM
Number of memory slots *	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	ECC & Non-ECC
Maximum internal memory *	128 GB
Unbuffered memory	✔

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces *	M.2, PCI Express 3.0, SATA III
Number of HDDs supported	6
RAID levels	0, 1, 10

Graphics

Parallel processing technology support *	2-Way SLI, 3-Way CrossFireX
On-board graphics card	✔
Number of displays supported	2

Internal I/O

USB 2.0 connectors *	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2
Number of SATA III connectors *	4

Rear panel I/O ports

HDMI ports quantity *	1
HDMI version	1.4b
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
Microphone in	✔
S/PDIF out port	✔

Network

Ethernet LAN	✔
Ethernet interface type	Gigabit Ethernet
LAN controller	Realtek RTL8117, Intel® I211-AT
Wi-Fi *	✘

Features

Motherboard chipset *	AMD X570
Audio chip	Realtek ALC S1200A
Audio output channels *	8.0 channels
Component for *	PC
Motherboard form factor *	ATX
Motherboard chipset family *	AMD
Cooling type	Active
Power source type	ATX
Number of mounting holes	9
Windows operating systems supported	Windows 10

Expansion slots

PCI Express x1 slots	1
PCI Express x8 slots	1

Internal I/O

S/PDIF out connector	✔
Front panel audio connector	✔
Front panel connector	✔
ATX Power connector (24-pin)	✔
CPU fan connector	✔
Number of chassis fan connectors	3
Peripheral (Molex) power connectors (4-pin)	1
EPS power connector (8-pin)	✔

Rear panel I/O ports

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Ethernet LAN (RJ-45) ports *	2

Expansion slots

PCI Express x16 slots	2
Number of M.2 (M) slots	1

BIOS

BIOS type *	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	6.0
System Management BIOS (SMBIOS) version	3.2

Logistics data

Harmonized System (HS) code	84733020

Weight & dimensions

Width	305 mm
Depth	244 mm
Height	77 mm

Other features

S/PDIF in port	✔
Analog audio output	1
Weight	1 kg
Number of Ultra M.2 (M) slots	1

4718017322713

0192876322710

192876322710