

ASUS ROG STRIX-1000P-GAMING alimentatore per computer 1000 W 20+4 pin ATX ATX Nero, Argento

Marchio : ASUS

Famiglia del prodotto: ROG

Codice prodotto: 90YE00W1-B0NA00

Nome del prodotto :
STRIX-1000P-GAMING

ASUS ROG STRIX-1000P-GAMING. Potenza totale: 1000 W, Tensione di ingresso AC: 100 - 240 V, Tipo di correttore del fattore di potenza (PFC): Attivo. Connettore scheda madre: 20+4 pin ATX, Lunghezza del cavo di alimentazione della scheda madre: 61 cm, Lunghezza del cavo di alimentazione SATA: 120,400 mm. Utilizzo: PC, Fattore di forma dell'unità di alimentazione (PSU): ATX, Certificazione 80 PLUS: 80 PLUS Platinum. Colore del prodotto: Nero, Argento, Tipo di raffreddamento: Semi-passive, Numero di ventole: 1 ventola(e). Cavi inclusi: AC, CPU, PCIe, Peripheral (Molex), SATA



Power		Ports & interfaces	
Total power *	1000 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	100 cm
Power Factor Correction (PFC) type	Active	ATX power connector (20+4 pin)	✓
Combined power (+3.3V)	130 W	Cabling type	Fully-Modular
Combined power (+12V)	1000 W	Performance	
Combined power (+5V)	130 W	80 PLUS certification *	80 PLUS Platinum
Combined power (-12V)	3.6 W	Purpose *	PC
Combined power (+5Vsb)	15 W	Power supply unit (PSU) form factor *	ATX
Max output current (+3.3V)	25 A	Noise level	20 dB
Max output current (+12V)	83.3 A	Bearing technology	Ball bearing
Max output current (+5V)	25 A	Mean time between failures (MTBF)	120000 h
Max output current (-12V)	0.3 A	Certification	Cybenetics Noise Level Certification A+
Max output current (+5Vsb)	3 A	Design	
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Product colour	Black, Silver
Ports & interfaces		Cooling type	Semi-passive
Motherboard power connector *	20+4 pin ATX	Number of fans	1 fan(s)
Motherboard power cable length	61 cm	Illumination	✓
Number of SATA power connectors	6	On/off switch	✓
SATA power cable length	120,400 mm	Packaging content	
Peripheral (Molex) power connectors (4-pin) *	3	Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
Peripheral (Molex) power cable length	150,400 mm	Weight & dimensions	
PCI Express power connectors (6+2 pin)	4	Width	160 mm
PCI Express power connectors (16-pin)	1	Depth	150 mm
PCI Express power cable length	75 cm	Height	86 mm

Weight & dimensions	
Weight	2.91 kg
Packaging data	
Package width	320 mm
Package depth	200 mm
Package height	108 mm
Package weight	3.62 kg
Package type	Box



4711387594384

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-NOV-2024. Prints or copies of Information are only valid on the printed Publication date