ASUS ROG -STRIX-850P-GAMING alimentatore per computer 850 W 20+4 pin ATX ATX Nero

Marchio : ASUS Famiglia del prodotto: ROG Codice prodotto: 90YE00W2-B0NA00

Nome del prodotto : ROG-STRIX-850P-GAMING

ASUS ROG -STRIX-850P-GAMING. Potenza totale: 850 W, Tensione di ingresso AC: 100 - 240 V, Tipo di correttore del fattore di potenza (PFC): Attivo. Connettore scheda madre: 20+4 pin ATX, Lunghezza del cavo di alimentazione della scheda madre: 61 cm, Lunghezza del cavo di alimentazione SATA: 400,120 mm. Utilizzo: PC, Fattore di forma dell'unità di alimentazione (PSU): ATX, Certificazione 80 PLUS: 80 PLUS Platinum. Colore del prodotto: Nero, Tipo di raffreddamento: Semi-passive, Numero di ventole: 1 ventola(e). Cavi inclusi: CPU, PCIe, SATA, Peripheral (Molex)





	Ports & interfaces	
850 W 100 - 240 V PFC) type Active 130 W 850 W 130 W 3.6 W 15 W V) 25 A 70.8 A 25 A 0.3 A	CPU power connector (4+4 pin) CPU power cable length Cabling type	✓ 100 cm Fully-Modular
	Performance	
	80 PLUS certification * Purpose * Power supply unit (PSU) form factor * ATX version Silent mode Mean time between failures (MTBF)	80 PLUS Platinum PC ATX 3.1 ✓ 120000 h
	Design	
Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Product colour Cooling type Number of fans	Black Semi-passive 1 fan(s) Top
20+4 pin ATX		тор
61 cm	Packaging content Cables included	CPU, PCIe, SATA, Peripheral (Molex)
400,120 mm	Weight & dimensions	
3	Width Depth	160 mm 150 mm
400,150 mm	Height	86 mm 1.78 kg
3	Packaging data	1.70 kg
1 75 cm	Package width Package depth	320 mm 200 mm
	100 - 240 V Active 130 W 850 W 130 W 3.6 W 15 W 25 A 70.8 A 25 A 0.3 A 3 A Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage 20+4 pin ATX 61 cm 6 400,120 mm 3 400,150 mm 3	850 W 100 - 240 V Active 130 W 850 W 130 W 850 W 130 W 80 PLUS certification * Purpose * Power supply unit (PSU) form factor * ATX version Silent mode Mean time between failures (MTBF) Design Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage 20+4 pin ATX 61 cm 64 400,120 mm Weight & dimensions Width Depth Height Weight Packaging data Package width Package depth Package width Package depth

Packaging data		
Package weight	2.8 kg	
Package type	Box	
Technical details		
Compliance certificates	RoHS	



4711387594520

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.