GIGABYTE

GIGABYTE AORUS FO48U 48" Monitor da Gioco Pro 4K - 3840 x 2160 (UHD), 120Hz, 1ms, 150 cd/m2, FreeSync Premium Pro, High Dynamic Range 10 (HDR10), HDMI 2.1, Displayport 1.4

Marchio : GIGABYTE

Nome del prodotto : AORUS FO48U 48" Monitor da Gioco Pro 4K - 3840 x 2160 (UHD), 120Hz, 1ms, 150 cd/m2, FreeSync Premium Pro, High Dynamic Range 10 (HDR10), HDMI 2.1, Displayport 1.4

Codice prodotto: FO48U EK

- Pannello OLED da 48 pollici con risoluzione UHD
- Frequenza di aggiornamento di 120Hz, tempo di risposta di 1ms GTG
- Gioco su console a 4K/120Hz tramite HDMI 2.1
- 10 bit, 98% DCI-P3
- Controllo KVM multi-piattaforma
- Supporta AMD FreeSync Premium
AORUS FO48U 48" Monitor da Gioco Pro 4K - 3840 x 2160 (UHD), 120Hz, 1ms, 150 cd/m2, FreeSync Premium Pro, High Dynamic Range 10 (HDR10), HDMI 2.1, Displayport 1.4

GIGABYTE AORUS FO48U 48" Monitor da Gioco Pro 4K - 3840 x 2160 (UHD), 120Hz, 1ms, 150 cd/m2, FreeSync Premium Pro, High Dynamic Range 10 (HDR10), HDMI 2.1, Displayport 1.4:

AORUS FO48U è un monitor OLED UHD da 47,53 pollici, dotato dell'ultima tecnologia HDMI 2.1, frequenza di aggiornamento di 120Hz e tempo di risposta di 1ms GTG per un'esperienza di gioco estremamente fluida e una qualità dell'immagine eccezionale. I 10 bit di colore e l'ampia gamma di colori del 98% DCI-P3 / 130% sRGB offrono un'eccezionale precisione e coerenza dei colori.

Display

Display diagonal *	120.7 cm (47.5")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	OLED
Panel type *	OLED
Touchscreen *	✗
Display brightness (peak)	900 cd/m²
Display brightness (typical)	150 cd/m²
Response time *	1 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	3840 x 2160
Supported video modes	2160p
Aspect ratio	16:9
Contrast ratio (typical) *	135000:1
Maximum refresh rate *	120 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.073 billion colours
Response time (fast)	1 ms
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Colour depth	10 bit
Colour gamut standard	DCI-P3
Colour gamut	98%

Ports & interfaces

DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✔
Built-in KVM switch	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	300 x 300 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✗
Picture-in-Picture	✔
On Screen Display (OSD)	✔

Power

Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	66 kWh
Energy consumption (HDR) per 1000 hours *	85 kWh
Power consumption (standby) *	0.5 W
Power consumption (max)	325 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	1068.5 mm
Depth (with stand)	251.1 mm

Display

sRGB coverage (typical)	130%

Performance

Flicker-free technology	✔

Multimedia

Number of speakers	3
RMS rated power	50 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Market positioning *	Gaming
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
HDMI *	✔
HDMI ports quantity	2

Weight & dimensions

Height (with stand)	675.1 mm
Weight (with stand)	15 kg
Width (without stand)	1068.5 mm
Depth (without stand)	43.1 mm
Height (without stand)	611.8 mm
Weight (without stand)	14.7 kg

Packaging data

Package width	1180 mm
Package depth	160 mm
Package height	760 mm
Package weight	20.8 kg
Package type	Box

Packaging content

Cables included	AC, DisplayPort, HDMI, USB
Quick start guide	✔

Other features

HBR3 support	✔
Warranty period	3 year(s)

Logistics data

Products per shipping (inner) case	1 pc(s)

4719331814762