# BenQ LU960UST+ videoproiettore Proiettore a raggio ultra corto 5200 ANSI lumen DLP WUXGA (1920x1200) Compatibilità 3D Nero

Marchio : BenQ

Nome del prodotto : LU960UST+

Codice prodotto: 9H.JMT77.25G

BenQ LU960UST+. Luminosità proiettore: 5200 ANSI lumen, Tecnologia di proiezione: DLP, Risoluzione nativa del proiettore: WUXGA (1920x1200). Tipo di sorgente luminosa: Laser, Durata della sorgente luminosa: 30000 h, Durata della sorgente luminosa (modalità risparmio): 38000 h. Messa a fuoco: Manuale, Offset: 122%. Formato video analogico: NTSC, PAL, SECAM, Risoluzioni grafiche supportate: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Modalità video supportate: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Tipo interfaccia seriale: RS-232, Tipo di connettore HDMI: Taglia piena

Projector

Smart projector *	✖
Screen size compatibility *	3810 - 5080 mm (150 - 200")
Projector brightness *	5200 ANSI lumens
Projection technology *	DLP
Projector native resolution *	WUXGA (1920x1200)
Contrast ratio (typical) *	3000000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Horizontal scan range	15 - 135 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°

Light source

Light source type *	Laser
Service life of light source *	30000 h
Service life of light source (economic mode)	38000 h
Service life of light source (portrait mode)	70000 h

Lens system

Focus *	Manual
Throw ratio	0.25
Offset	122%

Video

Analog signal format system *	NTSC, PAL, SECAM
Full HD *	✔
3D *	✔

Ports & interfaces

AC (power) in	✔

Network

Smart TV *	✖
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✖

Storage

Card reader integrated *	✖

Features

Interactive *	✖
Noise level (economic mode)	35 dB
HDCP	✔
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish
Number of OSD languages	28
Noise level *	37 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	10 W

Video

Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p

Ports & interfaces

HDMI connector type	Full-size
HDMI version	2.0
DisplayPorts quantity	1
HDBaseT port	✔
USB 2.0 ports quantity *	1
Mini-USB 2.0 ports quantity	1
Audio (L/R) in *	1
Audio (L/R) out	1
Serial interface type *	RS-232
PC Audio in	✔
VGA (D-Sub) ports quantity *	2
HDMI ports quantity *	3
3D sync port	✔
DVI port *	✘
IR input ports quantity	1

Design

Market positioning *	Business
Product type *	Ultra short throw projector
Product colour *	Black
Cable lock slot	✔
Cable lock slot type	Kensington

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	450 W
Power consumption (standby) *	0.5 W
Power consumption (max)	500 W
Power consumption (economy mode)	339 W
AC input voltage	100 - 240 V

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	480 mm
Depth	473 mm
Height	157.4 mm
Weight *	12 kg

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	AC
Manual	✔

4718755092770