




HP E-Series E24 G4 FHD Monitor

Marchio : HP

Famiglia del prodotto: E-Series

Codice prodotto: 9VF99AA

Nome del prodotto : E24 G4 FHD Monitor



E24 G4 FHD Monitor

[HP E-Series E24 G4 FHD Monitor:](#)

Esperienza di visione ottimizzata

Lavorate nel massimo comfort e non perdetevi la concentrazione con il design ergonomico ottimizzato e la risoluzione Full HD di HP E24 G4 FHD Monitor, dotato di HP Eye Ease, il filtro della luce blu perfetto per il lavoro di ufficio. Semplificate le attività IT con la gestibilità da remoto.

HP E-Series E24 G4 FHD Monitor. Dimensioni diagonale schermo: 60,5 cm (23.8"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LCD, Superficie display: Opaco, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero

Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Tilt adjustment	✓
Display resolution *	1920 x 1080 pixels	Tilt angle range	-5 - 23°
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio *	16:9	Power	
Display technology *	LCD	Energy efficiency class (SDR) *	D
Panel type *	IPS	Energy efficiency class (HDR) *	D
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	14 kWh
Display brightness (typical)	250 cd/m ²	Power consumption (typical) *	26 W
Response time *	5 ms	Power consumption (standby) *	0.5 W
Display surface	Matt	Power consumption (max)	51 W
Anti-glare screen	✓	Power consumption (off)	0.23 W
Screen shape *	Flat	AC input voltage	100 - 240 V
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Power supply type	Internal
		Energy efficiency scale	A to G
Aspect ratio	16:9	European Product Registry for Energy Labelling (EPREL) code	363612
Contrast ratio (typical) *	1000:1	Operational conditions	
Contrast ratio (dynamic)	5000000:1	Operating temperature (T-T)	5 - 35 °C
Maximum refresh rate *	60 Hz	Operating relative humidity (H-H)	0 - 95%
Viewing angle, horizontal	178°	Storage relative humidity (H-H)	20 - 80%
Viewing angle, vertical	178°	Weight & dimensions	
Display number of colours *	16.7 million colours	Width (with stand)	539.4 mm
Pixel pitch	0.274 x 0.274 mm	Depth (with stand)	207 mm
Pixel density	93 ppi	Height (with stand)	494.9 mm
Horizontal scan range	30 - 80 kHz	Weight (with stand)	5.7 kg
Vertical scan range	50 - 60 Hz	Width (without stand)	539.4 mm
Viewable size, horizontal	52.7 cm	Depth (without stand)	47 mm
Viewable size, vertical	29.6 cm	Height (without stand)	323.3 mm
Display diagonal (metric)	60.5 cm		
Surface hardness	3H		

Display		Packaging data	
Colour depth	8 bit	Package width	611 mm
Colour gamut standard	NTSC	Package depth	223 mm
Colour gamut	72%	Package height	392 mm
NTSC coverage (typical)	72%	Package weight	8.4 kg
Display bezel technology	Micro-Edge	Package type	Box
Performance		Packaging content	
NVIDIA G-SYNC *	✗	Stand included	✓
AMD FreeSync *	✗	Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
Flicker-free technology	✓	Bundled software	HP Display Center; HP Display Manager
Low Blue Light technology	✓		
HP segment	Business		
Multimedia		Sustainability	
Built-in speaker(s) *	✗	Sustainability compliance	✓
Built-in camera *	✗	Sustainability certificates	ENERGY STAR
Design		Carbon footprint	
Market positioning *	Business	Total carbon footprint (kg of CO2e)	190
Product colour *	Black	Carbon emissions, manufacturing (kg of CO2e)	115
Detachable stand	✓	Carbon emissions, logistics (kg of CO2e)	3
Feet colour	Silver	Carbon emissions, end-of-life (kg of CO2e)	3
Ports & interfaces		Total carbon emissions, w/o use phase (kg of CO2e)	64
Built-in USB hub *	✓	Other features	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight	5.7 kg
USB upstream port type	USB Type-B	UNSPSC-code	43211902
Number of USB Type-B upstream ports quantity	1	Height	323.3 mm
USB Type-A downstream ports quantity	4	Width	539.4 mm
VGA (D-Sub) ports quantity	1	Depth	47 mm
HDMI *	✓	Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), VCCI, WEEE, cTUVus
HDMI ports quantity	1	Certification	WEEE; ISC; VCCI; Vietnam MEPS; TUV-S; PSB; CEL Grade 2; NOM; SEPA; UAE; WW application; ICE; cTUVus; EAC; BSMI; CB; CCC; BIS; Australian-New Zealand MEPS; CE; CECP; CEL; KC/KCC; FCC; ISO 9241-307; ISE for Cambodia
HDMI version	1.4		
DisplayPorts quantity	1	Brand-specific features	
DisplayPort version	1.2	HP GTIN (EAN/UPC)	194850079818
Audio input	✗	Technical details	
Headphone out *	✗	General Product Safety Regulation (GPSR) URL https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true	
HDCP	✓	Logistics data	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		



0194850079849




194850079849




0194850811913




194850811913



0194850811852



194850811852



0194850811906



194850811906



0194850079832



194850079832



0194850811845



194850811845



0194850079870



194850079870




0194850811821




194850811821



0194850811869



194850811869



0194850811890



194850811890



0194850811838



194850811838



0194850293689



194850293689



0194850811883



194850811883



0194850293696



194850293696




0194850079825



194850079825



0194850079818



194850079818



0194850079863



194850079863



0194850079856



194850079856



0194850293702



194850293702



0194850293719




194850293719



0194850811876



194850811876



4580511739157

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.