



## Conceptronic ABBY14B replicatore di porte e docking station per laptop Cablato USB 3.2 Gen 1 (3.1 Gen 1) Type-C Grigio

**Marchio** : Conceptronic

**Codice prodotto**: ABBY14B

**Nome del prodotto** : ABBY14B

Conceptronic ABBY14B. Tecnologia di connessione: Cablato, Interfaccia host: USB 3.2 Gen 1 (3.1 Gen 1) Type-C. Velocità trasferimento Ethernet LAN: 10,100,1000,2500 Mbit/s, Standard di rete: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u. Colore del prodotto: Grigio, Materiale della scocca: Alluminio, Paese di origine: Cina. Tipologia alimentazione: USB, Lunghezza cavo USB: 0,23 m. Sistema operativo Windows supportato: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Compatibilità sistema operativo Mac: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High..., Sistema operativo mobile supportato: Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0,...



Connettività		Condizioni ambientali	
Tecnologia di connessione *	Cablato	Intervallo temperatura di funzionamento	0 - 45 °C
Interfaccia host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	<b>Sostenibilità</b>	
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo A *	2	Conformità alla sostenibilità	✓
Quantità di porte USB 3.2 Gen 1 (3.1 Gen 1) di tipo C	2	Certificati di sostenibilità	CE, RoHS
Microfono, spinotto d'ingresso *	✗	<b>Dimensioni e peso</b>	
<b>Collegamento in rete</b>		Larghezza	22 mm
Collegamento ethernet LAN *	✓	Profondità	15 mm
Quantità porte Ethernet LAN (RJ-45)	1	Altezza	118 mm
Velocità trasferimento Ethernet LAN	10,100,1000,2500 Mbit/s	Peso	48 g
Wake-on-LAN ready	✓	<b>Dati su imballaggio</b>	
Standard di rete	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u	Larghezza imballo	70 mm
<b>Prestazione</b>		Profondità imballo	20 mm
Letto di schede integrato *	✗	Altezza imballo	180 mm
Colore del prodotto *	Grigio	Peso dell'imballo	60 g
Plug & Play	✓	<b>Contenuto dell'imballo</b>	
Materiale della scocca	Alluminio	Guida rapida	✓
Paese di origine	Cina	<b>Dati logistici</b>	
<b>Gestione energetica</b>		Quantità per cartone principale	100 pz
Tipologia alimentazione	USB	Larghezza scatola principale	300 mm
Lunghezza cavo USB	0,23 m	Lunghezza del cartone principale	400 mm
		Altezza scatola principale	320 mm
		Peso del cartone principale	7,4 kg
		Ampiezza del pallet	120 cm
		Lunghezza del pallet	80 cm
		Altezza del pallet	14,1 cm
		<b>Altre caratteristiche</b>	
		Numero di cartoni per pallet	18 pz

## Software

Sistema operativo Windows supportato	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Compatibilità sistema operativo Mac	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Sistema operativo mobile supportato	Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0



4015867234211

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-MAR-2024. Prints or copies of Information are only valid on the printed Publication date