/IOC

AOC AG274QXM Monitor PC 68,6 cm (27") 2560 x 1440 Pixel Quad HD LED Nero, Rosso

Marchio: AOC Codice prodotto: AG274QXM

Nome del prodotto: AG274QXM

Screen size (inch) 27, Panel resolution 2560x1440, Refresh rate 170 Hz, Panel type IPS, USB-C connectivity USB-C 3.2×1 (DP alt mode, upstream, power delivery up to 65 W), HDMI HDMI 2.0×2 , Display Port DisplayPort 1.4×1 , Sync technology (VRR) Adaptive sync (Freesync Premium Pro after AMD certified)

AOC AG274QXM Monitor PC 68,6 cm (27") 2560 x 1440 Pixel Quad HD LED Nero, Rosso:

Monitor IPS da 27" QHD, 170 Hz e innovative tecnologie mini-LED e HDR per migliorare i colori

Reattività e colori perfetti in un unico prodotto: l'AG274QXM combina una frequenza di aggiornamento super veloce di 170 Hz con immagini realistiche grazie alle tecnologie mini-LED e HDR1000. Il monitor funziona in modo ottimale sia con PC che con console.





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type	68.6 cm (27") 2560 x 1440 pixels Quad HD 16:9 LED IPS Mini LED	USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out *	65 W 2 2.0 1 1.4
Touchscreen * Display brightness (typical) Response time * Anti-glare screen	X 600 cd/m² 1 ms ✓	Headphone outputs Headphone connectivity Microphone in HDCP version	1 3.5 mm ✓ 2.2
Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Display diagonal (metric)	Flat 1000:1 80000000:1 170 Hz 178° 178° 1.07 billion colours 68.6 cm	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max)	✓ 100 x 100 mm ✓ Kensington ✓ 12 cm
High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Surface hardness	✓ DisplayHDR 1000 3H	Pivot Swivelling Swivel angle range Tilt adjustment	-20 - 20°
Colour depth sRGB coverage (typical) NTSC coverage (typical) Adobe RGB coverage DCI-P3 coverage	10 bit 155% 127% 125% 116%	Tilt angle range	-3 - 21°

Doufoussana		Funanamiaa		
Performance		Ergonomics		
NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * AMD FreeSync refresh rate range Fast charging	G-SYNC Compatible 48 - 170 Hz	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian	
3 3	·	Power		
Low Blue Light technology	∀	Energy efficiency class (SDR) *	G	
Game mode	•	Energy efficiency class (HDR) *	G	
Multimedia		Energy consumption (SDR) per 1000	60 kWh	
Number of speakers RMS rated power	2 5 W	hours * Energy consumption (HDR) per 1000 hours *	95 kWh	
Built-in speaker(s) *	✓	Power consumption (typical) *	65 W	
Design		Power consumption (standby) *	0.5 W	
Market positioning *	Gaming	Power consumption (off)	0.5 W	
Product colour *	Black, Red	Energy efficiency scale	A to G	
Front bezel colour Detachable stand	Black ✓	European Product Registry for Energy Labelling (EPREL) code	741599	
Ports & interfaces		External power adapter	✓	
		Weight & dimensions		
USB hub version	✓ 3.2 Gen 1 (3.1 Gen 1)	Width (with stand)	612.9 mm	
USB upstream port type	USB Type-B, USB Type-C	Depth (with stand)	352.1 mm	
Number of upstream ports	2	Weight (with stand)	8.15 kg	
Number of USB Type-B upstream	1	Packaging data		
ports quantity	-	Package width	225 mm	
Number of USB Type-C upstream ports quantity	1	Package height	652 mm	
USB Type-A downstream ports	4	Package weight	13.9 kg	
quantity	4	USB cable length	1.5 m	
USB Type-C DisplayPort Alternate Mode	✓	Packaging content		
USB Power Delivery (USB PD)	1	Stand included	✓	
· · · · · · · · · · · · · · · · · ·		Power adapter included	✓	
		Quick start guide	✓	
		DisplayPort cable length HDMI cable length	1.8 m 1.8 m	
		Other features		
		Local dimming zones	576	
		Exterior finish type	Matt	
		Certification	ISO 9241-307	
		Logistics data		
		Harmonized System (HS) code	85285210	



4038986120104

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.