



TP-Link Archer AX1800 router wireless Gigabit Ethernet Dual-band (2.4 GHz/5 GHz) Nero

Marchio : TP-Link

Famiglia del prodotto: Archer **Codice prodotto:** ARCHER AX1800

Nome del prodotto : AX1800

TP-Link Archer AX1800. Tipo di connessione WAN: RJ-45. Banda Wi-Fi: Dual-band (2.4 GHz/5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), Intervallo di trasferimento dei dati WLAN (max): 1775 Mbit/s. Tipo di interfaccia LAN Ethernet: Gigabit Ethernet, Velocità trasferimento Ethernet LAN: 10,100,1000 Mbit/s. Algoritmi di sicurezza supportati: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Tipo di prodotto: Router da tavolo, Colore del prodotto: Nero



WAN connection		Protocols	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM card slot *	✗	Design	
WAN connection type	RJ-45	Product colour	Black
Wireless LAN features		Product type *	Tabletop router
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Certificates	
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Certification	FCC, CE, RoHS
WLAN data transfer rate (max) *	1775 Mbit/s	Packaging content	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Cables included	LAN (RJ-45)
WLAN data transfer rate (first band)	574 Mbit/s	AC adapter included	✓
WLAN data transfer rate (second band)	1201 Mbit/s	Quick installation guide	✓
Network		Antenna	
Ethernet LAN *	✓	Antenna design *	External
Ethernet LAN interface type *	Gigabit Ethernet	Antennas quantity	4
Ethernet LAN data rates	10,100,1000 Mbit/s	Power	
Dynamic DNS (DDNS)	✓	Power source type *	DC
Ports & interfaces		Output voltage	12 V
Ethernet LAN (RJ-45) ports *	5	Output current	1.5 A
USB port *	✓	Operational conditions	
USB 2.0 ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Management features		Storage temperature (T-T)	-40 - 70 °C
Reset button	✓	Operating relative humidity (H-H)	10 - 90%
WPS push button	✓	Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
		Width	260.2 mm

Security		Weight & dimensions	
Security algorithms	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3	Depth	135 mm
		Height	38.6 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAY-2025. Prints or copies of Information are only valid on the printed Publication date