

be quiet! PURE BASE 500 FX Black Midi Tower Nero

Marchio : be quiet!

Codice prodotto: BGW43

Nome del prodotto : PURE BASE 500 FX Black

be quiet! PURE BASE 500 FX Black. Fattore di forma: Midi Tower, Tipo: PC, Colore del prodotto: Nero. Fattori di forma di alimentazione supportati: ATX, PS2. Ventole anteriori installate: 3x 120 mm, Diametro delle ventole frontali supportato: 120,140 mm, Rear fans installed: 1x 140 mm. Dimensioni di hard disk drive supportati: 2.5,3.5". Larghezza: 232 mm, Profondità: 450 mm, Altezza: 463 mm



Design		Cooling	
Material	Acrylonitrile butadiene styrene (ABS), Steel	Number of rear fans supported (max)	1
Form factor *	Midi Tower	Number of top fans supported (max)	2
Type *	PC	Top fans diameters supported	120,140 mm
Product colour *	Black	Fan speed	1500 - 1700 RPM
Supported motherboard form factors *	ATX, micro ATX, Mini-ITX	Maximum airflow	56 cfm
Number of 3.5" bays *	2	Noise level (low speed)	20.6 dB
Number of 2.5" bays	4	Noise level (high speed)	23.3 dB
Number of expansion slots	7	Fan rated voltage	5 - 13.2 V
Side window	✓	Fan rated current	0.07 A
Suitable for	Gaming	Fan power consumption	4.56 W
Illumination	✓	Liquid cooling capability	✓
Illumination colour	Multi	Front radiator sizes supported	120,140,240,280,360 mm
Illumination location	Case fans, Front	Rear radiator sizes supported	120,140 mm
Anti-dust filter	✓	Top radiator sizes supported	120,240 mm
Reset button	✓	Storage	
On/off button	✓	Supported HDD sizes *	2.5,3.5"
LED indicators	✓	Technical details	
Maximum CPU cooler height	19 cm	Sustainability compliance	✓
Maximum graphics card length	36.9 cm	Compliance certificates	CE, RoHS
Maximum PSU length	25.8 cm	Weight & dimensions	
Power supply		Width	232 mm
Power supply included *	✗	Depth	450 mm
Supported power supply form factors	ATX, PS2	Height	463 mm
Ports & interfaces		Weight	8 kg
Audio input	✓	Packaging data	
Audio output	✓	LED controller	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1	Package width	285 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Package depth	510 mm
		Package height	494 mm
		Package weight	9.2 kg

Cooling		Other features	
Front fans installed	3x 120 mm	Screws included	✓
Number of front fans supported (max)	3	Air pressure	1.66 mmH2O
Front fans diameters supported	120,140 mm	Fan connector	4-pin
Rear fans installed	1x 140 mm	Mean time between failures (MTBF)	60000 h



4260052189054

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-JAN-2025. Prints or copies of Information are only valid on the printed Publication date