be quiet! System Power 9 | 700W CM alimentatore per computer 20+4 pin ATX ATX Nero

Marchio : be quiet!

Codice prodotto: BN303

Nome del prodotto : System Power 9 | 700W CM

be quiet! System Power 9 | 700W CM. Potenza totale: 700 W, Tensione di ingresso AC: 200 - 240 V, Frequenza di ingresso AC: 50 Hz. Connettore scheda madre: 20+4 pin ATX, Lunghezza del cavo di alimentazione della scheda madre: 55 cm, Lunghezza del cavo di alimentazione SATA: 550,670 mm. Utilizzo: PC, Fattore di forma dell'unità di alimentazione (PSU): ATX, Certificazione 80 PLUS: 80 PLUS Bronze. Colore del prodotto: Nero, Tipo di raffreddamento: Attivo, Diametro del ventilatore: 12 cm. Cavi inclusi: PCIe, SATA





Power		Performance	
Total power *700 WAC input voltage *200 - 240 VAC input frequency50 HzInput current6 APower factor0.95	200 - 240 V 50 Hz 6 A	ATX version EPS version Bearing technology Certification Compatible products	2.51 2.92 Sleeve CE, CB, TÜV, RCM, CU Intel C6/C7
Power Factor Correction (PFC) type	Active	Design	
Combined power (+3.3V) 130 W Combined power (+12V) 672 W Combined power (+5V) 130 W Combined power (-12V) 3.6 W Combined power (+5Vsb) 15 W Max output current (+3.3V) 24 A	672 W 130 W 3.6 W 15 W	Product colour Cooling type Fan diameter Number of fans Packaging content	Black Active 12 cm 1 fan(s)
Max output current (+12V1)	33 A	Cables included	PCIe, SATA
Max output current (+12V2)	25 A	Weight & dimensions	
Max output current (+5V) Max output current (-12V) Max output current (+5Vsb) Hold time	17 ms	Width Depth Height Weight	150 mm 140 mm 86 mm 1.69 kg
Efficiency	89% Over current, Over power, Over	Packaging data	
Power protection features	voltage, Overheating, Short circuit, Under voltage	Manual Package width	✔ 97 mm
Ports & interfaces		Package depth	268 mm
Motherboard power connector *20+4 pin ATXMotherboard power cable length55 cmNumber of SATA power connectors10Number of PATA power connectors2CATA power connectors550 G70 properties	55 cm 10	Package height Package weight Package type	195 mm 2.44 kg Box
	2 550,670 mm	Technical details	
SATA power cable length PCI Express power connectors (6+2 pin)	4	Sustainability certificates Compliance certificates	ENERGY STAR RoHS
PCI Express power cable length	50 cm	Logistics data	
CPU power connector (4+4 pin) CPU power cable length Floppy drive power connector Cabling type	✓ 60 cm 1 Semi-Modular	Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight Harmonized System (HS) code	311 mm 215 mm 556 mm 15.3 kg 84733020

Publication date: 12-JAN-2025. Prints or copies of Information are only valid on the printed Publication date

Performance		Logistics data	
80 PLUS certification * Purpose * Power supply unit (PSU) form factor *	80 PLUS Bronze PC ATX	Products per master (outer) case	6 pc(s)
		Other features	
		Screws included	1
		Noise level (silent mode, <30%)	9.7 dB
		Noise level (quiet mode, 50%)	14.1 dB
		Noise level (full-load mode, 100%)	31.7 dB



4260052187241

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.