



APC Back-UPS Pro gruppo di continuità (UPS) A linea interattiva 1,5 kVA 865 W 6 presa(e) AC

Marchio : APC

Codice prodotto: BR1500G-GR

Nome del prodotto : Back-UPS Pro

APC Back-UPS Pro. Topologia UPS: A linea interattiva, Potenza in uscita: 1,5 kVA, Potenza in uscita: 865 W. Tipo di uscita AC: Tipo F, Presa di corrente: Tipo F, Quantità prese AC: 6 presa(e) AC. Capacità della batteria: 187 VAh, Tempo di salvataggio minimo a pieno carico: 3,7 min, Tempo di salvataggio minimo a mezzo carico: 12,3 min. Fattore di forma: Tower, Colore del prodotto: Nero, Lunghezza cavo: 1,83 m. Larghezza: 112 mm, Profondità: 382 mm, Altezza: 301 mm



Features		Design	
UPS topology *	Line-Interactive	Product colour *	Black
Output power capacity *	1.5 kVA	Display type	LCD
Output power *	865 W	Certification	BSI 1363, CE, NEMKO, REACH, TUV-GS
Waveform *	Sine	Operational conditions	
Input operation voltage (min) *	156 V	Operating temperature (T-T)	0 - 40 °C
Input operation voltage (max) *	300 V	Storage temperature (T-T)	-15 - 45 °C
Input frequency *	50/60 Hz	Operating relative humidity (H-H)	0 - 95%
Output frequency regulation	50/60 Hz	Storage relative humidity (H-H)	0 - 95%
Surge energy rating	441 J	Operating altitude	0 - 3000 m
Hold time (min)	10 ms	Non-operating altitude	0 - 15000 m
Hold time (max)	12 ms	Technical details	
Efficiency	98.9%	Sustainability certificates	ENERGY STAR, Green Premium
Noise level	45 dB	Compliance certificates	RoHS
Surge protection	✓	Weight & dimensions	
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network	Width	112 mm
Audible alarm(s)	✓	Depth	382 mm
Ports & interfaces		Height	301 mm
AC outlet types	Type F	Weight	13 kg
Power plug	Type F	Package width	235 mm
AC outlets quantity	6 AC outlet(s)	Package depth	490 mm
Number of type F outputs	6	Package height	390 mm
USB port	✓	Package weight	13.8 kg

Battery		Packaging data	
Battery capacity	187 VAh	Cables included	Phone (RJ-11), USB cable
Typical backup time at full load	3.7 min	Manual	✓
Typical backup time at half load	12.3 min	Warranty card	✓
Battery life (max)	5 year(s)	Software CD	✓
Battery recharge time	8 h	Bundled software	PowerChute Personal Edition
Hot-swap battery	✓	Logistics data	
Automatic battery test	✓	Products per pallet	20 pc(s)
Cold start	✓	Harmonized System (HS) code	85078000
Design		Other features	
Form factor *	Tower	Battery type	APCRBC124
Cable length	1.83 m	Nominal output voltage	230 V
		Nominal input voltage	230 V
		Suitable for use in country/location	Europe



0731304286875



731304286875



4053162268586

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.