

EPSON

## Epson Water Resistant Matte Canvas, in rotoli da 43,18cm (17") x 12, 2m (17" x 40').

**Marchio** : Epson

**Codice prodotto**: C13S042013

**Nome del prodotto** : Water Resistant Matte Canvas, in rotoli da 43,18cm (17") x 12, 2m (17" x 40').



Water Resistant Matte Canvas, in rotoli da 43,18cm (17") x 12, 2m (17" x 40').  
Epson Water Resistant Matte Canvas, in rotoli da 43,18cm (17") x 12, 2m (17" x 40').. Tipo rifinitura: Opaco, Peso medio: 375 g/m<sup>2</sup>, Opacità: 0,98%. Larghezza del rullo: 43,2 cm, Lunghezza del rullo: 12,2 m, Diametro interno: 5,08 cm. Quantità per pacco: 1 pz, Larghezza imballo: 216 mm, Profondità imballo: 126 mm. Larghezza del pallet (UK): 100 cm, Lunghezza del pallet (UK): 120 cm, Altezza del pallet (UK): 101 cm. Paese di origine: Svizzera



### Caratteristiche

Tipo rifinitura *	Opaco
Peso medio *	375 g/m <sup>2</sup>
Luminosità della carta	0,82
Opacità	0,98%

## Caratteristiche

- SureColor SC-T7200D-PS - SureColor SC-T7200D - SureColor SC-T7200-PS - SureColor SC-T7200 - SureColor SC-T5200D-PS - SureColor SC-T5200D - SureColor SC-T5200-PS - SureColor SC-T5200 PS MFP - SureColor SC-T5200 MFP HDD - SureColor SC-T5200 - SureColor SC-T3200-PS - SureColor SC-T3200 - SureColor SC-T3200 - SureColor SC-T3000 - SureColor SC-P9000V - SureColor SC-P9000 Violet Spectro - SureColor SC-P9000 - SureColor SC-P9000 STD Spectro - SureColor SC-P9000 STD - SureColor SC-P8000 Series - SureColor SC-P8000 STD Spectro - SureColor SC-P8000 STD - SureColor SC-P800 Roll Unit Promo - SureColor SC-P800 - SureColor SC-P7000V - SureColor SC-P7000 Violet Spectro - SureColor SC-P7000 Series - SureColor SC-P7000 STD Spectro - SureColor SC-P7000 STD - SureColor SC-P6000 Series - SureColor SC-P6000 STD Spectro - SureColor SC-P6000 STD - SureColor SC-P5000 Violet Spectro - SureColor SC-P5000 Violet - SureColor SC-P5000 STD Spectro - SureColor SC-P5000 STD - SureColor SC-P20000 - SureColor SC-P10000 - Epson SureColor SC-T7000 POS - Epson SureColor SC-T7000 - Epson SureColor SC-T5000 POS - Epson SureColor SC-T3000 POS - Epson SureColor SC-T3000 - Epson Stylus Pro 9900 Spectro Proofer UV - Epson Stylus Pro 9900 Spectro Proofer - Epson Stylus Pro 9900 - Epson Stylus Pro 9890 SpectroProofer - Epson Stylus Pro 9890 - Epson Stylus Pro 9880 - Epson Stylus Pro 9800 - Epson Stylus Pro 9700 - Epson Stylus Pro 9600 - Epson Stylus Pro 7900 Spectro Proofer UV - Epson Stylus Pro 7900 Spectro Proofer - Epson Stylus Pro 7900 - Epson Stylus Pro 7890 Spectroproofer UV - Epson Stylus Pro 7890 SpectroProofer - Epson Stylus Pro 7880 - Epson Stylus Pro 7800 - Epson Stylus Pro 7700 - Epson Stylus Pro 7600 - Epson Stylus Pro 4900 SpectroProofer UV - Epson Stylus Pro 4900 SpectroProofer - Epson Stylus Pro 4900 Spectro Proofer Designer Edition - Epson Stylus Pro 4900 Spectro M1 - Epson Stylus Pro 4900 Designer Edition - Epson Stylus Pro 4900 - Epson Stylus Pro 4880 - Epson Stylus Pro 4800 - Epson Stylus Pro 4400 - Epson Stylus Pro 4000-C8 PS - Epson Stylus Pro 4000-C8 Gretag Macbeth Eye One Display 2 - Epson Stylus Pro 4000-C8 - Epson Stylus Pro 4000-C4 - Epson Stylus Pro 11880 - Epson Stylus Pro 10600 + Gretag Macbeth Eye One Display 2 - Epson Stylus Pro 10600

## Prodotti compatibili

## Dimensioni e peso

Larghezza del rullo	43,2 cm
Lunghezza del rullo	12,2 m
Diametro interno	5,08 cm

**Dati su imballaggio**

Quantità per pacco	1 pz
Larghezza imballo	216 mm
Profondità imballo	126 mm
Altezza imballo	487 mm
Peso dell'imballo	3,03 kg

**Dati logistici**

Codice del Sistema Armonizzato (SA)	37032000
Larghezza del pallet (UK)	100 cm
Lunghezza del pallet (UK)	120 cm
Altezza del pallet (UK)	101 cm
Ampiezza del pallet	80 cm
Lunghezza del pallet	120 cm
Altezza del pallet	101 cm
Quantità per pallett	56 pz
Quantità per pallet (UK)	80 pz
Quantità per livello	7 pz
Quantità per strato di pallet (UK)	10 pz
Larghezza scatola principale	216 mm
Lunghezza del cartone principale	487 mm
Altezza scatola principale	126 mm
Quantità per cartone principale	1 pz

**Altre caratteristiche**

Paese di origine	Svizzera
------------------	----------



0010343857926



010343857926



0103438579268



103438579268

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.