NOC

AOC G4 C27G4ZXU Monitor PC 68,6 cm (27") 1920 x 1080 Pixel Full HD LED Nero

Marchio : AOC Famiglia del prodotto: G4 Codice prodotto: C27G4ZXU

Nome del prodotto :

C27G4ZXU

Screen size (inch) 27, Panel resolution 1920x1080, Max Refresh rate 280 Hz, Response time MPRT 0.3 ms, Panel type Fast VA, HDMI HDMI 2.0×2 , DisplayPort DisplayPort 1.4×1 , Sync technology (VRR) Adaptive Sync

AOC G4 C27G4ZXU. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 1920 x 1080 Pixel, Tipologia HD: Full HD, Tecnologia display: LED, Tempo di risposta: 0,3 ms, Rapporto d'aspetto nativo: 16:9. Altoparlanti incorporati. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Panel mounting interface	100 x 100 mm
Display resolution *	1920 x 1080 pixels	Cable lock slot *	✓
HD type *	Full HD	Cable lock slot type	Kensington
Native aspect ratio *	16:9	Height adjustment *	✓
Display technology *	LED	Adjustable height (max)	13 cm
Panel type *	Fast VA	Swivelling	✓
LED backlight	✓	Swivel angle range	-28 - 28°
Backlight type	W-LED	Tilt adjustment	1
Touchscreen *	×	Tilt angle range	-3 - 21°
Display brightness (typical)	300 cd/m ²	On Screen Display (OSD)	√
Response time *	0.3 ms	on sercen display (03b)	Simplified Chinese, Traditional
Anti-glare screen	✓		Chinese, Croatian, Czech, German,
Screen shape *	Curved	On Screen Display (OSD) languages	Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian,
Screen curvature rating	1800R		
Contrast ratio (typical) *	4000:1		Swedish, Turkish, Ukrainian
Contrast ratio (dynamic)	80000000:1	Number of OSD languages	19
Maximum refresh rate *	280 Hz	Power	
Display number of colours *	16.7 million colours		E
Pixel density	81.59 ppi	Energy efficiency class (SDR) * Energy efficiency class (HDR) *	G
Horizontal scan range	30 - 320 kHz	Energy consumption (SDR) per 1000	
Vertical scan range	48 - 280 Hz	hours *	21 kWh
Viewable size, horizontal	59.8 cm	Energy consumption (HDR) per	31 kWh
Viewable size, vertical	33.6 cm	1000 hours *	31 KWN
Display diagonal (metric)	68.6 cm	Power consumption (typical) *	30 W
High Dynamic Range (HDR) supported	✓	Power consumption (standby) * Power consumption (max)	0.5 W 74 W
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Power consumption (off)	0.3 W
sRGB coverage (typical)	124.2%	AC input voltage AC input frequency	100 - 240 V 50/60 Hz

Performance		Power	
Fast charging VESA Adaptive Sync support Flicker-free technology	<i>* * *</i>	Input current Power supply type Energy efficiency scale	1.5 A Internal A to G
Low Blue Light technology	✓	Operational conditions	
Game mode	✓	Operating temperature (T-T)	0 - 40 °C
Multimedia		Storage temperature (T-T)	-25 - 55 °C 10 - 85%
Number of speakers RMS rated power Built-in speaker(s) *	2 4 W ✓	Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	10 - 63% 5 - 93% 0 - 5000 m 0 - 12192 m
Built-in camera *	X	Weight & dimensions	
Design Market positioning * Product colour * Frameless design Front bezel colour Ports & interfaces	Gaming Black Black	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	611.5 mm 227.6 mm 515.8 mm 6.06 kg 367.6 mm 78.7 mm
Built-in USB hub *	/	Height (without stand)	611.5 mm
USB hub version USB upstream port type Number of upstream ports USB Type-A downstream ports quantity HDMI *	3.2 Gen 1 (3.1 Gen 1) USB Type-B 1	Weight (without stand) Packaging data Package width Package depth Package height Package weight	4.12 kg 840 mm 480 mm 188 mm 9.57 kg
HDMI ports quantity	2	Packaging content	
HDMI version DisplayPorts quantity DisplayPort version	2.0 1 1.4	Cables included Other features	AC, DisplayPort, HDMI, USB
Headphone out *	1.4 ✓	Low input lag	✓
Headphone outputs	1	FPS counter	✓
Headphone connectivity	3.5 mm	Dial point	✓
AC (power) in	✓	Shadow control	✓
Ergonomics		Motion blur reduction	✓
VESA mounting *	1	Warranty period	3 year(s)



4038986181488

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.