## **ЛОС**

## AOC G4 CQ32G4VE Monitor PC 81,3 cm (32") 2560 x 1440 Pixel **Quad HD LCD Nero, Grigio**

## Marchio : AOC

Famiglia del prodotto: G4

Codice prodotto: CQ32G4VE

Nome del prodotto : CQ32G4VE

Screen size (inch) 31.5, Panel resolution 2560x1440, Max Refresh rate 180 Hz, Response time MPRT 0.5 ms, Panel type Fast VA, HDMI HDMI 2.0 x 2, DisplayPort DisplayPort 1.4 x 1, Sync technology (VRR) Adaptive Sync

AOC G4 CQ32G4VE Monitor PC 81,3 cm (32") 2560 x 1440 Pixel Quad HD LCD Nero, Grigio:

Pronto per installare il tuo nuovo incredibile monitor curvo da 32 pollici, CQ32G4VE


Il display curvo QHD da 32" offre un'esperienza di gioco senza pari, con una brillante risoluzione 2560x1440 e una frequenza di aggiornamento fluida di 180Hz. Questo monitor presenta una curvatura 1500R con un pannello VA veloce con 1ms GtG e compatibilità HDR10, che si traduce in una grafica spettacolare e colori ricchi. Con un MPRT di 0,5 ms e un piccolo ritardo di input, potresti sperimentare una reattività quasi istantanea e la personalizzazione del G-Menu ti consente di personalizzare le tue impostazioni. Questo monitor è il tuo strumento per dominare la competizione.

| Display                                |   | Ergonomics   |   |
|--|---|--|---|
| Display diagonal *                     | 81.3 cm (32")   | Tilt adjustment  | 1   |
| Display resolution *                   | 2560 x 1440 pixels  | Tilt angle range   | -3 - 21°  |
| HD type *                              | Quad HD   | On Screen Display (OSD)  | 1   |
| Native aspect ratio *                  | 16:9  |  | Simplified Chinese, Traditional   |
| Display technology *                   | LCD   |  | Chinese, Croatian, Czech, German,                                       |
| Panel type *                           | Fast VA   | On Screen Display (OSD) languages                              | Dutch, English, Spanish, Finnish,<br>French, Italian, Japanese, Korean, |
| LED backlight                          | ✓   |  | Polish, Portuguese, Russian,  |
| Backlight type                         | W-LED   |  | Swedish, Turkish, Ukrainian   |
| Touchscreen *                          | ×   | Number of OSD languages  | 19  |
| Display brightness (typical)           | 300 cd/m <sup>2</sup>   | Plug and Play  | 1   |
| Response time *                        | 0.5 ms  | Power  |   |
| Screen shape *                         | Curved  | Energy efficiency class (SDR) *                                | F   |
| Screen curvature rating                | 1500R   | Energy efficiency class (BDR) *                                | G   |
| Contrast ratio (typical) *             | 3500:1  | Energy consumption (SDR) per 1000                              | -   |
| Contrast ratio (dynamic)               | 8000000:1   | hours *  | 32 kWh  |
| Viewing angle, horizontal              | 178°  | Energy consumption (HDR) per                                   | 55 kWh  |
| Viewing angle, vertical                | 178°  | 1000 hours *   |   |
| Display number of colours *            | 16.7 million colours  | Power consumption (typical) *                                  | 35 W  |
| Pixel pitch                            | 0.2724 x 0.2724 mm  | Power consumption (standby) *                                  | 0.3 W   |
| Pixel density                          | 93.24 ppi   | Power consumption (max)  | 70 W  |
| Horizontal scan range                  | 30 - 270 kHz  | AC input voltage   | 100 - 240 V   |
| Vertical scan range                    | 48 - 180 Hz   | AC input frequency   | 50/60 Hz  |
| Viewable size, horizontal              | 69.7 cm   | Input current  | 1.5 A   |
| Viewable size, vertical                | 39.2 cm   | Power supply type  | Internal  |
| Display diagonal (metric)              | 80 cm   | Energy efficiency scale  | A to G  |
| High Dynamic Range (HDR)<br>supported  | <ul> <li>Image: A start of the start of</li></ul> | European Product Registry for<br>Energy Labelling (EPREL) code | 2004296   |
| High Dynamic Range (HDR)<br>technology | High Dynamic Range 10 (HDR10)   | Operational conditions   |   |
| DDC/CI                                 | 1   | Operating temperature (T-T)                                    | 0 - 40 °C   |





| Display                    |              | Operational conditions                                |                       |
|----------------------------|--------------|---|-----------------------|
| Haze rate                  | 25%          | Storage temperature (T-T)                             | -25 - 55 °C           |
| sRGB coverage (typical)    | 124.2%       | Operating relative humidity (H-H)                     | 10 - 85%              |
| Performance                |              | Storage relative humidity (H-H)<br>Operating altitude | 5 - 93%<br>0 - 5000 m |
| VESA Adaptive Sync support | 1            | Non-operating altitude                                | 0 - 12192 m           |
| Flicker-free technology    | 1            | Weight & dimensions                                   |                       |
| Low Blue Light technology  | 1            | Width (with stand)                                    | 709.4 mm              |
| Game mode                  | √            | Depth (with stand)                                    | 265.3 mm              |
| Design                     |              | Height (with stand)                                   | 523.8 mm              |
| Market positioning *       | Gaming       | Weight (with stand)                                   | 7.31 kg               |
| Product colour *           | Black, Grey  | Width (without stand)                                 | 709.4 mm              |
| Frameless design           | 1            | Depth (without stand)                                 | 96.6 mm               |
| Front bezel colour         | Black        | Height (without stand)                                | 425.2 mm              |
| Detachable stand           | 1            | Weight (without stand)                                | 6.24 kg               |
| Ports & interfaces         |              | Packaging data  |                       |
| HDMI *                     | 1            | Package width   | 840 mm                |
| HDMI ports quantity        | 2            | Package depth   | 527 mm                |
| HDMI version               | 2.0          | Package height<br>Package weight                      | 188 mm<br>9.91 kg     |
| DisplayPorts quantity      | 1            |   | 5.91 Kg               |
| DisplayPort version        | 1.4          | Packaging content                                     |                       |
| Headphone out *            | √            | Cables included                                       | AC, DisplayPort, HDMI |
| Headphone outputs          | 1            | Other features  |                       |
| Headphone connectivity     | 3.5 mm       | Low input lag   | 1                     |
| Ergonomics                 |              | FPS counter   | ✓                     |
| VESA mounting *            | 1            | Dial point  | ✓                     |
| Panel mounting interface   | 100 x 100 mm | Shadow control  | ✓                     |
| Cable management           | J.           | Motion blur reduction                                 | ✓                     |
| Cable lock slot *          | 1            | Warranty period                                       | 3 year(s)             |
| Cable lock slot type       | Kensington   |   |                       |
|                            |              |   |                       |



4038986182164

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.