


Display		Operational conditions	
Viewable size, vertical	33.6 cm	Storage relative humidity (H-H)	5 - 90%
Viewable size diagonal	68.6 cm	Operating altitude	0 - 5000 m
Surface hardness	3H	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	99%	Weight & dimensions	
Dell ComfortView technology	✓	Width (with stand)	610.7 mm
Performance		Depth (with stand)	192.3 mm
NVIDIA G-SYNC *	✗	Height (with stand)	384.6 mm
AMD FreeSync *	✗	Weight (with stand)	5.7 kg
Flicker-free technology	✓	Width (without stand)	610.7 mm
Low Blue Light technology	✓	Depth (without stand)	50 mm
Windows operating systems supported	Windows 10, Yes	Height (without stand)	354.7 mm
Mac operating systems supported	MacOS	Weight (without stand)	4.03 kg
Multimedia		Bezel width (side)	6.4 mm
Built-in speaker(s) *	✗	Bezel width (top)	6.4 mm
Built-in camera *	✗	Bezel width (bottom)	1.2 cm
Design		Packaging data	
Product colour *	Black	Package weight	8.47 kg
Front bezel colour	Black	USB cable length	1.8 m
Feet colour	Grey	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Cables included	AC, DisplayPort, HDMI, USB
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Quick start guide	✓
Number of USB Type-B upstream ports quantity	1	DisplayPort cable length	1.8 m
USB Type-A downstream ports quantity	3	HDMI cable length	1.8 m
USB Type-C downstream ports quantity	1	Sustainability	
USB Power Delivery (USB PD)	✓	Sustainability compliance	✓
USB Power Delivery up to	15 W	Sustainability certificates	ENERGY STAR, TCO
VGA (D-Sub) ports quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
HDMI *	✓	Carbon footprint	
HDMI ports quantity	1	Total carbon footprint (kg of CO2e)	177
HDMI version	1.4	Carbon emissions, manufacturing (kg of CO2e)	80
DisplayPorts quantity	1	Carbon emissions, logistics (kg of CO2e)	13
DisplayPort version	1.2	Carbon emissions, energy usage (kg of CO2e)	77
Headphone out *	✗	Carbon emissions, end-of-life (kg of CO2e)	7
HDCP	✓	Total carbon emissions, w/o use phase (kg of CO2e)	100
HDCP version	1.4	PAIA version	GaBi version 1, 2024
AC (power) in	✓	Other features	
Ergonomics		Compliance certificates	RoHS, TÜV mark
VESA mounting *	✓	Brand-specific features	
Panel mounting interface	100 x 100 mm	Dell Display Manager (DDM) compatibility	✓
Cable management	✓		
Cable lock slot *	✓		
Cable lock slot type	Kensington		
Height adjustment *	✓		
Height adjustment	15 cm		
Pivot	✓		



5397184821749



5715063417829



5715063417850

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.