



## DELL P Series P3223DE LED display 80 cm (31.5") 2560 x 1440 Pixel Quad HD LCD Nero

**Marchio :** DELL

**Famiglia del prodotto:** P Series

**Codice prodotto:** DELL-P3223DE

**Nome del prodotto :** P3223DE

- 80.0cm (31.5") Quad HD 2560 x 1440 LED IPS
- 5ms, 16:9, 350cd/m<sup>2</sup>, 1000:1
- USB, HDMI, DisplayPort
- 80.0cm (31.5") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m<sup>2</sup>, 1.07B, 5ms, 178°/178°, 1000:1

DELL P Series P3223DE LED display 80 cm (31.5") 2560 x 1440 Pixel Quad HD LCD Nero:

Scopri la massima produttività con un monitor QHD da 31,5 pollici dotato di ampia connettività e ComfortView Plus.

DELL P Series P3223DE. Dimensioni diagonale schermo: 80 cm (31.5"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Tempo di risposta: 5 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 1 (3.1 Gen 1). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero




Display		Ergonomics	
Display diagonal *	80 cm (31.5")	On Screen Display (OSD)	✓
Display resolution *	2560 x 1440 pixels	Plug and Play	✓
HD type *	Quad HD	LED indicators	✓
Native aspect ratio *	16:9		
Display technology *	LCD	Power	
Panel type *	IPS	Energy efficiency class (SDR) *	F
Backlight type	LED	Energy efficiency class (HDR) *	Not available
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	30 kWh
Display brightness (typical)	350 cd/m <sup>2</sup>	Power consumption (typical) *	29.9 W
Response time *	5 ms	Power consumption (standby) *	0.3 W
Anti-glare screen	✓	Power consumption (max)	183 W
Screen shape *	Flat	Power consumption (off)	0.3 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Maximum refresh rate *	60 Hz	Input current	2.3 A
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Display number of colours *	1.07 billion colours	European Product Registry for Energy Labelling (EPREL) code	1047046
Response time (fast)	8 ms	Operational conditions	
Pixel pitch	0.2727 x 0.2727 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	93.24 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 90 kHz	Operating relative humidity (H-H)	20 - 80%
Vertical scan range	56 - 76 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	69.8 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	39.3 cm	Non-operating altitude	5000 - 12192 m
Viewable size diagonal	80 cm	Weight & dimensions	
Display diagonal (metric)	80 cm	Width (with stand)	712.4 mm
High Dynamic Range (HDR) supported	✗	Depth (with stand)	230.1 mm
sRGB coverage (typical)	99%	Height (with stand)	617.1 mm

<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✗	Weight (with stand)	11.3 kg
AMD FreeSync *	✗	Width (without stand)	712.4 mm
Low Blue Light technology	✓	Depth (without stand)	54 mm
<b>Multimedia</b>		Height (without stand)	417.1 mm
Built-in speaker(s) *	✗	Weight (without stand)	7.06 kg
Built-in camera *	✗	Bezel width (side)	7.55 mm
<b>Design</b>		Bezel width (top)	7.57 mm
Market positioning *	Business	Bezel width (bottom)	1.74 cm
Product colour *	Black	<b>Packaging data</b>	
Front bezel colour	Black	Package weight	15.3 kg
Detachable stand	✓	<b>Packaging content</b>	
Feet colour	Silver	Stand included	✓
<b>Ports &amp; interfaces</b>		Cables included	AC, DisplayPort, USB Type-A to USB Type-C, USB Type-C to USB Type-C
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	DisplayPort cable length	1.8 m
USB upstream port type	USB Type-C	<b>Sustainability</b>	
Number of USB Type-C upstream ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
USB Type-A downstream ports quantity	4	Doesn't contain	PVC/BFR
USB Power Delivery up to	90 W	<b>Carbon footprint</b>	
HDMI *	✓	Total carbon footprint (kg of CO2e)	853
HDMI ports quantity	1	Total carbon emissions, standard deviation (kg of CO2e)	193
HDMI version	1.4	Carbon emissions, manufacturing (kg of CO2e)	446
DisplayPorts quantity	2	Carbon emissions, logistics (kg of CO2e)	143
DisplayPort version	1.4	Carbon emissions, energy usage (kg of CO2e)	255
Headphone out *	✗	Carbon emissions, end-of-life (kg of CO2e)	9
HDCP	✓	Total carbon emissions, w/o use phase (kg of CO2e)	598
Charging port type	USB Type-C	PAIA version	1.3.0
DC-in jack	✓	<b>Other features</b>	
<b>Network</b>		Heavy metals free	Hg (mercury)
Wi-Fi	✗	Compliance certificates	RoHS
<b>Ergonomics</b>		Ethernet LAN (RJ-45) ports	1
VESA mounting *	✓	<b>Logistics data</b>	
Panel mounting interface	100 x 100 mm	Harmonized System (HS) code	85285210
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✗		
Swivelling	✓		
Swivel angle range	-30 - 30°		
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		



5397184656815




0884116417941



884116417941



5704174840770



5704174894711

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.