

## DELL S Series S2722DGM LED display 68,6 cm (27") 2560 x 1440 Pixel Wide Quad HD LCD Nero

Marchio : DELL Famiglia del prodotto: S Series Codice prodotto: DELL-Series S2722DGM

## Nome del prodotto:

S2722DGM

- 68.6cm (27") Wide Quad HD 2560 x 1440 LED VA
- 1ms, 16:9, 350cd/m<sup>2</sup>, 3000:1
- HDMI, DisplayPort

68.6cm (27") Wide Quad HD 2560 x 1440 LED VA, 16:9, 350cd/m<sup>2</sup>, 16.78M, 1ms, 178°/178°, 3000:1

## DELL S Series S2722DGM LED display 68,6 cm (27") 2560 x 1440 Pixel Wide Quad HD LCD Nero:

Monitor curvo da gaming QHD da 27" con tempo di risposta di 1 ms (MPRT)/ 2 ms (da grigio a grigio), frequenza di refresh di 165 Hz e colore sRGB al 99% per immagini di gioco nitide e gameplay coinvolgente.

DELL S Series S2722DGM. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Wide Quad HD, Tecnologia display: LCD, Tempo di risposta: 1 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Nero





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Adjustable height (max)	10 cm
Display resolution *	2560 x 1440 pixels	Pivot	×
HD type *	Wide Quad HD	Swivelling	×
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	VA	On Screen Display (OSD)	<b>✓</b>
Backlight type	LED	Plug and Play	·
Touchscreen *	×	j ,	•
Display brightness (typical)	350 cd/m²	Power	
Response time *	1 ms	Energy efficiency class (SDR) *	F
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Curved	Energy consumption (SDR) per 100	<sup>0</sup> 25 kWh
Screen curvature rating	1500R	hours *	
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (typical) *	25.3 W
Contrast ratio (typical) *	3000:1	Power consumption (standby) *	0.21 W
Maximum refresh rate *	165 Hz	Power consumption (max)	65 W
Viewing angle, horizontal	178°	Power consumption (off)	0.2 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.78 million colours	AC input frequency	50 - 60 Hz
Response time (fast)	6 ms	Power supply type	Internal A to G
Pixel pitch	0.2331 x 0.2331 mm	Energy efficiency scale	A 10 G
Pixel density	108.79 ppi	European Product Registry for Energy Labelling (EPREL) code	545250
Horizontal scan range	30 - 250 kHz		
Vertical scan range	48 - 165 Hz	Operational conditions	
Viewable size, horizontal	59.7 cm	Operating temperature (T-T)	0 - 40 °C
Viewable size, vertical	33.6 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size diagonal	68.5 cm	Operating relative humidity (H-H)	10 - 80%
Display diagonal (metric)	68.47 cm	Storage relative humidity (H-H)	5 - 90%
		Operating altitude	0 - 5000 m

Display		Operational conditions	
High Dynamic Range (HDR) supported	×	Non-operating altitude	0 - 12192 m
sRGB coverage (typical)	99%	Weight & dimensions	
Performance		Width (with stand)	608.4 mm
AMD FreeSync *	<b>✓</b>	Depth (with stand)	190.4 mm
•		Height (with stand)	493.2 mm
AMD FreeSync type	FreeSync Premium	Weight (with stand)	5.83 kg
Flicker-free technology	<b>✓</b>	Width (without stand) Depth (without stand)	608.4 mm 96.3 mm
Low Blue Light technology	✓	Height (without stand)	364.1 mm
Multimedia		Weight (without stand)	4.24 kg
Built-in speaker(s) *	×	Bezel width (side)	7.73 mm
Built-in camera *	×	Bezel width (top)	7.68 mm
Design		Bezel width (bottom)	2.09 cm
Market positioning *	Gaming	Packaging data	
Product colour *	Black	Package width	163.1 mm
Front bezel colour	Black	Package depth	823 mm
Detachable stand	<b>✓</b>	Package height	459 mm
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	1
HDMI *	<b>√</b>	Cables included	AC, DisplayPort, HDMI
HDMI ports quantity	2	Quick start guide	<b>✓</b>
HDMI version	2.0	DisplayPort cable length	1.8 m
DisplayPorts quantity	1	HDMI cable length	1.8 m
DisplayPort version	1.2	Sustainability	
Headphone out *	✓	Doesn't contain	PVC/BFR
Headphone outputs	1	Other features	
Headphone connectivity	3.5 mm	Heavy metals free	Hg (mercury)
AC (power) in	<b>✓</b>	Compliance certificates	RoHS
Network		Logistics data	
Wi-Fi	X	Harmonized System (HS) code	85285210
Ergonomics		Harmonized System (HS) code	03203210
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		





5397184504956

5704174819561

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.