



## DELL UltraSharp Monitor 27 - U2722D

**Marchio :** DELL

**Famiglia del prodotto:** UltraSharp

**Codice prodotto:** DELL-U2722D

**Nome del prodotto :** Monitor  
Dell UltraSharp 27 - U2722D

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS
  - 8ms, 16:9, 350cd/m<sup>2</sup>, 1000:1
  - USB, HDMI, DisplayPort
- 68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m<sup>2</sup>, 1.07B, 8ms, 178°/178°, 1000:1

### DELL UltraSharp Monitor 27 - U2722D:

Porta il tuo lavoro a nuovi livelli grazie a questo monitor QHD da 27" con ampia copertura cromatica, ComfortView Plus e connettività veloce.

DELL UltraSharp Monitor 27 - U2722D. Dimensioni diagonale schermo: 68,6 cm (27"), Risoluzione del display: 2560 x 1440 Pixel, Tipologia HD: Quad HD, Tecnologia display: LCD, Tempo di risposta: 8 ms, Rapporto d'aspetto nativo: 16:9, Angolo di visualizzazione (orizzontale): 178°, Angolo di visualizzazione (verticale): 178°. Hub USB integrato, Versione dell'hub USB: 3.2 Gen 2 (3.1 Gen 2). Montaggio standard VESA, Regolazione altezza. Colore del prodotto: Argento



| Display                            |                                      | Ergonomics  |               |
|------------------------------------|--------------------------------------|---|---------------|
| Display diagonal *                 | 68.6 cm (27")                        | Swivelling  | ✓             |
| Display resolution *               | 2560 x 1440 pixels                   | Swivel angle range  | -45 - 45°     |
| HD type *                          | Quad HD                              | Tilt adjustment   | ✓             |
| Native aspect ratio *              | 16:9                                 | Tilt angle range  | -5 - 21°      |
| Display technology *               | LCD                                  | On Screen Display (OSD)                                     | ✓             |
| Panel type *                       | IPS                                  | Plug and Play   | ✓             |
| Backlight type                     | LED                                  |   |               |
| Touchscreen *                      | ✗                                    | Power   |               |
| Display brightness (typical)       | 350 cd/m <sup>2</sup>                | Energy efficiency class (SDR) *                             | E             |
| Response time *                    | 8 ms                                 | Energy efficiency class (HDR) *                             | Not available |
| Anti-glare screen                  | ✓                                    | Energy consumption (SDR) per 1000 hours *                   | 20 kWh        |
| Screen shape *                     | Flat                                 | Power consumption (typical) *                               | 20 W          |
| Supported graphics resolutions     | 2560 x 1440                          | Power consumption (standby) *                               | 0.3 W         |
| Supported video modes              | 480i, 480p, 576p, 720p, 1080i, 1080p | Power consumption (max)                                     | 74 W          |
| Contrast ratio (typical) *         | 1000:1                               | Power consumption (average)                                 | 20 W          |
| Maximum refresh rate *             | 60 Hz                                | Power consumption (off)                                     | 0.3 W         |
| Viewing angle, horizontal          | 178°                                 | Power consumption (PowerSave)                               | 16.11 W       |
| Viewing angle, vertical            | 178°                                 | AC input voltage  | 100 - 240 V   |
| Display number of colours *        | 1.07 billion colours                 | AC input frequency  | 50 - 60 Hz    |
| Response time (fast)               | 5 ms                                 | Power supply type   | Internal      |
| Pixel pitch                        | 0.2331 x 0.2331 mm                   | Energy efficiency scale                                     | A to G        |
| Pixel density                      | 108.78 ppi                           | European Product Registry for Energy Labelling (EPREL) code | 414149        |
| Horizontal scan range              | 30 - 90 kHz                          | Operational conditions                                      |               |
| Vertical scan range                | 49 - 76 Hz                           | Operating temperature (T-T)                                 | 0 - 40 °C     |
| Viewable size, horizontal          | 59.7 cm                              | Storage temperature (T-T)                                   | -20 - 60 °C   |
| Viewable size, vertical            | 33.6 cm                              | Operating relative humidity (H-H)                           | 10 - 80%      |
| High Dynamic Range (HDR) supported | ✗                                    | Storage relative humidity (H-H)                             | 5 - 90%       |

|  |                         |   |                                   |
|--|-------------------------|---|-----------------------------------|
| <b>Display</b>                               |                         | <b>Operational conditions</b>                           |                                   |
| Colour gamut standard                        | sRGB                    | Operating altitude                                      | 0 - 5000 m                        |
| Colour gamut                                 | 100%                    | Non-operating altitude                                  | 0 - 12192 m                       |
| <b>Multimedia</b>                            |                         | <b>Weight &amp; dimensions</b>                          |                                   |
| Built-in speaker(s) *                        | ✗                       | Width (with stand)                                      | 611.3 mm                          |
| Built-in camera *                            | ✗                       | Depth (with stand)                                      | 185 mm                            |
| <b>Design</b>                                |                         | Height (with stand)                                     | 535.1 mm                          |
| Market positioning *                         | Office                  | Weight (with stand)                                     | 6.19 kg                           |
| Product colour *                             | Silver                  | Width (without stand)                                   | 611.3 mm                          |
| Front bezel colour                           | Black                   | Depth (without stand)                                   | 49.5 mm                           |
| Detachable stand                             | ✓                       | Height (without stand)                                  | 352 mm                            |
| Feet colour                                  | Silver                  | Weight (without stand)                                  | 4.38 kg                           |
| <b>Ports &amp; interfaces</b>                |                         | Bezel width (side)                                      | 7.3 mm                            |
| Built-in USB hub *                           | ✓                       | Bezel width (top)                                       | 7.3 mm                            |
| USB hub version                              | 3.2 Gen 2 (3.1 Gen 2)   | Bezel width (bottom)                                    | 9.05 mm                           |
| USB upstream port type                       | USB Type-C              | <b>Packaging content</b>                                |                                   |
| Number of upstream ports                     | 1                       | Cables included   | AC, DisplayPort, HDMI, USB Type-C |
| Number of USB Type-C upstream ports quantity | 1                       | DisplayPort cable length                                | 1.8 m                             |
| USB Type-A downstream ports quantity         | 3                       | HDMI cable length                                       | 1.8 m                             |
| USB Type-C downstream ports quantity         | 1                       | <b>Carbon footprint</b>                                 |                                   |
| DVI port                                     | ✗                       | Total carbon footprint (kg of CO2e)                     | 569                               |
| HDMI *                                       | ✓                       | Total carbon emissions, standard deviation (kg of CO2e) | 105                               |
| HDMI ports quantity                          | 1                       | Carbon emissions, manufacturing (kg of CO2e)            | 355                               |
| HDMI version                                 | 1.4                     | Carbon emissions, logistics (kg of CO2e)                | 49                                |
| DisplayPorts quantity                        | 2                       | Carbon emissions, energy usage (kg of CO2e)             | 161                               |
| DisplayPort version                          | 1.4                     | Carbon emissions, end-of-life (kg of CO2e)              | 3                                 |
| Audio output                                 | ✓                       | Total carbon emissions, w/o use phase (kg of CO2e)      | 407                               |
| Headphone connectivity                       | 3.5 mm                  | PAIA version  | 1.2.13, 2021                      |
| Charging port type                           | USB Type-C + USB Type-A | <b>Other features</b>                                   |                                   |
| <b>Network</b>                               |                         | Heavy metals free                                       | Hg (mercury)                      |
| Wi-Fi  | ✗                       | <b>Logistics data</b>                                   |                                   |
| <b>Ergonomics</b>                            |                         | Harmonized System (HS) code                             | 85285210                          |
| VESA mounting *                              | ✓                       |   |                                   |
| Panel mounting interface                     | 100 x 100 mm            |   |                                   |
| Cable lock slot *                            | ✓                       |   |                                   |
| Height adjustment *                          | ✓                       |   |                                   |
| Height adjustment                            | 15 cm                   |   |                                   |
| Pivot  | ✓                       |   |                                   |
| Pivot angle                                  | -90 - 90°               |   |                                   |



5397184505007



5704174808473



5704174823063



3523210099444

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.